

Material Safety Data Sheet

MSDS# A600-A

5-20-03

Page 1 of 3

Sanford Corporation
2711 Washington Boulevard
Bellwood, IL 60104

Telephone No. 1-800-323-0749
Date of Last Revision October 15, 2001
Medical Emergency No. 1-800-228-5635

00330-3011	4281
3061	4541
3181	4921
3321	5141
3411	5150
3421	5201
3711	5221
3721	7081
4161	8311
4241	

SECTION ONE: PRODUCT INFORMATION

PRODUCT NAME: Academy Watercolors
PRODUCT SIZES: 24 and 60 ml
PRODUCT CLASS: Artists' Watercolors

SECTION TWO: HAZARDOUS INGREDIENTS

INGREDIENTS	CAS #	PEL/TLV	MAX WT. %	NTP	IARC
Barium Sulfate	7727-43-7	10 mg/m ³	75.0	-	-

V.3660

SECTION THREE: PHYSICAL AND CHEMICAL CHARACTERISTICS

BOILING POINT: Not determined **MELTING POINT:** Not determined
VAPOR PRESSURE: Not determined **SPECIFIC GRAVITY:** Not determined
SPECIFIC VAPOR DENSITY (AIR = 1): Not determined
SOLUBILITY IN WATER: Not determined **REACTIVITY IN WATER:** Non-reactive
EVAPORATION RATE (BUTYL ACETATE = 1): Not determined
APPEARANCE AND ODOR: Colored paints; essentially odorless

This Material Safety Data Sheet is applicable for the consumer use of the following products: A001, A025, A026, A027, A031, A038, A095, A111, A112, A118, A120, A146, A162, A168, A189, A203, A222, A224

See MSDS A600 for the following colors: A023, A024, A029, A034, A036, A042, A043, A049, A064, A067, A077, A078, A081, A106, A107, A110, A115, A116, A139, A150, A156, A163, A171, A172, A182, A192, A204, A205, A207, A210, A211, A212, A213, A219, A229, A242
See MSDS A600-B for the following colors: A048, A232
See separate MSDS's for each of the following colors: A005, A039, A085, A133, A187

Material Safety Data Sheet**MSDS#** A600-A

Page 2 of 3

SECTION FOUR: FIRE AND EXPLOSION INFORMATION

FLASH POINT (METHOD): Not available

FLAMMABILITY LIMITS (% BY VOLUME): **LOWER:** Not explosive **UPPER:** Not explosive

EXTINGUISHING MEDIA: As appropriate for surrounding area.

FIRE FIGHTING PROCEDURES: No special fire fighting procedures required.

UNUSUAL FIRE AND EXPLOSION HAZARDS: Not combustible

SECTION FIVE: REACTIVITY DATA

STABILITY: Stable

CONDITIONS TO AVOID: Excessive heat

CHEMICAL INCOMPATIBILITY: None known

HAZARDOUS DECOMPOSITION: None known

HAZARDOUS POLYMERIZATION: Will not occur.

SECTION SIX: HEALTH HAZARD DATA

PERMISSIBLE EXPOSURE LEVEL: See Section Two for component PEL/TLV's.

PRIMARY ROUTES OF ENTRY:

Inhalation: None under normal use conditions.

Skin: None under normal use conditions.

Eye: None under normal use conditions.

Ingestion: None under normal use conditions.

EFFECTS/SYMPTOMS OF ACUTE EXPOSURE: None expected.

EFFECTS/SYMPTOMS OF CHRONIC EXPOSURE: None expected.

CARCINOGEN LISTING: **NTP:** **NO** **IARC:** **NO** **OSHA:** **NO**

See Section Two for components affected.

Material Safety Data Sheet**MSDS# A600-A**

Page 3 of 3

MEDICAL CONDITIONS USUALLY AGGRAVATED BY OVEREXPOSURE TO THIS PRODUCT: Unknown

FIRST AID MEASURES:

Inhalation: Not an inhalation hazard.

Skin: Wash with soap and water.

Eye: Rinse through with water. If irritation persists, seek medical attention.

Ingestion: Seek medical attention

SECTION SEVEN: SPILL OR LEAK PROCEDURES

PRECAUTIONS TO BE TAKEN DURING STORAGE/HANDLING: None

STEPS TO BE TAKEN IN CASE MATERIAL IS SPILLED: No special spill procedures required.

WASTE DISPOSAL METHOD: Dispose in accordance with Federal, State, and Local Regulations.

SECTION EIGHT: PROTECTIVE EQUIPMENT AND CONTROL MEASURES

RESPIRATORY PROTECTION AND SPECIAL VENTILATION REQUIREMENTS: None required.

OTHER PROTECTIVE EQUIPMENT (GLOVES, GOGGLES, ETC.): None

WORK/HYGIENE PRACTICES: Studio hygiene rules should be observed. Wash thoroughly before eating, drinking, or smoking.

HMIS CODE	
Health	0
Flammability	0
Reactivity	0
Personal Protection	N/A

0=Minimal/4=Extreme Hazard

WARNING: This product contains lead, a chemical known to the State of California to cause cancer and birth defects or other reproductive harm.

May be used to comply with OSHA Communication Standard 29 CFR 1910.1200. Standard must be consulted for specific requirements.