

MATERIAL SAFETY DATA SHEET

Manufacturer's Name: GAMBLIN ARTISTS COLORS CO.
PO Box 625
Portland, OR 97207

00401-4703
-4704
-4713
-4714
-4973
-4974

Product: HANSA YELLOW LIGHT, HANSA YELLOW MEDIUM, HANSA YELLOW DEEP, BASIC YELLOW LIGHT, BASIC YELLOW MEDIUM ARTIST'S OIL COLOR

SECTION 1 -- PRODUCT IDENTITY

Date prepared: 1/2/92 Emergency telephone no. 503/228-9763

Preparer's Name: R. Gamblin

HMIS Information

Health 1

Chemical name: Vegetable oil/pigment mixture

Flammability 1

Reactivity 0

Chemical formula: N/A (mixture)

DOT shipping class: Compound paint, N.O.S., Class III Combustible

SECTION II -- HAZARDOUS INGREDIENTS

Chemical names	CAS#	Wt%	OSHA PEL	ACGIH TLV
This product contains no hazardous materials under OSHA Standard 1910.1200				

These are reportable chemicals under 40 CFR 372. SARA Title III Section 313

SECTION III -- PHYSICAL CHARACTERISTICS

Boiling range: N/A

Specific gravity: 1 - 1.4

Vapor pressure: N/A

% volatile (volume): 0

Vapor density: N/A

Evaporation rate (BuOAc = 1): N/A

Solubility (specify solvents): Insoluble in water. Soluble in most petroleum solvents.

Appearance and odor: Yellow paste; linseed oil odor.

SECTION IV -- FIRE & EXPLOSION DATA

Flash point: 620 degree F

Extinguishing media: CO₂, dry chemical, water fog

V1907

**HANSA YELLOW LIGHT, HANSA YELLOW MEDIUM, HANSA YELLOW DEEP,
BASIC YELLOW LIGHT, BASIC YELLOW MEDIUM ARTIST'S OIL COLOR**
- MSDS Page 2

Special firefighting procedures: water or foam may cause frothing if directed into container of burning material. Use water to cool containers exposed to heat.
Unusual fire & explosion hazards: contaminated rags or other easily ignited organic materials are spontaneously combustible. Immerse in water after use.

Reactivity: product is stable
Hazardous polymerization: will not occur
Conditions to avoid: avoid extreme heat
Hazardous decomposition products:
Usual products of combustion: CO, CO₂ and possibly acrolein.

SECTION V -- HEALTH HAZARD DATA

Route(s) of entry: Eye contact, ingestion of paint
Acute health effects: Eye contact may cause redness or irritation
Inhalation: N/A
Ingestion: No known adverse health effects
Skin contact: No known adverse health effects

EMERGENCY FIRST AID PROCEDURES:

Eye contact: wash with clean water for at least fifteen minutes. If irritation persists, get medical attention.
Inhalation: N/A
Skin contact: N/A

CHRONIC HEALTH EFFECTS:

Not listed as a carcinogen by the NTP, IARC, or OSHA; no adverse long-term effects are known.

No known adverse health effects to linseed oil.

SECTION VI -- SPILL OR LEAK PROCEDURE

Steps to be taken in case material is spilled: remove all sources of ignition. Soak up spill with absorbent materials.
Waste disposal method: Rags and absorbent materials should be immersed in water. Small amounts can be dried and disposed of as ordinary trash.

SECTION VII -- SPECIAL PROTECTION DATA

Respiratory protection: none normally required

HANSA YELLOW LIGHT, HANSA YELLOW MEDIUM, HANSA YELLOW DEEP,
BASIC YELLOW LIGHT, BASIC YELLOW MEDIUM ARTIST'S OIL COLOR
- MSDS Page 3

Ventilation: none normally required

Protective gloves: none normally required

Eye protection: safety glasses if eye contact is likely; eyewash fountain should be accessible.

SECTION III -- STORAGE & HANDLING DATA

Precautions to be taken in handling and storage: store away from high temperature, sparks or open flame. Read and observe all precautions on product label.

Other precautions: wash hands after use. Immerse contaminated rags in water.

The information contained herein is based on the data available to use and is believe to be correct. However, Gamblin Artists Colors Co. makes no warranty, expressed or implied, regarding the accuracy of these data or the results to be obtained from the use thereof. Gamblin assumes no responsibility for injury from the use of the product described herein.