

HANDLING INFORMATION SHEET

00430 - all codes except

The product covered by this Handling Information Sheet has been certified in a program of toxicological examination by a medical expert to contain no materials in sufficient quantities to offer any acute or chronic health hazard to humans. In addition, there is no physical hazard as defined within 29CFR part 1910.1200(c) consequently, no MSDS is applicable. This sheet does not constitute a MSDS as defined by 29CFR 1910.1200 but provides a source of non-man-

datory information as a service to users of Winsor & Newton products.

Winsor & Newton is a member of the Art & Craft Materials Institute, 715 Boylston St., Boston Ma. 02116. Our art materials are certified by the Institute to be labelled in accordance with the voluntary chronic hazard labelling standard ASTM D.4236 of the American Society for Testing and Materials.



1004	-3103	-4073
1010	-3104	-4074
1013		-4093
1014		-4094
1033		-4183
1034		-4184
1039		-4533
No Health Labeling Required		
-1049	-3423	-4534
-1113	-3424	-5163
-1114	-3843	-5164
-3093	-3844	-5173
-3094		-5174

Page 1 of 2

MATERIAL SAFETY DATA:

14 000 WINTON OIL COLOUR not otherwise specified

WINSOR & NEWTON Telephone for Health Information only
 COLART AMERICAS INC 1-800-628-3385
 11 CONSTITUTION AVE P.O. BOX 1396
 PISCATAWAY N.J. 08855-1396

HAZARDOUS INGREDIENTS	CAS NO.	TLV	MAX. %
None			

PHYSICAL / CHEMICAL CHARACTERISTICS

Boiling point : > 300 °C Specific gravity : 1.00 -3.00
 Vapor pressure : n/a Evaporation rate (n/a) : n/a
 Vapor density : n/a Solubility in water : Insoluble
 Appearance and odor : Coloured paste. Vegetable oil odour

FIRE AND EXPLOSION HAZARD DATA

Flash point (closed cup): > 230 °C Flammability limits : upper : n/a %
 Autoignition temperature: > 300 °C lower : n/a %
 Fire precautions : Keep cool
 Extinguishing media: Carbon dioxide, dry chemical, foam.
 Special hazards : Black smoke evolved may effect eyes and lungs

REACTIVITY DATA

Stable :yes Incompatibility: Combustible matter e.g. cotton waste
 Hazardous decomposition : Acrolein may be evolved in a fire
 Hazardous polymerisation : n/a

HEALTH HAZARD DATA

Prolonged contact with skin may cause dermatitis. Nausea and sickness if large quantities ingested.

Carcinogenicity : NTP : n/a IARC monographs : n/a OSHA regulated : n/a

FIRST AID

Eye contact : Wash with water for 10 minutes

Skin contact: Wash off with soap and water

Inhalation : Not applicable

Ingestion : Give water to drink

Get medical attention

Item Numbers: 00430-0079, 00430-0109, 00430-1009, 00430-1019, 00430-1029, 00430-2009, 00430-2019, 00430-2023, 00430-2024, 00430-2253, 00430-2254, 00430-2563, 00430-2564, 00430-3009, 00430-3013, 00430-3014, 00430-3043, 00430-3044, 00430-3063, 00430-3064, 00430-3253, 00430-3254, 00430-3263, 00430-3264, 00430-3323, 00430-3324, 00430-3543, 00430-3544, 00430-4009, 00430-4043, 00430-4044, 00430-4243, 00430-4244, 00430-4253, 00430-4254, 00430-4283, 00430-4284, 00430-4353, 00430-4354, 00430-4513, 00430-4514, 00430-4543, 00430-4544, 00430-5143, 00430-5144, 00430-5223, 00430-5224, 00430-5273, 00430-5274, 00430-6023, 00430-6024, 00430-7093, 00430-7094, 00430-7103, 00430-7104, 00430-7133, 00430-7134, 00430-7193, 00430-7194, 00430-7313, 00430-7314, 00430-7373, 00430-7374, 00430-8043, 00430-8044, 00430-8053, 00430-8054, 00430-8063, 00430-8064, 00430-8073, 00430-8074, 00430-8313, 00430-8314, 00430-1209

HANDLING INFORMATION SHEET

The product covered by this Handling Information Sheet has been certified in a program of toxicological examination by a medical expert to contain no materials in sufficient quantities to offer any acute or chronic health hazard to humans. In addition, there is no physical hazard as defined within 29CFR part 1910.1200(c) consequently, no MSDS is applicable. This sheet does not constitute a MSDS as defined by 29CFR 1910.1200 but provides a source of non-man-

datory information as a service to users of Winsor & Newton products.

Winsor & Newton is a member of the Art & Craft Materials Institute, 715 Boylston St., Boston, Ma. 02116. Our art materials are certified by the Institute to be labelled in accordance with the voluntary chronic hazard labelling standard ASTM D.4236 of the American Society for Testing and Materials.



No Health Labeling Required

Page 2 of 2

PRECAUTIONS FOR SAFE HANDLING AND USE

In case of spillage : Absorb on inert substrate

Place in suitable container for disposal

Waste disposal : Controlled landfill

According to local regulations

Handling : Normal hygiene

Avoid contact with skin

Storage : Away from heat

NO HEALTH LABELING REQUIRED

CONTROL MEASURES

Personal : Avoid prolonged contact

Use barrier creams

Ventilation: n/a

Date	Salesman	Ship When	Via
Order No.	Buyer	Customer No.	
Sold To.			



ColArt Americas, Inc.
 11 Constitution Avenue
 P.O. Box 1396
 Piscataway, N.J. 08855-1396
 (908) 562-0770 • Fax (908) 562-0940

SPECIAL INSTRUCTIONS HANDLING INFORMATION SHEET WINTON OIL COLOURS
 (NOT OTHERWISE SPECIFIED)

THE PRECEDING PAGES REFER TO COLOURS MARKED 'X' BELOW

Winton Oil Colours

CODE	TUBE NO.	COLOUR NAME	SERIES	CODE PREFIX	
				1414 37ml QTY	1437 200ml QTY
004	1	Alizarin Crimson	1	X	X
074	2	Burnt Sienna	1	X	X
076	3	Burnt Umber	1	X	X
086	60	Cadmium Lemon	2		
089	61	Cadmium Orange	2		
090	4	Cadmium Orange Hue	1	X	X
095	5	Cadmium Red Hue	1	X	X
098	6	Cadmium Red Deep Hue	1	X	X
099	63	Cadmium Red Medium	2		
100	62	Cadmium Red Light	2		
109	9	Cadmium Yellow Hue	1	X	X
113	64	Cadmium Yellow Light	2		
115	46	Cadmium Yellow Deep Hue	1	X	X
116	65	Cadmium Yellow Medium	2		
119	8	Cadmium Yellow Pale Hue	1	X	X
137	66	Cerulean Blue	2		
138	10	Cerulean Blue Hue	1	X	X
178	67	Cobalt Blue	2		
179	15	Cobalt Blue Hue	1		
194	16	Cobalt Violet Hue	1		
229	47	Dioxazine Purple	1	X	X
245	19	Flake White	1		
257	20	Flesh Tint	1		
263	21	French Ultramarine	1	X	X

CODE	TUBE NO.	COLOUR NAME	SERIES	CODE PREFIX	
				1414 37ml QTY	1437 200ml QTY
317	23	Indian Red	1	X	X
331	24	Ivory Black	1	X	X
337	25	Lamp Black	1	X	X
346	26	Lemon Yellow Hue	1	X	X
362	27	Light Red	1	X	X
380	28	Magenta	1	X	X
422	29	Naples Yellow Hue	1	X	X
459	31	Oxide of Chromium	1	X	X
465	32	Payne's Gray	1	X	X
483	48	Permanent Green Light	1	X	X
502	49	Permanent Rose	1	X	X
516	30	Phthalo Blue	1	X	X
538	33	Prussian Blue	1	X	X
552	34	Raw Sienna	1	X	X
554	35	Raw Umber	1	X	X
599	37	Sap Green	1	X	X
637	39	Terre Verte	1	X	X
644	40	Titanium White	1		
676	41	Vandyke Brown	1	X	X
682	42	Vermillion Hue	1		
692	68	Viridian	2	X	X
696	43	Viridian Hue	1	X	X
744	44	Yellow Ochre	1	X	X
748	45	Zinc White	1		

Soft Mixing White ASSORTMENTS Perm. Alizarin Crimson X

CODE	DESCRIPTION	QUANTITY
1494914(R)	37ml Assortment 3 tubes each of 48 colours. Rack Dimensions: 22 1/4"W x 38" H x 12" D	
1494902(R)	200ml Assortment 3 tubes each of 48 colours. Rack Dimensions: 35 1/4"W x 38" H x 12" D	

FOR COLOURS NOT MARKED 'X' REFER TO SPECIFIC "MSDS"

(R) Suffix denotes Assortment plus Display. Circle (R) if Display is required.

All orders subject to acceptance and approval at head office