

Material Safety Data Sheet**MSDS #:** P600-B

Page 1 of 3

Sanford Corporation
2711 Washington Boulevard
Bellwood, IL 60104

TELEPHONE NO: 1-800-323-0749
DATE OF LAST REVISION: October 15, 2001
MEDICAL EMERGENCY NO: 1-800-228-5635

Revd 11-04-02

00448-1013	-1033	-3863
-1014	-1034	-7963
-1023	-1323	
-1024	-1324	

SECTION ONE: PRODUCT INFORMATION

PRODUCT NAME: Pre-Tested Oil Colors
PRODUCT SIZES: 37 and 150 ml
PRODUCT CLASS: Artists' Oil Paint

SECTION TWO: HAZARDOUS INGREDIENTS

INGREDIENTS	CAS #	PEL/TLV	MAX WT. %	NTP	IARC
Zinc Oxide	1314-13-2	10 mg/m ³	78.0	-	-

SECTION THREE: PHYSICAL AND CHEMICAL CHARACTERISTICS

BOILING POINT: Not determined **MELTING POINT:** Not determined
VAPOR PRESSURE: Not determined **SPECIFIC GRAVITY:** Not determined
SPECIFIC VAPOR DENSITY (AIR = 1): Not determined
SOLUBILITY IN WATER: Not determined **REACTIVITY IN WATER:** Non-reactive
EVAPORATION RATE (BUTYL ACETATE = 1): Not determined
APPEARANCE AND ODOR: Colored paints; oily odor

This Material Safety Data Sheet is applicable to the consumer use of the following colors: P071, P093, P212, P218, P248, P250

Material Safety Data Sheet**MSDS #:** P600-B

Page 2 of 3

SECTION FOUR: FIRE AND EXPLOSION INFORMATION**FLASH POINT (METHOD):** Not available**FLAMMABILITY LIMITS (% BY VOLUME):** LOWER: Not explosive UPPER: Not explosive**EXTINGUISHING MEDIA:** As appropriate for surrounding area.**FIRE FIGHTING PROCEDURES:** No special fire fighting procedures required.**UNUSUAL FIRE AND EXPLOSION HAZARDS:** Not combustible.**SECTION FIVE: REACTIVITY DATA****STABILITY:** Stable**CONDITIONS TO AVOID:** Excessive heat**CHEMICAL INCOMPATIBILITY:** None known**HAZARDOUS DECOMPOSITION:** None known**HAZARDOUS POLYMERIZATION:** Will not occur.**SECTION SIX: HEALTH HAZARD DATA****PERMISSIBLE EXPOSURE LEVEL:** See Section Two for Component PEL/TLV's.**PRIMARY ROUTES OF ENTRY:****Inhalation:** None under normal use conditions.**Skin:** None under normal use conditions.**Eye:** None under normal use conditions.**Ingestion:** None under normal use conditions.**EFFECTS/SYMPTOMS OF ACUTE EXPOSURE:** None expected**EFFECTS/SYMPTOMS OF CHRONIC EXPOSURE:** None expected**CARCINOGEN LISTING:** NTP: NO IARC: NO OSHA: NO

See Section Two for components affected.

Material Safety Data Sheet**MSDS #:** P600-B

Page 3 of 3

MEDICAL CONDITIONS USUALLY AGGRAVATED BY OVEREXPOSURE TO THIS PRODUCT: None known

FIRST AID MEASURES:

Inhalation: Not an inhalation hazard.

Skin: Wash with soap and water.

Eye: Rinse through with water. If irritation persists, seek medical attention.

Ingestion: Seek medical attention. Note to physician: No acute health effects expected.

SECTION SEVEN: SPILL OR LEAK PROCEDURES

PRECAUTIONS TO BE TAKEN DURING STORAGE/HANDLING: KEEP OUT OF REACH OF CHILDREN.

STEPS TO BE TAKEN IN CASE MATERIAL IS SPILLED: No special spill procedures required.

WASTE DISPOSAL METHOD: Dispose in accordance with Federal, State, and Local Regulations.

SECTION EIGHT: PROTECTIVE EQUIPMENT AND CONTROL MEASURES

RESPIRATORY PROTECTION AND SPECIAL VENTILATION REQUIREMENTS: None required

OTHER PROTECTIVE EQUIPMENT (GLOVES, GOGGLES, ETC.): None

WORK/HYGIENE PRACTICES: Studio hygiene rules should be observed. Wash thoroughly before eating, drinking, or smoking.

HMIS CODE

Health:	0
Flammability:	0
Reactivity:	0
Personal Protection:	N/A

WARNING: DO NOT SPRAY APPLY – This product contains cadmium, a chemical known to the State of California to cause cancer by means of inhalation.

WARNING: This product contains lead, a chemical known to the State of California to cause cancer and birth defects or other reproductive harm.

0=Minimal/4=Extreme Hazard

Item Numbers: 00448-1013, 00448-1014, 00448-1023, 00448-1024, 00448-1033, 00448-1034, 00448-1323, 00448-1324, 00448-3863, 00448-7963

May be used to comply with OSHA Hazard Communication Standard 29 CFR 1910.1200. Standard must be consulted for specific requirements.

Page 3 of 3