

**Material Safety Data Sheet**

**MSDS #:** P600-D

Page 1 of 3

Sanford Corporation  
 2711 Washington Boulevard  
 Bellwood, IL 60104

**TELEPHONE NO:** 1-800-323-0749  
**DATE OF LAST REVISION:** October 15, 2001  
**MEDICAL EMERGENCY NO:** 1-800-228-5635

*Revd 11-04-02 ✓*

**00448-5003 -7083 -7103**  
**-7104 -7113 -7913 -7923**

**SECTION ONE: PRODUCT INFORMATION**

**PRODUCT NAME:** Pre-Tested Oil Colors  
**PRODUCT SIZES:** 37 and 150 ml  
**PRODUCT CLASS:** Artists' Oil Paint

**SECTION TWO: HAZARDOUS INGREDIENTS**

INGREDIENTS	CAS #	PEL/TLV	MAX WT. %	NTP	IARC
Chromium Pigment	N/A	N/A	80.0	-	-

**SECTION THREE: PHYSICAL AND CHEMICAL CHARACTERISTICS**

**BOILING POINT:** Not determined      **MELTING POINT:** Not determined  
**VAPOR PRESSURE:** Not determined      **SPECIFIC GRAVITY:** Not determined  
**SPECIFIC VAPOR DENSITY (AIR = 1):** Not determined  
**SOLUBILITY IN WATER:** Not determined      **REACTIVITY IN WATER:** Non-reactive  
**EVAPORATION RATE (BUTYL ACETATE = 1):** Not determined  
**APPEARANCE AND ODOR:** Colored paints; oily odor

This Material Safety Data Sheet is applicable to the consumer use of the following colors: P041, P048, P085, P162, P232

**Material Safety Data Sheet****MSDS #:** P600-D

Page 2 of 3

**SECTION FOUR: FIRE AND EXPLOSION INFORMATION****FLASH POINT (METHOD):** Not available**FLAMMABILITY LIMITS (% BY VOLUME):** LOWER: Not explosive

UPPER: Not explosive

**EXTINGUISHING MEDIA:** As appropriate for surrounding area.**FIRE FIGHTING PROCEDURES:** No special fire fighting procedures required.**UNUSUAL FIRE AND EXPLOSION HAZARDS:** Not combustible.**SECTION FIVE: REACTIVITY DATA****STABILITY:** Stable**CONDITIONS TO AVOID:** Excessive heat**CHEMICAL INCOMPATIBILITY:** None known**HAZARDOUS DECOMPOSITION:** None known**HAZARDOUS POLYMERIZATION:** Will not occur.**SECTION SIX: HEALTH HAZARD DATA****PERMISSIBLE EXPOSURE LEVEL:** See Section Two for Component PEL/TLV's.**PRIMARY ROUTES OF ENTRY:****Inhalation:** None under normal use conditions.**Skin:** None under normal use conditions.**Eye:** None under normal use conditions.**Ingestion:** None under normal use conditions.**EFFECTS/SYMPTOMS OF ACUTE EXPOSURE:** None expected**EFFECTS/SYMPTOMS OF CHRONIC EXPOSURE:** None expected**CARCINOGEN LISTING:** NTP: NO IARC: NO OSHA: NO

See Section Two for components affected.

**Material Safety Data Sheet**

MSDS #: P600-D

Page 3 of 3

**MEDICAL CONDITIONS USUALLY AGGRAVATED BY OVEREXPOSURE TO THIS PRODUCT:** None known

**FIRST AID MEASURES:**

**Inhalation:** Not an inhalation hazard.

**Skin:** Wash with soap and water.

**Eye:** Rinse through with water. If irritation persists, seek medical attention.

**Ingestion:** Seek medical attention. Note to physician: No acute health effects expected.

**SECTION SEVEN: SPILL OR LEAK PROCEDURES**

**PRECAUTIONS TO BE TAKEN DURING STORAGE/HANDLING:** KEEP OUT OF REACH OF CHILDREN.

**STEPS TO BE TAKEN IN CASE MATERIAL IS SPILLED:** No special spill procedures required.

**WASTE DISPOSAL METHOD:** Dispose in accordance with Federal, State, and Local Regulations.

**SECTION EIGHT: PROTECTIVE EQUIPMENT AND CONTROL MEASURES**

**RESPIRATORY PROTECTION AND SPECIAL VENTILATION REQUIREMENTS:** None required

**OTHER PROTECTIVE EQUIPMENT (GLOVES, GOGGLES, ETC.):** None

**WORK/HYGIENE PRACTICES:** Studio hygiene rules should be observed. Wash thoroughly before eating, drinking, or smoking.

**HMIS CODE**

Health:	0
Flammability:	0
Reactivity:	0
Personal Protection:	N/A

**WARNING:** This product contains a chemical known to the State of California to cause cancer.

0=Minimal/4=Extreme Hazard

Item Numbers: 00448-5003, 00448-7083, 00448-7103, 00448-7104, 00448-7113, 00448-7913, 00448-7923

May be used to comply with OSHA Hazard Communication Standard 29 CFR 1910.1200. Standard must be consulted for specific requirements.

Page 3 of 3