

00459-1023
-1025

REVISION DATE: 11/19/07

SAFTETY DATA SHEET
WINSOR & NEWTON ARTISAN PAINTING MEDIUM

1 IDENTIFICATION OF THE SUBSTANCE/ PREPARATION AND COMPANY UNDERTAKING

PRODUCT NAME WINSOR & NEWTON ARTISAN PAINTING MEDIUM

APPLICATION Medium for Artisan Water Mixable Oil Colour

SUPPLIER ColArt America Inc.
11 Constitution Avenue
Piscataway
New Jersey
08855-1396Emergency telephone number 1-800-628-3385
Tel. number for information 732-562-0770**2. COMPOSITION INFORMATION ON INGREDIENTS**

COMPOSITION COMMENTS:

Hazardous Components	CAS Number	OSHA PEL	TLV
2-butoxyethanol	111-76-2	No data	25 ppm

3. HAZARD IDENTIFICATION

CLASSIFICATION

Not classified as a health or environmental hazard under current legislation.

This product line has been evaluated by a toxicologist and is labeled as requiring no health hazard in accordance with ASTM D-4236.

4. FIRST AID MEASURES

INHALATION

Move the exposed person to fresh air at once. Get medical attention if any discomfort continues.

INGESTION

Move the exposed person to fresh air at once. Get medical attention if any discomfort continues.

SKIN CONTACT

Remove affected person from source of contamination. Remove contaminated clothing. Wash skin immediately with soap and water. Get medical attention if irritation persists after washing.

1

EYE CONTACT

Make sure to remove any contact lenses from the eyes before rinsing. Promptly wash eyes with plenty of water while lifting the eye lid. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues.

5. FIRE FIGHTING MEASURES**EXTINGUISHING MEDIA**

Fire can be extinguished using powder, foam or carbon dioxide (CO₂)

6. ACCIDENTAL RELEASE MEASURES**SPILL CLEAN UP METHODS**

Avoid generation and spreading of dust. Shovel in to dry containers. Cover and move the containers. Do not contaminate water sources or sewer.

7. HANDLING AND STORAGE**USAGE PRECAUTIONS**

Avoid spilling, skin and eye contact.

STORAGE PRECAUTIONS

Keep in original container. Store at moderate temperatures in dry, well ventilated area.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION**ENGINEERING MEASURES**

Provide adequate and local exhaust ventilation.

HAND PROTECTION

Use suitable protective gloves if risk of skin contact.

EYE PROTECTION

Not relevant.

OTHER PROTECTION

Use appropriate hand lotion to prevent defatting and cracking of skin.

HYGEINE MEASURES

Do not smoke in the work area. Wash at the end of each work shift and before eating, smoking and using the toilet. Wash promptly if skin becomes contaminated. When using do not eat, drink or smoke.

9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE	Soft paste
COLOR	Colourless to pale yellow
ODOR	Characteristic
SOLUBILITY	Soluble in water
RELATIVE DENSITY	0.90
BOILING POINT	>300°C
FLASH POINT	>230 °C

10. STABILITY AND REACTIVITY**STABILITY**

Stable under normal temperature conditions.

CONDITIONS TO AVOID

Keep away from combustible materials. Possible spontaneous combustion on drying.

HAZARDOUS DECOMPOSITION PRODUCTS

Fire creates carbon monoxide and carbon dioxide.

11. TOXICOLOGICAL INFORMATION**GENERAL INFORMATION**

No specific health warnings noted.

12. ECOLOGICAL INFORMATION**ECOTOXICITY**

Not classified as dangerous to the environment

13. DISPOSAL CONSIDERATIONS**DISPOSAL METHODS**

Dispose of waste and residues in accordance with local authority requirements.

14. TRANSPORT INFORMATION

RAIL TRANSPORT NOTES	Not classified
SEA TRANSPORT NOTES	Not classified
AIR TRANSPORT NOTES	Not classified

15. REGULATORY INFORMATION

This product has been evaluated by a toxicologist and is labeled for acute and chronic health hazards in accordance with the Labeling of Hazardous Art Materials Act and Federal regulation 16 CFR 1500.14 of the Federal Hazardous Substances Act.

This product conforms to ASTM D 4236 Standard Practice for Labeling Art Materials for Chronic Adverse Health Hazards

16. OTHER INFORMATION**INFORMATION SOURCE**

Material Safety ~Data Sheet, Misc. manufacturers.

REVISION DATE
11/19/07