

SAFETY DATA SHEET
DALER <> ROWNEY
 Georgian Oil Colour

00485- All Codes Except:
-0009 -1113 -1115 -1343
-1345

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND COMPANY UNDERTAKING

PRODUCT NAME: GEORGIAN OIL COLOUR (111)

APPLICATION: OIL COLOUR PAINTING.

SUPPLIER DALER <> ROWNEY
 2 Corporate Drive
 Cranbury
 New Jersey
 08512-9584

Emergency telephone number 1-609-655-5252
 Tel. number for information 1-609-655-5252

2. COMPOSITION/INFORMATION ON INGREDIENTS

COMPOSITION COMMENTS

Hazardous Components	CAS Number	OSHA PEL	TLV
3. HAZARDS IDENTIFICATION			

3. HAZARDS IDENTIFICATION

CLASSIFICATION

Acute health hazards None

Chronic health hazards None

4. FIRST AID MEASURES.

INHALATION

Move the exposed person to fresh air at once. Get medical attention if any discomfort continues. **INGESTION**

NEVER MAKE AN UNCONCIOUS PERSON VOMIT OR DRINK FLUIDS! Rinse mouth thoroughly. Drink plenty of water. Get medical attention if any discomfort

SKIN CONTACT

Remove affected person from source of contamination. Get medical attention if irritation persists after washing.

EYE CONTACT

Make sure to remove any contact lenses from the eyes before rinsing. Promptly wash eyes with plenty of water while lifting the eye lid. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues.

5. FIRE FIGHTING METHODS

EXTINGUISHING MEDIA

Use media appropriate to the surrounding conditions. May spatter above boiling point.

Dry films will burn.

Item Numbers: 00485-0169, 00485-1009, 00485-1013, 00485-1019, 00485-1020, 00485-1022, 00485-1024, 00485-1033, 00485-1034, 00485-1035, 00485-1109, 00485-1303, 00485-1304, 00485-1305, 00485-1344, 00485-2009, 00485-2023, 00485-2024, 00485-2025, 00485-2109, 00485-2209, 00485-2253, 00485-2254, 00485-2255, 00485-2563, 00485-2564, 00485-2565, 00485-3009, 00485-3013, 00485-3014, 00485-3015, 00485-3063, 00485-3064, 00485-3065, 00485-3083, 00485-3084, 00485-3085, 00485-3093, 00485-3094, 00485-3095, 00485-3133, 00485-3134, 00485-3135, 00485-3153, 00485-3155, 00485-3203, 00485-3204, 00485-3205, 00485-3223, 00485-3224, 00485-3225, 00485-3253, 00485-3254, 00485-3255, 00485-3283, 00485-3284, 00485-3285, 00485-3333, 00485-3334, 00485-3335, 00485-3493, 00485-3494, 00485-3495, 00485-3503, 00485-3504, 00485-3505, 00485-3713, 00485-3715, 00485-3723, 00485-3733, 00485-3734, 00485-3735, 00485-3843, 00485-3844, 00485-3845, 00485-4043, 00485-4044, 00485-4045, 00485-4063, 00485-4064, 00485-4065, 00485-4123, 00485-4124, 00485-4125, 00485-4143, 00485-4144, 00485-4145, 00485-4153, 00485-4154, 00485-4155, 00485-4163, 00485-4164, 00485-4165, 00485-4203, 00485-4204, 00485-4205, 00485-4303, 00485-4304, 00485-4305, 00485-4533, 00485-4534, 00485-4535, 00485-4663, 00485-4664, 00485-4665, 00485-4673, 00485-4674, 00485-4675, 00485-4753, 00485-4754, 00485-4755, 00485-5003, 00485-5013, 00485-5014, 00485-5015, 00485-5163, 00485-5164, 00485-5165, 00485-5183, 00485-5184, 00485-5185, 00485-5223, 00485-5224, 00485-5225, 00485-5233, 00485-5234, 00485-5235, 00485-5783, 00485-5784, 00485-5785, 00485-6523, 00485-6524, 00485-6525, 00485-7001, 00485-7053, 00485-7054, 00485-7055, 00485-7093, 00485-7094, 00485-7095, 00485-7103, 00485-7104, 00485-7105, 00485-7123, 00485-7124, 00485-7125, 00485-7133, 00485-7134, 00485-7135, 00485-7313, 00485-7314, 00485-7315, 00485-7493, 00485-7583, 00485-7584, 00485-7585, 00485-7803, 00485-7804, 00485-7805, 00485-8043, 00485-8044, 00485-8045, 00485-8053, 00485-8054, 00485-8055, 00485-8063, 00485-8064, 00485-8065, 00485-8073, 00485-8074, 00485-8075, 00485-8213, 00485-8313, 00485-8314, 00485-8315, 00485-8623, 00485-8624, 00485-8625, 00485-9306

SAFETY DATA SHEET
DALER <> ROWNEY
 Georgian Oil Colour

6. ACCIDENTAL RELEASE MEASURES

SPILL CLEAN UP METHODS

Clean up with absorbent cloth. Any residue can be cleaned up with a cloth dampened with solvent. USE PROTECTIVE GLOVES when using solvents. Ensure good ventilation. Dispose of any soiled rags or waste in a sealed water filled metal container. Dispose of in accordance with local regulations.

7. HANDLING AND STORAGE

USAGE PRECAUTIONS

Avoid spilling, skin and eye contact. STORAGE

PRECAUTIONS

Keep in original container. Store at moderate temperatures in dry, well ventilated area

8. EXPOSURE CONTROLS/PERSON PROTECTION

ENGINEERING MEASURES

No particular ventilation requirements.

HAND PROTECTION

No specific hand protection noted.

EYE PROTECTION

If risk of splashing, wear safety goggles or face shield.

OTHER PROTECTION

No specific protective equipment noted, but may be required anyway.

HYGEINE MEASURES

Wash at the end of each work shift and before eating, smoking and using the toilet. Promptly remove any clothing that becomes contaminated. Use appropriate skin cream to prevent drying of skin. When using do not eat, drink or smoke.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : Oil colours of buttery consistency.

Odour: Linseed oil.

pH of aqueous extract: Not Applicable

Melting point: Not Applicable.

Flash point: Not Applicable.

Item Numbers: 00485-0169, 00485-1009, 00485-1013, 00485-1019, 00485-1020, 00485-1022, 00485-1024, 00485-1033, 00485-1034, 00485-1035, 00485-1109, 00485-1303, 00485-1304, 00485-1305, 00485-1344, 00485-2009, 00485-2023, 00485-2024, 00485-2025, 00485-2109, 00485-2209, 00485-2253, 00485-2254, 00485-2255, 00485-2563, 00485-2564, 00485-2565, 00485-3009, 00485-3013, 00485-3014, 00485-3015, 00485-3063, 00485-3064, 00485-3065, 00485-3083, 00485-3084, 00485-3085, 00485-3093, 00485-3094, 00485-3095, 00485-3133, 00485-3134, 00485-3135, 00485-3153, 00485-3155, 00485-3203, 00485-3204, 00485-3205, 00485-3223, 00485-3224, 00485-3225, 00485-3253, 00485-3254, 00485-3255, 00485-3283, 00485-3284, 00485-3285, 00485-3333, 00485-3334, 00485-3335, 00485-3493, 00485-3494, 00485-3495, 00485-3503, 00485-3504, 00485-3505, 00485-3713, 00485-3715, 00485-3723, 00485-3733, 00485-3734, 00485-3735, 00485-3843, 00485-3844, 00485-3845, 00485-4043, 00485-4044, 00485-4045, 00485-4063, 00485-4064, 00485-4065, 00485-4123, 00485-4124, 00485-4125, 00485-4143, 00485-4144, 00485-4145, 00485-4153, 00485-4154, 00485-4155, 00485-4163, 00485-4164, 00485-4165, 00485-4203, 00485-4204, 00485-4205, 00485-4303, 00485-4304, 00485-4305, 00485-4533, 00485-4534, 00485-4535, 00485-4663, 00485-4664, 00485-4665, 00485-4673, 00485-4674, 00485-4675, 00485-4753, 00485-4754, 00485-4755, 00485-5003, 00485-5013, 00485-5014, 00485-5015, 00485-5163, 00485-5164, 00485-5165, 00485-5183, 00485-5184, 00485-5185, 00485-5223, 00485-5224, 00485-5225, 00485-5233, 00485-5234, 00485-5235, 00485-5783, 00485-5784, 00485-5785, 00485-6523, 00485-6524, 00485-6525, 00485-7001, 00485-7053, 00485-7054, 00485-7055, 00485-7093, 00485-7094, 00485-7095, 00485-7103, 00485-7104, 00485-7105, 00485-7123, 00485-7124, 00485-7125, 00485-7133, 00485-7134, 00485-7135, 00485-7313, 00485-7314, 00485-7315, 00485-7493, 00485-7583, 00485-7584, 00485-7585, 00485-7803, 00485-7804, 00485-7805, 00485-8043, 00485-8044, 00485-8045, 00485-8053, 00485-8054, 00485-8055, 00485-8063, 00485-8064, 00485-8065, 00485-8073, 00485-8074, 00485-8075, 00485-8213, 00485-8313, 00485-8314, 00485-8315, 00485-8623, 00485-8624, 00485-8625, 00485-9306

SAFETY DATA SHEET
DALER <> ROWNEY
 Georgian Oil Colour

Flammability : See 5 above.
 Explosive properties : Not Applicable
 Specific gravity: 1.5 – 2.1
 Solubility water: Insoluble.
 Organic solvents: Soluble in White Spirit, Turpentine or Isoparaffin Solvents (eg. Daler-Rowney Low Odour Thinners).

10. STABILITY AND REACTIVITY

Stability: Stable at under normal temperature condition
 Conditions to avoid: Contains an oxidising oil. Rags, Steel wool or waste soaked with this product may spontaneously catch fire if improperly discarded. Immediately after use, place soiled material in a sealed water filled metal container.
 Hazardous decomposition products : Nothing below 250°C.

11. TOXICOLOGICAL INFORMATION

There are no data on the preparation itself.

Threshold limit:

Ingestion: Not considered to represent a significant health hazard. May cause discomfort.

Skin: Prolonged contact may result in a mild reaction in some cases.

Eyes: May cause temporary discomfort.

Respiratory: Not Applicable.

12. ECOLOGICAL INFORMATION

ECOTOXICITY

Not classified as dangerous to the environment

13. DISPOSAL CONSIDERATIONS

Dispose of in accordance with local regulations.

14. TRANSPORT INFORMATION

RAIL TRANSPORT NOTES Not classified

Item Numbers: 00485-0169, 00485-1009, 00485-1013, 00485-1019, 00485-1020, 00485-1022, 00485-1024, 00485-1033, 00485-1034, 00485-1035, 00485-1109, 00485-1303, 00485-1304, 00485-1305, 00485-1344, 00485-2009, 00485-2023, 00485-2024, 00485-2025, 00485-2109, 00485-2209, 00485-2253, 00485-2254, 00485-2255, 00485-2563, 00485-2564, 00485-2565, 00485-3009, 00485-3013, 00485-3014, 00485-3015, 00485-3063, 00485-3064, 00485-3065, 00485-3083, 00485-3084, 00485-3085, 00485-3093, 00485-3094, 00485-3095, 00485-3133, 00485-3134, 00485-3135, 00485-3153, 00485-3155, 00485-3203, 00485-3204, 00485-3205, 00485-3223, 00485-3224, 00485-3225, 00485-3253, 00485-3254, 00485-3255, 00485-3283, 00485-3284, 00485-3285, 00485-3333, 00485-3334, 00485-3335, 00485-3493, 00485-3494, 00485-3495, 00485-3503, 00485-3504, 00485-3505, 00485-3713, 00485-3715, 00485-3723, 00485-3733, 00485-3734, 00485-3735, 00485-3843, 00485-3844, 00485-3845, 00485-4043, 00485-4044, 00485-4045, 00485-4063, 00485-4064, 00485-4065, 00485-4123, 00485-4124, 00485-4125, 00485-4143, 00485-4144, 00485-4145, 00485-4153, 00485-4154, 00485-4155, 00485-4163, 00485-4164, 00485-4165, 00485-4203, 00485-4204, 00485-4205, 00485-4303, 00485-4304, 00485-4305, 00485-4533, 00485-4534, 00485-4535, 00485-4663, 00485-4664, 00485-4665, 00485-4673, 00485-4674, 00485-4675, 00485-4753, 00485-4754, 00485-4755, 00485-5003, 00485-5013, 00485-5014, 00485-5015, 00485-5163, 00485-5164, 00485-5165, 00485-5183, 00485-5184, 00485-5185, 00485-5223, 00485-5224, 00485-5225, 00485-5233, 00485-5234, 00485-5235, 00485-5783, 00485-5784, 00485-5785, 00485-6523, 00485-6524, 00485-6525, 00485-7001, 00485-7053, 00485-7054, 00485-7055, 00485-7093, 00485-7094, 00485-7095, 00485-7103, 00485-7104, 00485-7105, 00485-7123, 00485-7124, 00485-7125, 00485-7133, 00485-7134, 00485-7135, 00485-7313, 00485-7314, 00485-7315, 00485-7493, 00485-7583, 00485-7584, 00485-7585, 00485-7803, 00485-7804, 00485-7805, 00485-8043, 00485-8044, 00485-8045, 00485-8053, 00485-8054, 00485-8055, 00485-8063, 00485-8064, 00485-8065, 00485-8073, 00485-8074, 00485-8075, 00485-8213, 00485-8313, 00485-8314, 00485-8315, 00485-8623, 00485-8624, 00485-8625, 00485-9306

SAFETY DATA SHEET
DALER <> ROWNEY
 Georgian Oil Colour

SEA TRANSPORT NOTES Not classified

AIR TRANSPORT NOTES Not classified

15. REGULATORY INFORMATION

This product has been evaluated by a toxicologist and is labelled for acute and chronic health hazards in accordance with the Labelling of Hazardous Art Materials Act and Federal regulation 16 CFR 1500.14 of the Federal Hazardous Substances Act.

This product conforms to ASTM D 4236 Standard Practice for Labelling Art Materials for Chronic Adverse Health Hazards

16. OTHER INFORMATION

INFORMATION SOURCE

Material Safety ~Data Sheet, Misc. manufacturers.

ISSUE DATE: NOVEMBER 01st 2010