



Old Holland Classic Colours

00495-3090, 3092, 3200, 3202, 3560,  
3562, 3670, 3672, 3680, 3682, 3960,  
3962, 3970, 3972, 3980, 3982, 3990,  
3992, 4120, 4122, 4200, 4202, 4530,  
4532, 7210, 7212, 7930, 7932

**Material Safety Data Sheet**

Colours 009,011,013,016,017,020,021,023,025,043,044,045,139,142,154

Driebergen, March 2010

**1 Identification of substance/preparation and of the company/undertaking**

**Trade name:** Classic Oil Colours ( Cadmium )  
**Company:** Old Holland Classic Colours since 1664  
Nijendal 36  
3972 KC Driebergen  
Netherland  
Tel +31 (0343) 518224 Fax +31 (0343) 516342

**2 Composition/Information on Ingredients**

Name: Cadmium Sulphide		
CAS #	Einecs Nr.:	Content
8048-07-5	232-466-8	50-70%
7727-43-7	231-784-4	10-20%
12656-57-4	12656-57-4	50-70%

The full text for all P-Phrases are displayed in section 16

**3 Hazards Identification:**

Acute health hazards           None  
Chronic health hazards       None  
Not regarded as a health or environmental hazard current legislation

In Accordance with California Proposition 65, these colours are labelled as WARNING, DO NOT SPRAY APPLY, This product contains cadmium, a chemical known to the State of California to cause cancer by means of inhalation.

**4 First Aid Measures:**

**Inhalation:** Move the exposed person to fresh air at once. Get medical attention if any discomfort continues

**Skin Contact:** Wash skin with soap and water . Get medical attention if irritation persists after washing.

**Eye contact:** Make sure to remove any contact lenses from the eyes before rinsing. Promptly wash eyes with plenty of water while lifting the eye lids. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues.

**Ingestion:** **Never make an unconscious person vomit or drink fluids!** Rinse mouth thoroughly. Drink plenty of water. Get medical attention if any discomfort continues.

**Product:** Oil colour paint  
This information is accurate to the best knowledge of Old Holland Classic Colours, however it is furnished without warranty, expressed or implied.  
Old Holland Classic Colours, Nijendal 36-38 3972KC Driebergen, Netherlands, Tel +31343518224 Fax +31343516342. [www.Oldholland.com](http://www.Oldholland.com)



## Old Holland Classic Colours

**5 Fire Fighting Measures:**

Extinguishing media: Use fire-extinguishing media appropriate for surrounding materials

Special Fire Fighting Procedures: Avoid breathing fire vapours.

Protective measures in Fire: Self contained breathing apparatus and full protective clothing must be worn in case of fire.

**6 Accidental Release Measures:**

Clear up spillages. Collect powder using special dust vacuum cleaner with particle Filter or carefully sweep into closed container. Dampen spillage with water.

Personal Precautions: In case of inadequate ventilation, use respiratory protection.

**7 Handling and storage:**

Usage Precautions: Do not eat, drink or smoke when using the product. Good personal hygiene is necessary. Wash hands and contaminated areas with water and soap before leaving the work site. Observe good industrial hygiene practices. Avoid inhalation or dust.

Storage Precautions: Store in a dry place.

**8 Exposure Controls/personal protection:**

Engineering Measures: Provide adequate ventilation, including local extraction, to ensure that the defined workplace exposure limit is not exceeded

Protection hands: For prolonged or repeated skin contact use suitable protective gloves.

Eye Protection: Use Eye protection.

Skin Protection: Wear apron or protective clothing in case of contact.

Respiratory Equipment: In case of inadequate ventilation or risk of inhalation of dust, use suitable respiratory equipment with particle filter.

**9 Physical and chemical properties:**

Form:	pigment in oil.
Odour:	paste
Colour:	Characteristic
Boiling point	varies
	>300°C Pressure 760mmHg

Product: Oil colour paint

This information is accurate to the best knowledge of Old Holland Classic Colours, however it is furnished without warranty, expressed or implied.

Old Holland Classic Colours, Nijendal 36-38 3972KC Driebergen, Netherlands, Tel +31343518224 Fax +31343516342. [www.Oldholland.com](http://www.Oldholland.com)



## Old Holland Classic Colours



Flash point:	>230°C
Auto ignition temperature:	>300°C
Density/specific gravity	>3-5
Particle description:	<25
Solubility:	Not miscible with water g/l
Solubility in white spirit:	dissolve g/l

**10 Stability and reactivity:**

**Stability:** Stable under normal temperature conditions and recommended use. Avoid: Contact with acids

**11 Toxicological information:**

**General Information:** The soluble cadmium content in the pigment is less  
Only large volumes may have adverse impact on human health  
**Inhalation;** Dust in high concentrations may irritate the respiratory system  
**Route of entry;** Inhalation  
**Target Organs:** Respiratory, lungs

**12 Ecological information:**

**Ecological information:** This product is not expected to be hazardous to the environment

**13 Disposal considerations:**

**Disposal Methods:** Dispose of waste and residues in accordance with local authority requirements. Dispose of on site landfill area .

**14 Transport information:**

**General;** The product is not covered by international regulation on the transport of dangerous goods (IMDG, IATA, ADR/RID )  
**UN.No Road:** 0

**15 Regulatory information:**

This product has been evaluated by a toxicologist and is labelled for acute and chronic health  
This product conforms to ASTM D 4236 Standard Practice for Labelling Art Materials for Chronic Adverse Health Hazards.

**Product:** Oil colour paint  
This information is accurate to the best knowledge of Old Holland Classic Colours, however it is furnished without warranty, expressed or implied.  
Old Holland Classic Colours, Nijendal 36-38 3972KC Driebergen, Netherlands, Tel +31343518224 Fax +31343516342. [www.Oldholland.com](http://www.Oldholland.com)



## Old Holland Classic Colours



Risk Phrases  
Safety Phrases

NC; Not Classified.  
S22 Do not breathe dust.  
P13 Safety data sheet available for professional user on request.

**UK Regulatory References**

Health and Safety at work Act 1974. Chemical ( Hazards information & Packaging ) Regulations.

**16 Other information:**

Information Source:  
Material Safety- Data Sheet.

**Product:** Oil colour paint

This information is accurate to the best knowledge of Old Holland Classic Colours, however it is furnished without warranty, expressed or implied.

Old Holland Classic Colours, Nijendal 36-38 3972KC Driebergen, Netherlands. Tel +31343518224 Fax +31343516342. [www.Oldholland.com](http://www.Oldholland.com)