

Material Safety Data Sheet

Product Name:
LIQUITEX(R) GLOSSIES ACRYLIC ENAMELS

Product Family:**1. Chemical Product and Company Identification**

Colart Americas, Inc.
11 Constitution Avenue
PO Box 1396
Piscataway, NJ 08855
1-800-445-4278

EMERGENCY TELEPHONE NUMBER:
1-800-628-3385

SUBSTANCE:
LIQUITEX(R) GLOSSIES ACRYLIC ENAMELS

TRADE NAMES/SYNONYMS:

LIQUITEX GLOSSIES ACRYLIC ENAMELS; PRODUCT COLORS/CODES: NO. 12-2002; PRODUCT COLORS/CODES: NO. 12-1000-0-010 - YELLOW; PRODUCT COLORS/CODES: NO. 12-1000-0-011 - GREEN; PRODUCT COLORS/CODES: NO. 12-1000-0-012 - BLUE GREEN; PRODUCT COLORS/CODES: NO. 12-1000-0-013 - BLUE; PRODUCT COLORS/CODES: NO. 12-1000-0-014 - BLUE PURPLE; PRODUCT COLORS/CODES: NO. 12-1000-0-015 - PURPLE; PRODUCT COLORS/CODES: NO. 12-1000-0-016 - RED PURPLE; PRODUCT COLORS/CODES: NO. 12-1000-0-017 - RED; PRODUCT COLORS/CODES: NO. 12-1000-0-018 - ORANGE; PRODUCT COLORS/CODES: NO. 12-1000-0-019 - BROWN; PRODUCT COLORS/CODES: NO. 12-1000-0-020 - BLACK; PRODUCT COLORS/CODES: NO. 12-1000-0-021 - WHITE; PRODUCT COLORS/CODES: NO. 12-1000-0-023 - ALMOND; PRODUCT COLORS/CODES: NO. 12-1000-0-024 - GOLDEN BROWN; PRODUCT COLORS/CODES: NO. 12-1000-0-025 - YELLOW ORANGE; PRODUCT COLORS/CODES: NO. 12-1000-0-026 - RED ORANGE; PRODUCT COLORS/CODES: NO. 12-1000-0-027 - PINK; PRODUCT COLORS/CODES: NO. 12-1000-0-028 - MAROON; PRODUCT COLORS/CODES: NO. 12-1000-0-029 - MAGENTA; PRODUCT COLORS/CODES: NO. 12-1000-0-030 - BRIGHT PURPLE; PRODUCT COLORS/CODES: NO. 12-1000-0-031 - BRIGHT BLUE; PRODUCT COLORS/CODES: NO. 12-1000-0-032 - AQUA; PRODUCT COLORS/CODES: NO. 12-1000-0-034 - YELLOW GREEN; PRODUCT COLORS/CODES: NO. 12-1000-0-033 - PINE GREEN; BNSS022

PRODUCT USE:
Arts and Crafts

CREATION DATE:
Nov 12 1997

REVISION DATE:
Jun 02 1999

2. Composition, Information on Ingredients**COMPONENT:**

Product has been certified as non-toxic by The Art and Creative Materials Institute, Inc. and conforms to ASTM D-4236 Standard Practice for Labeling Art Materials for Acute and Chronic Adverse Health Hazards.

CAS NUMBER:
Not assigned.

EC NUMBER:
Not assigned.

PERCENTAGE:
100

LIQUITEX(R) GLOSSIES ACRYLIC ENAMELS

242.

00615 - all codes except
- 1003
- 9024
- 9324
- 9514

V-4565

Material Safety Data Sheet

3. Hazards Identification

NFPA RATINGS (SCALE 0-4): HEALTH=1 FIRE=1 REACTIVITY=0

EC CLASSIFICATION (CALCULATED):

Not determined.

EMERGENCY OVERVIEW:

COLOR:

various colors

PHYSICAL FORM:

liquid

ODOR:

odorless

MAJOR HEALTH HAZARDS:

No significant target effects reported.

POTENTIAL HEALTH EFFECTS:

INHALATION:

none

SKIN CONTACT:

none

EYE CONTACT:

none

INGESTION:

none

CARCINOGEN STATUS:

OSHA:

N

NTP:

N

IARC:

N

4. First Aid Measures

INHALATION:

It is unlikely that emergency treatment will be required. Remove from exposure. Get medical attention, if needed.

SKIN CONTACT:

It is unlikely that emergency treatment will be required. If adverse effects occur, wash with soap or mild detergent and large amounts of water. Get medical attention, if needed.

EYE CONTACT:

It is unlikely that emergency treatment will be required. Wash with large amounts of water or normal saline until no evidence of chemical remains (at least 15-20 minutes). Get medical attention immediately.

LIQUITEX(R) GLOSSIES ACRYLIC ENAMELS

243.

Material Safety Data Sheet

INGESTION:
Contact local poison control center or physician immediately.

5. Fire Fighting Measures

FIRE AND EXPLOSION HAZARDS:
Slight fire hazard.

EXTINGUISHING MEDIA:
regular dry chemical, carbon dioxide, water, regular foam

FIRE FIGHTING:
Move container from fire area if it can be done without risk.
Avoid inhalation of material or combustion by-products.

FLASH POINT:
No data available.

6. Accidental Release Measures

OCCUPATIONAL RELEASE:
Absorb with sand or other non-combustible material. Collect spilled material in appropriate container for disposal.

7. Handling and Storage

Store and handle in accordance with all current regulations and standards. See original container for storage recommendations. Keep separated from incompatible substances.

8. Exposure Controls, Personal Protection

EXPOSURE LIMITS:
LIQUITEX(R) GLOSSIES ACRYLIC ENAMELS:
No occupational exposure limits established.

VENTILATION:
Based on available information, additional ventilation is not required.

EYE PROTECTION:
Eye protection not required under normal conditions.

CLOTHING:
Protective clothing is not required under normal conditions.

GLOVES:
Protective gloves are not required under normal conditions.

RESPIRATOR:
No respirator is required under normal conditions of use.
Under conditions of frequent use or heavy exposure, respiratory protection may be needed.

9. Physical and Chemical Properties

PHYSICAL STATE:
liquid

COLOR:
various colors

LIQUITEX(R) GLOSSIES ACRYLIC ENAMELS

244.

Material Safety Data Sheet

ODOR:
odorless

BOILING POINT:
Not available

FREEZING POINT:
Not available

VAPOR PRESSURE:
Not available

VAPOR DENSITY:
Not available

SPECIFIC GRAVITY:
Not available

WATER SOLUBILITY:
Not available

PH:
Not available

VOLATILITY:
Not available

ODOR THRESHOLD:
Not available

EVAPORATION RATE:
Not available

COEFFICIENT OF WATER/OIL DISTRIBUTION:
Not available

10. Stability and Reactivity

REACTIVITY:
Stable at normal temperatures and pressure.

CONDITIONS TO AVOID:
None reported.

INCOMPATIBILITIES:
oxidizing materials

HAZARDOUS DECOMPOSITION:
Thermal decomposition products: oxides of carbon

POLYMERIZATION:
Will not polymerize.

11. Toxicological Information
Not available

12. Ecological Information
Not available

LIQUITEX(R) GLOSSIES ACRYLIC ENAMELS

245.

Material Safety Data Sheet

13. Disposal Considerations

Dispose in accordance with all applicable regulations.

14. Transport Information

No classification assigned.

LAND TRANSPORT ADR/RID:

No classification assigned.

AIR TRANSPORT IATA/ICAO:

No classification assigned.

MARITIME TRANSPORT IMDG:

No classification assigned.

15. Regulatory Information

U.S. REGULATIONS:

TSCA INVENTORY STATUS:

Y

TSCA 12(b) EXPORT NOTIFICATION:

Not listed.

CERCLA SECTION 103 (40CFR302.4):

N

SARA SECTION 302 (40CFR355.30):

N

SARA SECTION 304 (40CFR355.40):

N

SARA SECTION 313 (40CFR372.65):

N

SARA HAZARD CATEGORIES, SARA SECTIONS 311/312 (40CFR370.21):

ACUTE:

N

CHRONIC:

N

FIRE:

N

REACTIVE:

N

SUDDEN RELEASE:

N

OSHA PROCESS SAFETY (29CFR1910.119):

N

STATE REGULATIONS:

California Proposition 65:

N

LIQUITEX(R) GLOSSIES ACRYLIC ENAMELS

246.

Material Safety Data Sheet

EUROPEAN REGULATIONS:

EC NUMBER:

Not assigned.

16. Other Information

COPYRIGHT 1984-1999 MDL INFORMATION SYSTEMS, INC. ALL RIGHTS RESERVED.