

00615-1003  
JCT

Revd 12-13-02

**Material Safety Data Sheet**

**Product Name:**  
LIQUITEX(R) GLOSSIES ACRYLIC ENAMELS

**Product Family:**

**1. Chemical Product and Company Identification**

Colart Americas, Inc.  
11 Constitution Avenue  
PO Box 1396  
Piscataway, NJ 08855  
1-800-445-4278

**EMERGENCY TELEPHONE NUMBER:**  
1-800-628-3385

**SUBSTANCE:**  
LIQUITEX(R) GLOSSIES ACRYLIC ENAMELS

**TRADE NAMES/SYNONYMS:**

LIQUITEX GLOSSIES ACRYLIC ENAMELS; PRODUCT COLORS/CODES: NO. 12-2002; PRODUCT COLORS/CODES: NO. 12-1000-0-010 - YELLOW; PRODUCT COLORS/CODES: NO. 12-1000-0-011 - GREEN; PRODUCT COLORS/CODES: NO. 12-1000-0-012 - BLUE GREEN; PRODUCT COLORS/CODES: NO. 12-1000-0-013 - BLUE; PRODUCT COLORS/CODES: NO. 12-1000-0-014 - BLUE PURPLE; PRODUCT COLORS/CODES: NO. 12-1000-0-015 - PURPLE; PRODUCT COLORS/CODES: NO. 12-1000-0-016 - RED PURPLE; PRODUCT COLORS/CODES: NO. 12-1000-0-017 - RED; PRODUCT COLORS/CODES: NO. 12-1000-0-018 - ORANGE; PRODUCT COLORS/CODES: NO. 12-1000-0-019 - BROWN; PRODUCT COLORS/CODES: NO. 12-1000-0-020 - BLACK; PRODUCT COLORS/CODES: NO. 12-1000-0-021 - WHITE; PRODUCT COLORS/CODES: NO. 12-1000-0-023 - ALMOND; PRODUCT COLORS/CODES: NO. 12-1000-0-024 - GOLDEN BROWN; PRODUCT COLORS/CODES: NO. 12-1000-0-025 - YELLOW ORANGE; PRODUCT COLORS/CODES: NO. 12-1000-0-026 - RED ORANGE; PRODUCT COLORS/CODES: NO. 12-1000-0-027 - PINK; PRODUCT COLORS/CODES: NO. 12-1000-0-028 - MAROON; PRODUCT COLORS/CODES: NO. 12-1000-0-029 - MAGENTA; PRODUCT COLORS/CODES: NO. 12-1000-0-030 - BRIGHT PURPLE; PRODUCT COLORS/CODES: NO. 12-1000-0-031 - BRIGHT BLUE; PRODUCT COLORS/CODES: NO. 12-1000-0-032 - AQUA; PRODUCT COLORS/CODES: NO. 12-1000-0-034 - YELLOW GREEN; PRODUCT COLORS/CODES: NO. 12-1000-0-033 - PINE GREEN; BNSSS022

**PRODUCT USE:**  
Arts and Crafts

**CREATION DATE:**  
Nov 12 1997

**REVISION DATE:**  
Jun 02 1999

**2. Composition, Information on Ingredients**

**COMPONENT:**

Product has been certified as non-toxic by The Art and Creative Materials Institute, Inc. and conforms to ASTM D-4236 Standard Practice for Labeling Art Materials for Acute and Chronic Adverse Health Hazards.

**CAS NUMBER:**  
Not assigned.

**EC NUMBER:**  
Not assigned.

**PERCENTAGE:**  
100

LIQUITEX(R) GLOSSIES ACRYLIC ENAMELS

242.

V. 4565

## Material Safety Data Sheet

**3. Hazards Identification**

NFPA RATINGS (SCALE 0-4): HEALTH=1 FIRE=1 REACTIVITY=0

## EC CLASSIFICATION (CALCULATED):

Not determined.

## EMERGENCY OVERVIEW:

## COLOR:

various colors

## PHYSICAL FORM:

liquid

## ODOR:

odorless

## MAJOR HEALTH HAZARDS:

No significant target effects reported.

## POTENTIAL HEALTH EFFECTS:

## INHALATION:

none

## SKIN CONTACT:

none

## EYE CONTACT:

none

## INGESTION:

none

## CARCINOGEN STATUS:

## OSHA:

N

## NTP:

N

## IARC:

N

**4. First Aid Measures**

## INHALATION:

It is unlikely that emergency treatment will be required. Remove from exposure. Get medical attention, if needed.

## SKIN CONTACT:

It is unlikely that emergency treatment will be required. If adverse effects occur, wash with soap or mild detergent and large amounts of water. Get medical attention, if needed.

## EYE CONTACT:

It is unlikely that emergency treatment will be required. Wash with large amounts of water or normal saline until no evidence of chemical remains (at least 15-20 minutes). Get medical attention immediately.

LIQUITEX(R) GLOSSIES ACRYLIC ENAMELS

243.

**Material Safety Data Sheet****INGESTION:**

Contact local poison control center or physician immediately.

**5. Fire Fighting Measures****FIRE AND EXPLOSION HAZARDS:**

Slight fire hazard.

**EXTINGUISHING MEDIA:**

regular dry chemical, carbon dioxide, water, regular foam

**FIRE FIGHTING:**

Move container from fire area if it can be done without risk.  
Avoid inhalation of material or combustion by-products.

**FLASH POINT:**

No data available.

**6. Accidental Release Measures****OCCUPATIONAL RELEASE:**

Absorb with sand or other non-combustible material. Collect spilled material in appropriate container for disposal.

**7. Handling and Storage**

Store and handle in accordance with all current regulations and standards. See original container for storage recommendations. Keep separated from incompatible substances.

**8. Exposure Controls, Personal Protection****EXPOSURE LIMITS:****LIQUITEX(R) GLOSSIES ACRYLIC ENAMELS:**

No occupational exposure limits established.

**VENTILATION:**

Based on available information, additional ventilation is not required.

**EYE PROTECTION:**

Eye protection not required under normal conditions.

**CLOTHING:**

Protective clothing is not required under normal conditions.

**GLOVES:**

Protective gloves are not required under normal conditions.

**RESPIRATOR:**

No respirator is required under normal conditions of use.  
Under conditions of frequent use or heavy exposure, respiratory protection may be needed.

**9. Physical and Chemical Properties****PHYSICAL STATE:**

liquid

**COLOR:**

various colors

**LIQUITEX(R) GLOSSIES ACRYLIC ENAMELS**

244.

**Material Safety Data Sheet**

**ODOR:**  
odorless

**BOILING POINT:**  
Not available

**FREEZING POINT:**  
Not available

**VAPOR PRESSURE:**  
Not available

**VAPOR DENSITY:**  
Not available

**SPECIFIC GRAVITY:**  
Not available

**WATER SOLUBILITY:**  
Not available

**PH:**  
Not available

**VOLATILITY:**  
Not available

**ODOR THRESHOLD:**  
Not available

**EVAPORATION RATE:**  
Not available

**COEFFICIENT OF WATER/OIL DISTRIBUTION:**  
Not available

**10. Stability and Reactivity**

**REACTIVITY:**  
Stable at normal temperatures and pressure.

**CONDITIONS TO AVOID:**  
None reported.

**INCOMPATIBILITIES:**  
oxidizing materials

**HAZARDOUS DECOMPOSITION:**  
Thermal decomposition products: oxides of carbon

**POLYMERIZATION:**  
Will not polymerize.

**11. Toxicological Information**  
Not available

**12. Ecological Information**  
Not available

**LIQUITEX(R) GLOSSIES ACRYLIC ENAMELS**

245.

## Material Safety Data Sheet

**13. Disposal Considerations**

Dispose in accordance with all applicable regulations.

**14. Transport Information**

No classification assigned.

LAND TRANSPORT ADR/RID:

No classification assigned.

AIR TRANSPORT IATA/ICAO:

No classification assigned.

MARITIME TRANSPORT IMDG:

No classification assigned.

**15. Regulatory Information**

U.S. REGULATIONS:

TSCA INVENTORY STATUS:

Y

TSCA 12(b) EXPORT NOTIFICATION:

Not listed.

CERCLA SECTION 103 (40CFR302.4):

N

SARA SECTION 302 (40CFR355.30):

N

SARA SECTION 304 (40CFR355.40):

N

SARA SECTION 313 (40CFR372.65):

N

SARA HAZARD CATEGORIES, SARA SECTIONS 311/312 (40CFR370.21):

ACUTE:

N

CHRONIC:

N

FIRE:

N

REACTIVE:

N

SUDDEN RELEASE:

N

OSHA PROCESS SAFETY (29CFR1910.119):

N

STATE REGULATIONS:

California Proposition 65:

N

LIQUITEX(R) GLOSSIES ACRYLIC ENAMELS

246.

**Material Safety Data Sheet**

EUROPEAN REGULATIONS:

EC NUMBER:

Not assigned.

**16. Other Information**

COPYRIGHT 1984-1999 MDL INFORMATION SYSTEMS, INC. ALL RIGHTS RESERVED.

## Material Safety Data Sheet

**Product Name:**  
LIQUITEX(R) DECORATIVE ART METALLIC COLORS

**Product Family:**

**1. Chemical Product and Company Identification**

ColArt Americas, Inc.  
11 Constitution Avenue  
PO Box 1396  
Piscataway, NJ 08855  
1-800-445-4278

**EMERGENCY TELEPHONE NUMBER:**  
1-800-628-3385

**SUBSTANCE:**  
LIQUITEX(R) DECORATIVE ART METALLIC COLORS

**TRADE NAMES/SYNONYMS:**

PRODUCT COLORS/CODES: NO. 12-2002; PRODUCT COLORS/CODES: 234-GOLD; PRODUCT  
COLORS/CODES: 238-WHITE; PRODUCT COLORS/CODES: 236-SILVER; PRODUCT  
COLORS/CODES: 233-COPPER; PRODUCT COLORS/CODES: 239-STAINLESS STEEL; PRODUCT  
COLORS/CODES: 232-BRONZE; LIQUITEX DECORATIVE ART METALLIC COLORS; BNSSS119

**PRODUCT USE:**  
Arts and Crafts

**CREATION DATE:**  
Nov 11 1997

**REVISION DATE:**  
Jun 02 1999

**2. Composition, Information on Ingredients**

**COMPONENT:**

Product has been certified as non-toxic by The Art and Creative  
Materials Institute, Inc. and conforms to ASTM D-4236 Standard Practice for  
Labeling Art Materials for Acute and Chronic Adverse Health Hazards.

**CAS NUMBER:**  
Not assigned.

**EC NUMBER:**  
Not assigned.

**PERCENTAGE:**  
100

**3. Hazards Identification**

NFPA RATINGS (SCALE 0-4): HEALTH=1 FIRE=1 REACTIVITY=0

**EC CLASSIFICATION (CALCULATED):**  
Not determined.

**EMERGENCY OVERVIEW:**

**COLOR:**  
various colors

LIQUITEX(R) DECORATIVE ART METALLIC COLORS

195.

## Material Safety Data Sheet

PHYSICAL FORM:  
liquid

ODOR: fruity odor

MAJOR HEALTH HAZARDS:  
No significant target effects reported.

POTENTIAL HEALTH EFFECTS:  
INHALATION:  
none

SKIN CONTACT:  
none

EYE CONTACT:  
none

INGESTION:  
none

CARCINOGEN STATUS:

OSHA:  
N

NTP:  
N

IARC:  
N

#### 4. First Aid Measures

INHALATION:  
It is unlikely that emergency treatment will be required. Remove from exposure. Get medical attention, if needed.

SKIN CONTACT:  
It is unlikely that emergency treatment will be required. If adverse effects occur, wash with soap or mild detergent and large amounts of water. Get medical attention, if needed.

EYE CONTACT:  
It is unlikely that emergency treatment will be required. Wash with large amounts of water or normal saline until no evidence of chemical remains (at least 15-20 minutes). Get medical attention immediately.

INGESTION:  
Contact local poison control center or physician immediately.

#### 5. Fire Fighting Measures

FIRE AND EXPLOSION HAZARDS:  
Slight fire hazard.

EXTINGUISHING MEDIA:  
regular dry chemical, carbon dioxide, water, regular foam

LIQUITEX(R) DECORATIVE ART METALLIC COLORS

196.

## Material Safety Data Sheet

**FIRE FIGHTING:**

Move container from fire area if it can be done without risk.  
Avoid inhalation of material or combustion by-products.

**FLASH POINT:**

No data available.

**6. Accidental Release Measures****OCCUPATIONAL RELEASE:**

Absorb with sand or other non-combustible material. Collect spilled material in appropriate container for disposal.

**7. Handling and Storage**

Store and handle in accordance with all current regulations and standards. See original container for storage recommendations. Keep separated from incompatible substances.

**8. Exposure Controls, Personal Protection****EXPOSURE LIMITS:****LIQUITEX(R) DECORATIVE ART METALLIC COLORS:**

No occupational exposure limits established.

**VENTILATION:**

Based on available information, additional ventilation is not required.

**EYE PROTECTION:**

Eye protection not required under normal conditions.

**CLOTHING:**

Protective clothing is not required under normal conditions.

**GLOVES:**

Protective gloves are not required under normal conditions.

**RESPIRATOR:**

No respirator is required under normal conditions of use.  
Under conditions of frequent use or heavy exposure, respiratory protection may be needed.

**9. Physical and Chemical Properties****PHYSICAL STATE:**

liquid

**COLOR:**

various colors

**TEXTURE:**

viscous

**ODOR:**

fruity odor

**BOILING POINT:**

Not available

LIQUITEX(R) DECORATIVE ART METALLIC COLORS

197.

## Material Safety Data Sheet

**FREEZING POINT:**  
Not available

**VAPOR PRESSURE:**  
Not available

**VAPOR DENSITY:**  
Not available

**SPECIFIC GRAVITY:**  
Not available

**WATER SOLUBILITY:**  
Not available

**PH:**  
Not available

**VOLATILITY:**  
Not available

**ODOR THRESHOLD:**  
Not available

**EVAPORATION RATE:**  
Not available

**COEFFICIENT OF WATER/OIL DISTRIBUTION:**  
Not available

**10. Stability and Reactivity**

**REACTIVITY:**  
Stable at normal temperatures and pressure.

**CONDITIONS TO AVOID:**  
None reported.

**INCOMPATIBILITIES:**  
oxidizing materials

**HAZARDOUS DECOMPOSITION:**  
Thermal decomposition products: oxides of carbon, various organic fragments

**POLYMERIZATION:**  
Will not polymerize.

**11. Toxicological Information**  
Not available

**12. Ecological Information**  
Not available

**13. Disposal Considerations**  
Dispose in accordance with all applicable regulations.

**14. Transport Information**  
No classification assigned.

LIQUITEX(R) DECORATIVE ART METALLIC COLORS

198.

## Material Safety Data Sheet

LAND TRANSPORT ADR/RID:  
No classification assigned.

AIR TRANSPORT IATA/ICAO:  
No classification assigned.

MARITIME TRANSPORT IMDG:  
No classification assigned.

**15. Regulatory Information**

U.S. REGULATIONS:  
TSCA INVENTORY STATUS:  
Y

TSCA 12(b) EXPORT NOTIFICATION:  
Not listed.

CERCLA SECTION 103 (40CFR302.4):  
N

SARA SECTION 302 (40CFR355.30):  
N

SARA SECTION 304 (40CFR355.40):  
N

SARA SECTION 313 (40CFR372.65):  
N

SARA HAZARD CATEGORIES, SARA SECTIONS 311/312 (40CFR370.21):  
ACUTE:  
N

CHRONIC:  
N

FIRE:  
N

REACTIVE:  
N

SUDDEN RELEASE:  
N

OSHA PROCESS SAFETY (29CFR1910.119):  
N

STATE REGULATIONS:  
California Proposition 65:  
N

EUROPEAN REGULATIONS:  
EC NUMBER:  
Not assigned.

**16. Other Information**

COPYRIGHT 1984-1999 MDL INFORMATION SYSTEMS, INC. ALL RIGHTS RESERVED.  
LIQUITEX(R) DECORATIVE ART METALLIC COLORS 199.