

THK-09-2005 WED 05:22 PM colart americas

PKG NO. 1320020041

P. 02

3-15-05

x Artist Acrylic Collection Setx

00617-0129

**Material Safety Data Sheet**

Product Name:  
LIQUITEX® ARTIST HIGH VISCOSITY EXCEPT CADMIUMS, (SEE SEPARATE SHEET FOR CADMIUM COLORS ACRYLIC COLORS)

Product Family:

**1. Chemical Product and Company Identification**

ColArt Americas, Inc.  
11 Constitution Ave.  
PO Box 1388  
Piscataway, NJ 08855  
1-800-445-4278

EMERGENCY TELEPHONE NUMBER:  
1-800-628-3385

SUBSTANCE:  
LIQUITEX® ARTIST HIGH VISCOSITY ACRYLIC COLORS INCLUDING IRIDESCENTS.

TRADE NAMES/SYNONYMS:  
LIQUITEX® HIGH VISCOSITY ARTIST ACRYLIC COLORS  
COLOR CODES : ALL COLORS EXCEPT CADMIUMS

PRODUCT USE:  
Arts and Crafts

CREATION DATE:  
Nov 25 1997

REVISION DATE  
04 September 2002

**2. Composition, Information on Ingredients**

COMPONENT:  
Product has been certified as non-toxic by The Art and Creative Materials Institute, Inc. and conforms to ASTM D-4236 Standard Practice for Labeling Art Materials for Acute and Chronic Adverse Health Hazards.

CAS NUMBER:  
Not assigned.

EC NUMBER:  
Not assigned.

PERCENTAGE:  
100

**3. Hazards Identification**

EC CLASSIFICATION (CALCULATED):  
Not classified

EMERGENCY OVERVIEW:

COLOR:  
various colors

PHYSICAL FORM:  
Ilquid

ODOR:  
fruity odor

MAJOR HEALTH HAZARDS:  
No significant target effects reported.

POTENTIAL HEALTH EFFECTS:

LIQUITEX® ARTIST HIGH VISCOSITY ACRYLIC COLORS  
EXCEPT CADMIUMS

Page 1 9/12/2002

V 4565

MHR-09-2005 WED 03:22 PM colart americas

PMA NO. 1520020941

P. 03

INHALATION:  
none

SKIN CONTACT:  
none

EYE CONTACT:  
none

INGESTION:  
none

CARCINOGEN STATUS:

OSHA:  
No

NTP:  
No

IARC:  
No

#### 4. First Aid Measures

INHALATION:

It is unlikely that emergency treatment will be required. Remove from exposure. Get medical attention, if needed.

SKIN CONTACT:

It is unlikely that emergency treatment will be required. If adverse effects occur, wash with soap or mild detergent and large amounts of water. Get medical attention, if needed.

EYE CONTACT:

It is unlikely that emergency treatment will be required. Wash with large amounts of water or normal saline until no evidence of chemical remains (at least 15-20 minutes). Get medical attention immediately.

INGESTION:

Contact local poison control center or physician immediately.

#### 5. Fire Fighting Measures

FIRE AND EXPLOSION HAZARDS:  
Slight fire hazard.

EXTINGUISHING MEDIA:  
regular dry chemical, carbon dioxide, water, regular foam

FIRE FIGHTING:

Move container from fire area if it can be done without risk. Avoid inhalation of material or combustion by-products.

FLASH POINT:  
No data available.

#### 6. Accidental Release Measures

OCCUPATIONAL RELEASE:

Absorb with sand or other non-combustible material. Collect spilled material in appropriate container for disposal.

#### 7. Handling and Storage

Store and handle in accordance with all current regulations and standards. See original container for storage recommendations. Keep separated from incompatible substances.

LIQUITEX® ARTIST HIGH VISCOSITY ACRYLIC COLORS  
EXCEPT CADMIUMS

Page 2 9/12/2002

MAR-09-2005 WED 03:22 PM colart americas

FAX NU. 7325620941

P. U4

**8. Exposure Controls, Personal Protection****EXPOSURE LIMITS:**

LIQUITEX(R) ARTIST ACRYLIC COLORS IN TUBES AND JARS/LIQUITEX(R) CONCENTRATED ARTIST COLORS (EXCEPT #510 CADMIUM RED LIGHT HUE/SCARLET RED):  
No occupational exposure limits established.

**VENTILATION:**

Based on available information, additional ventilation is not required.

**EYE PROTECTION:**

Eye protection not required under normal conditions.

**CLOTHING:**

Protective clothing is not required under normal conditions.

**GLOVES:**

Protective gloves are not required under normal conditions.

**RESPIRATOR:**

No respirator is required under normal conditions of use.

**9. Physical and Chemical Properties****PHYSICAL STATE:**

liquid

**COLOR:**

various colors

**TEXTURE:**

viscous

**ODOR:**

fruity odor

**BOILING POINT:**

> 100 C

**FREEZING POINT:**

Not available

**VAPOR PRESSURE:**

Not available

**VAPOR DENSITY:**

Not available

**SPECIFIC GRAVITY:**

1.2 - 1.6

**WATER SOLUBILITY:**

Dilutable

**PH:**

6-9

**VOLATILITY:**

Not available

**ODOR THRESHOLD:**

Not available

MARK-09-2005 WED 03:23 PM colart americas

PMA NO. 1520020941

P. 09

## Material Safety Data Sheet

EVAPORATION RATE: BuAc = 1  
< 1

**10. Stability and Reactivity****REACTIVITY:**

Stable at normal temperatures and pressure.

**CONDITIONS TO AVOID:**

None reported.

**INCOMPATIBILITIES:**

oxidizing materials

**HAZARDOUS DECOMPOSITION:**

Thermal decomposition products: oxides of carbon

**POLYMERIZATION:**

Will not polymerize.

**11. Toxicological Information**

Not available

**12. Ecological Information**

Not available

**13. Disposal Considerations**

Dispose in accordance with all applicable regulations.

**14. Transport Information**

No classification assigned

**LAND TRANSPORT ADR/RID:**

No classification assigned.

**AIR TRANSPORT IATA/ICAO:**

No classification assigned.

**MARITIME TRANSPORT IMDG:**

No classification assigned.

**15. Regulatory Information****U.S. REGULATIONS:****TSCA INVENTORY STATUS:**

Yes

**TSCA 12(b) EXPORT NOTIFICATION:**

Not listed.

**CERCLA SECTION 103 (40CFR302.4):**

No

MAK-09-2005 WED 03:23 PM colart americas

FAX NO. 1325520941

F. 00

Material Safety Data Sheet

SARA SECTION 302 (40CFR355.30):  
No

SARA SECTION 304 (40CFR355.40):  
No

SARA SECTION 313 (40CFR372.65):  
No

SARA HAZARD CATEGORIES, SARA SECTIONS 311/312 (40CFR370.21):

ACUTE:  
No

CHRONIC:  
No

FIRE:  
No

REACTIVE:  
No

SUDDEN RELEASE:  
No

OSHA PROCESS SAFETY (29CFR1910.119):  
No

STATE REGULATIONS:  
California Proposition 65:  
No

EUROPEAN REGULATIONS.

EC NUMBER:  
Not applicable

16. Other Information

The information contained herein is provided for identification of hazards in normal use and does not constitute a product specification.

SEP-30-2004 THU 09:44 AM colart americas

FAX NO. 7325620941

P. 02

00618-3162

**Material Safety Data Sheet**

**Product Name:**  
LIQUITEX® ACRYLIC GLOSS GEL MEDIUM

**Product Family:**

**1. Chemical Product and Company Identification**

ColArt Americas, Inc  
11 Constitution Avenue  
PO Box 1396  
Piscataway, NJ 08855  
1-800-445-4278

**EMERGENCY TELEPHONE NUMBER:**  
1-800-628-3385

**SUBSTANCE:**  
LIQUITEX® ACRYLIC GLOSS GEL MEDIUM

**TRADE NAMES/SYNONYMS:**

LIQUITEX® ACRYLIC GLOSS GEL MEDIUM;

**PRODUCT CODES :** 5745 ; 5747 ; 5708 ;5716 ; 5732 ; 5738

**PRODUCT USE:**  
Arts and Crafts

**CREATION DATE:**  
Nov 10 1997

**REVISION DATE:**  
06 September 2002

**2. Composition, Information on Ingredients**

**COMPONENT:**  
Product has been certified as non-toxic by The Art and Creative Materials Institute, Inc. and conforms to ASTM D-4238 Standard Practice for Labeling Art Materials for Acute and Chronic Adverse Health Hazards.

**CAS NUMBER:**  
Not assigned.

**EC NUMBER:**  
Not assigned.

**PERCENTAGE:**  
100

**3. Hazards Identification**

None

**EC CLASSIFICATION (CALCULATED):**  
Not classified

**EMERGENCY OVERVIEW:**

**COLOR:**  
white

**PHYSICAL FORM:**  
liquid

LIQUITEX® ACRYLIC GEL MEDIUM

Page 1

9/12/2002

SEP-30-2004 THU 09:44 AM colart americas

FAX NO. 7325620941

P. 03

**ODOR:**  
fruity odor

**MAJOR HEALTH HAZARDS:**  
No significant target effects reported.

**POTENTIAL HEALTH EFFECTS:**

**INHALATION:**  
none

**SKIN CONTACT:**  
none

**EYE CONTACT:**  
none

**INGESTION:**  
none

**CARCINOGEN STATUS:**

**OSHA:**  
No

**NTP:**  
No

**IARC:**  
No

#### 4. First Aid Measures

**INHALATION:**  
It is unlikely that emergency treatment will be required. Remove from exposure. Get medical attention, if needed.

**SKIN CONTACT:**  
It is unlikely that emergency treatment will be required. If adverse effects occur, wash with soap or mild detergent and large amounts of water. Get medical attention, if needed.

**EYE CONTACT:**  
It is unlikely that emergency treatment will be required. Wash with large amounts of water or normal saline until no evidence of chemical remains (at least 15-20 minutes). Get medical attention immediately.

**INGESTION:**  
Contact local poison control center or physician immediately.

#### 5. Fire Fighting Measures

**FIRE AND EXPLOSION HAZARDS:**  
Slight fire hazard.

**EXTINGUISHING MEDIA:**  
regular dry chemical, carbon dioxide, water, regular foam

**FIRE FIGHTING:**  
Move container from fire area if it can be done without risk. Avoid inhalation of material or combustion by-products.

**FLASH POINT:**  
Not applicable

SEP-30-2004 THU 09:44 AM colart americas

FAX NO. 7325620941

P. 04

**6. Accidental Release Measures****OCCUPATIONAL RELEASE:**

Absorb with sand or other non-combustible material. Collect spilled material in appropriate container for disposal.

**7. Handling and Storage**

Store and handle in accordance with all current regulations and standards. See original container for storage recommendations. Keep separated from incompatible substances.

**8. Exposure Controls, Personal Protection****EXPOSURE LIMITS:**

**LIQUITEX(R) ACRYLIC GEL MEDIUM:**  
No occupational exposure limits established.

**VENTILATION:**

Based on available information, additional ventilation is not required.

**EYE PROTECTION:**

Eye protection not required under normal conditions.

**CLOTHING:**

Protective clothing is not required under normal conditions.

**GLOVES:**

Protective gloves are not required under normal conditions.

**RESPIRATOR:**

No respirator is required under normal conditions of use. Under conditions of frequent use or heavy exposure, respiratory protection may be needed.

**9. Physical and Chemical Properties****PHYSICAL STATE:**

liquid

**COLOR:**

white

**TEXTURE:**

viscous

**ODOR:**

fruity odor

**BOILING POINT:**

> 100 C

**FREEZING POINT:**

Not available

**VAPOR PRESSURE:**

Not available

**VAPOR DENSITY: Air = 1**

> 1

**SPECIFIC GRAVITY:**

1.0

SEP-30-2004 THU 09:44 AM colart americas

FAX NO. 7325620941

P. 05

**WATER SOLUBILITY:**  
Not available

**PH:**  
8-9

**VOLATILITY:**  
Not available

**ODOR THRESHOLD:**  
Not available

**EVAPORATION RATE: ( BuAc =1 )**  
< 1

#### 10. Stability and Reactivity

**REACTIVITY:**  
Stable at normal temperatures and pressure.

**CONDITIONS TO AVOID:**  
None reported.

**INCOMPATIBILITIES:**  
oxidizing materials

**HAZARDOUS DECOMPOSITION:**  
Thermal decomposition products: oxides of carbon, various organic fragments

**POLYMERIZATION:**  
Will not polymerize.

**11. Toxicological Information**  
Not available

**12. Ecological Information**  
Not available

**13. Disposal Considerations**  
Dispose in accordance with all applicable regulations.

**14. Transport Information**  
No classification assigned.

**LAND TRANSPORT ADR/RID:**  
No classification assigned.

**AIR TRANSPORT IATA/ICAO:**  
No classification assigned.

**MARITIME TRANSPORT IMDG:**  
No classification assigned.

#### 15. Regulatory Information

**U.S. REGULATIONS:**

**STATE REGULATIONS:**

California Proposition 65:  
No

SEP-30-2004 THU 09:44 AM colart americas

FAX NO. 7325620941

r. 00

EUROPEAN REGULATIONS:

EC NUMBER:  
Not applicable.

**16. Other Information**

The information contained herein is provided for identification of hazards in normal use and does not constitute a product specification.