

1203-02 ✓

00618-3115  
- 3119  
- 1047  
- 1056

**Material Safety Data Sheet**

**Product Name:**  
LIQUITEX(R) ACRYLIC MODELING PASTE

**Product Family:**

**1. Chemical Product and Company Identification**

Colart Americas, Inc.  
11 Constitution Avenue  
PO Box 1396  
Piscataway, NJ 08855  
1-800-445-4278

**EMERGENCY TELEPHONE NUMBER:**  
1-800-628-3385

**SUBSTANCE:**  
LIQUITEX(R) ACRYLIC MODELING PASTE

**TRADE NAMES/SYNONYMS:**

LIQUITEX ACRYLIC MODELING PASTE; PRODUCT COLORS/CODES: NO. 10-5200; PRODUCT COLORS/CODES: NO. 10-5508; PRODUCT COLORS/CODES: NO. (10-5516) PRODUCT COLORS/CODES: NO. (10-5532); PRODUCT COLORS/CODES: NO. 10-5536; BNSSS036

**PRODUCT USE:**  
Arts and Crafts

**CREATION DATE:**  
Nov 14 1997

**REVISION DATE:**  
Jun 02 1999

**2. Composition, Information on Ingredients**

**COMPONENT:**  
Product has been certified as non-toxic by The Art and Creative Materials Institute, Inc. and conforms to ASTM D-4236 Standard Practice for Labeling Art Materials for Acute and Chronic Adverse Health Hazards.

**CAS NUMBER:**  
Not assigned.

**EC NUMBER:**  
Not assigned.

**PERCENTAGE:**  
100

**3. Hazards Identification**

NFPA RATINGS (SCALE 0-4): HEALTH=1 FIRE=1 REACTIVITY=0

0

**EC CLASSIFICATION (CALCULATED):**  
Not determined.

LIQUITEX(R) ACRYLIC MODELING PASTE

BT

V-4565

## Material Safety Data Sheet

## EMERGENCY OVERVIEW:

COLOR:  
white

PHYSICAL FORM:  
liquid

ODOR:  
fruity odor

MAJOR HEALTH HAZARDS:  
No significant target effects reported.

## POTENTIAL HEALTH EFFECTS:

INHALATION:  
none

SKIN CONTACT:  
none

EYE CONTACT:  
none

INGESTION:  
none

## CARCINOGEN STATUS:

OSHA:  
N

NTP:  
N

IARC:  
N

**4. First Aid Measures**

**INHALATION:**  
It is unlikely that emergency treatment will be required. Remove from exposure. Get medical attention, if needed.

**SKIN CONTACT:**  
It is unlikely that emergency treatment will be required. If adverse effects occur, wash with soap or mild detergent and large amounts of water. Get medical attention, if needed.

**EYE CONTACT:**  
It is unlikely that emergency treatment will be required. Wash with large amounts of water or normal saline until no evidence of chemical remains (at least 15-20 minutes). Get medical attention immediately.

**INGESTION:**  
Contact local poison control center or physician immediately.

LIQUITEX(R) ACRYLIC MODELING PASTE

~~88~~

2

## Material Safety Data Sheet

**5. Fire Fighting Measures**

**FIRE AND EXPLOSION HAZARDS:**  
Slight fire hazard.

**EXTINGUISHING MEDIA:**  
regular dry chemical, carbon dioxide, water, regular foam

**FIRE FIGHTING:**  
Move container from fire area if it can be done without risk.  
Avoid inhalation of material or combustion by-products.

**FLASH POINT:**  
No data available.

**6. Accidental Release Measures**

**OCCUPATIONAL RELEASE:**  
Absorb with sand or other non-combustible material. Collect spilled material in appropriate container for disposal.

**7. Handling and Storage**

Store and handle in accordance with all current regulations and standards. See original container for storage recommendations. Keep separated from incompatible substances.

**8. Exposure Controls, Personal Protection****EXPOSURE LIMITS:**

**LIQUITEX(R) ACRYLIC MODELING PASTE:**  
No occupational exposure limits established.

**VENTILATION:**  
Based on available information, additional ventilation is not required.

**EYE PROTECTION:**  
Eye protection not required under normal conditions.

**CLOTHING:**  
Protective clothing is not required under normal conditions.

**GLOVES:**  
Protective gloves are not required under normal conditions.

**RESPIRATOR:**  
No respirator is required under normal conditions of use.  
Under conditions of frequent use or heavy exposure, respiratory protection may be needed.

**9. Physical and Chemical Properties**

**PHYSICAL STATE:**  
liquid

**COLOR:**  
white

LIQUITEX(R) ACRYLIC MODELING PASTE

BB:

## Material Safety Data Sheet

TEXTURE:  
viscous

ODOR:  
fruity odor

BOILING POINT:  
Not available

FREEZING POINT:  
Not available

VAPOR PRESSURE:  
Not available

VAPOR DENSITY:  
Not available

SPECIFIC GRAVITY:  
Not available

WATER SOLUBILITY:  
Not available

PH:  
Not available

VOLATILITY:  
Not available

ODOR THRESHOLD:  
Not available

EVAPORATION RATE:  
Not available

COEFFICIENT OF WATER/OIL DISTRIBUTION: Not available

#### 10. Stability and Reactivity

REACTIVITY:  
Stable at normal temperatures and pressure.

CONDITIONS TO AVOID:  
None reported.

INCOMPATIBILITIES:  
oxidizing materials

HAZARDOUS DECOMPOSITION:  
Thermal decomposition products: oxides of carbon, various organic fragments

POLYMERIZATION:  
Will not polymerize.

LIQUITEX(R) ACRYLIC MODELING PASTE

98.

4

## Material Safety Data Sheet

**11. Toxicological Information**

Not available

**12. Ecological Information**

Not available

**13. Disposal Considerations**

Dispose in accordance with all applicable regulations.

**14. Transport Information**

No classification assigned.

## LAND TRANSPORT ADR/RID:

No classification assigned.

## AIR TRANSPORT IATA/ICAO:

No classification assigned.

## MARITIME TRANSPORT IMDG:

No classification assigned.

**15. Regulatory Information**

## U.S. REGULATIONS:

## TSCA INVENTORY STATUS:

Y

## TSCA 12(b) EXPORT NOTIFICATION:

Not listed.

## CERCLA SECTION 103 (40CFR302.4):

N

## SARA SECTION 302 (40CFR355.30):

N

## SARA SECTION 304 (40CFR355.40):

N

## SARA SECTION 313 (40CFR372.65):

N

## SARA HAZARD CATEGORIES, SARA SECTIONS 311/312 (40CFR370.21):

## ACUTE:

N

## CHRONIC:

N

## FIRE:

N

LIQUITEX(R) ACRYLIC MODELING PASTE

94.

Material Safety Data Sheet

REACTIVE:  
N

SUDDEN RELEASE:  
N

OSHA PROCESS SAFETY (29CFR1910.119):  
N

STATE REGULATIONS:

California Proposition 65:  
N

EUROPEAN REGULATIONS:

EC NUMBER:  
Not assigned.

16. Other Information

COPYRIGHT 1984-1999 MDL INFORMATION SYSTEMS, INC. ALL RIGHTS RESERVED.

LIQUITEX(R) ACRYLIC MODELING PASTE

~~92~~

6-6