

<b>01557-all codes except:</b>
<b>-1009</b>
<b>-1113</b>
<b>-1114</b>

# Material Safety Data Sheet

## 1. IDENTIFICATION OF THE PREPARATION AND COMPANY

**Product :** THE ART STORE OIL COLOUR (All colours with the exception of Flake White & Underpainting White – see separate MSDS'S)

**Intended use:** OIL COLOUR PAINTING.

**Manufacturers Name:**

**Address:**

**Emergency telephone Number:** 609 655 5252

**Telephone Number for information:**

**Date of Issue:** 2<sup>nd</sup> November 2000

## 2. CHEMICAL COMPOSITION/INFORMATION ON INGREDIENTS

Substances presenting a health hazard with the meaning of the Dangerous Substances Directive 67/548/EEC.

Names:	% (wt) Concentration	Symbol	R Phrases
--------	----------------------	--------	-----------

## 3. HAZARDS IDENTIFICATION OF PREPARATION

**Product Type:** For use in oil painting.

Labelling requirements in conformity with ASTM D – 4236

Classified as HL Non - Toxic

---

#### 4. FIRST AID MEASURES.

**General:** In all cases, if symptoms persist, seek medical attention.  
**NEVER** give anything by mouth to an unconscious person.

**Inhalation:** Not Applicable.

**Eye contact:** Irrigate eyes with copious amounts of water for at least ten minutes. If irritation Persists, seek medical attention.

**Skin contact:** Wash affected area with plenty of soap and water. **DO NOT** use solvent. If irritation persists, seek medical attention.

**Ingestion:** **DO NOT** induce vomiting. Flush mouth with clean water. Seek medical attention.

---

#### 5. FIRE FIGHTING METHODS

**Extinguishing media:** Dry or Foam Extinguishers.

**Not to be used:** Water jet.

**Recommendations/other information :**

---

#### 6. ACCIDENTAL RELEASE MEASURES

Clean up with absorbent cloth. Any residue can be cleaned up with a cloth dampened with solvent. **USE PROTECTIVE GLOVES** when using solvents. Ensure good ventilation. Dispose of any soiled rags or waste in a sealed water filled metal container. Dispose of in accordance with local regulations.

---

#### 7. HANDLING AND STORAGE

**Handling:** Observe good standards of hygiene.  
**DO NOT** eat, drink or smoke whilst using.  
Wash hands after use.

**Storage:** Reseal tube when not in use. Store at room temperature.  
Keep out of reach of children.

---

**8. EXPOSURE CONTROLS/PERSON PROTECTION**

Wear overalls / smock.  
 DO NOT eat, drink or smoke whilst using.  
 Wash hands before eating, drinking or smoking

**9. PHYSICAL AND CHEMICAL PROPERTIES**

**Appearance :** Oil colours of buttery consistency.

**Odour:** Linseed oil.

**pH of aqueous extract:** Not Applicable

**Melting point:** Greater than 250<sup>0</sup>C

**Flash point:** Not Applicable.

**Flammability :** See 5 above.

**Explosive properties :** Not Applicable

**Specific gravity:** 1.04 – 2.83

**Solubility water:** Insoluble.

**Organic solvents:** Soluble in White Spirit. Turpentine or Isoparaffin Solvents (eg. Daler-Rowney Low Odour Thinners).

**10. STABILITY AND REACTIVITY**

**Conditions to avoid:** Contains an oxidising oil. Rags, Steel wool or waste soaked with this product may spontaneously catch fire if improperly discarded. Immediately after use, place soiled material in a sealed water filled metal container.

**Materials to avoid:** None known.

**Hazardous decomposition products :** Nothing below 250<sup>0</sup>C

**11. TOXICOLOGICAL INFORMATION**

There are no data on the preparation itself.

**Threshold limit:**

**Ingestion:** Not considered to represent a significant health hazard. May cause discomfort.

**Skin:** Prolonged contact may result in a mild reaction in some cases.

Eyes: May cause temporary discomfort.

Respiratory: Not Applicable.

---

**12. ECOLOGICAL INFORMATION**

No information available.

---

**13. DISPOSAL CONSIDERATIONS**

Dispose of in accordance with local regulations

---

**14. TRANSPORT INFORMATION**

Transport only in accordance with ADR for roads, RID for Rail, IMDG for sea and ICAO/IATA for air transport

ADR/RID: Not restricted.

IMG : Not restricted.

ICAO/IATA: Not restricted

Packaging Group.

---

**15. REGULATORY INFORMATION**

In accordance with ASTM D – 4236 the product is labelled as follows:

Danger Classification : HL Non Toxic.

---

**16. OTHER INFORMATION**

The information on this MSDS is based on the present state of our knowledge, as the users working conditions are beyond our knowledge and control. The product is not to be used for other purposes than specified in section 1 without first seeking our advice. It is always the responsibility of the user to take necessary steps in order to fulfil the demands laid down in the local rules of legislation. The information in this MSDS is meant as a description of the safety requirements of our product: it is not to be considered as a guarantee of the products properties.