

<b>01598-1012</b>
<b>-1018</b>
<b>-1024</b>
<b>-1144</b>

**SAFETY DATA SHEET**  
**REEVES WATER MIXABLE OIL COLOURS**

---

**1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND COMPANY/UNDERTAKING**

---

PRODUCT NAME	REEVES WATER MIXABLE OIL COLOURS
SUPPLIER	Colart Fine Art & Graphics Limited Whitefriars Avenue Harrow Middlesex HA3 5RH +44 (0) 208 4274343 44 (0) 208 42433217

---

**2 COMPOSITION/INFORMATION ON INGREDIENTS**

---

COMPOSITION COMMENTS

No ingredients classified as hazardous

---

**3 HAZARDS IDENTIFICATION**

---

Not regarded as a health or environmental hazard under current legislation.

---

**4 FIRST-AID MEASURES**

---

INHALATION

Move the exposed person to fresh air at once. Get medical attention if any discomfort continues.

INGESTION

NEVER MAKE AN UNCONSCIOUS PERSON VOMIT OR DRINK FLUIDS! Rinse mouth thoroughly. Drink plenty of water. Get medical attention if any discomfort continues.

SKIN CONTACT

Remove affected person from source of contamination. Get medical attention if irritation persists after washing.

EYE CONTACT

Make sure to remove any contact lenses from the eyes before rinsing. Promptly wash eyes with plenty of water while lifting the eye lids. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues.

---

**5 FIRE-FIGHTING MEASURES**

---

EXTINGUISHING MEDIA

Fire can be extinguished using: Foam, carbon dioxide or dry powder.

UNUSUAL FIRE & EXPLOSION HAZARDS

May ignite other combustible materials.

SPECIFIC HAZARDS

Fire creates: Oxides of: Carbon.

---

**6 ACCIDENTAL RELEASE MEASURES**

---

SPILL CLEAN UP METHODS

Absorb in vermiculite, dry sand or earth and place into containers. Flush with plenty of water to clean spillage area. Do not contaminate water sources or sewer.

---

**7 HANDLING AND STORAGE**

---

USAGE PRECAUTIONS

Avoid spilling, skin and eye contact.

STORAGE PRECAUTIONS

Keep in original container. Store at moderate temperatures in dry, well ventilated area.

---

**8 EXPOSURE CONTROLS/PERSONAL PROTECTION**

---

**REEVES WATER MIXABLE OIL COLOURS****INGREDIENT COMMENTS**

No exposure limits noted for ingredient(s).

**ENGINEERING MEASURES**

Provide adequate general and local exhaust ventilation.

**HAND PROTECTION**

Use suitable protective gloves if risk of skin contact.

**EYE PROTECTION**

N/A.

**OTHER PROTECTION**

Use barrier creams to prevent skin contact.

**HYGIENE MEASURES**

Use appropriate hand lotion to prevent defatting and cracking of skin. No specific hygiene procedures noted, but good personal hygiene practices are always advisable, especially when working with chemicals.

**9 PHYSICAL AND CHEMICAL PROPERTIES**

APPEARANCE	Paste		
COLOUR	Varying		
ODOUR	Characteristic		
SOLUBILITY	Immiscible with water		
BOILING POINT (°C)	> 300	RELATIVE DENSITY	1.3 - 2.7 20
PARTICLE SIZE (Micron)	< 25	FLASH POINT (°C)	> 230 CC (Closed cup).
AUTO IGNITION TEMPERATURE (°C)	> 300		

**10 STABILITY AND REACTIVITY****STABILITY**

Stable under normal temperature conditions.

**CONDITIONS TO AVOID**

Keep away from combustible material. Possible spontaneous combustion on drying.

**HAZARDOUS DECOMPOSITION PRODUCTS**

Fire creates: Carbon monoxide (CO). Carbon dioxide (CO<sub>2</sub>).

**11 TOXICOLOGICAL INFORMATION****HEALTH WARNINGS**

No specific health warnings noted.

**12 ECOLOGICAL INFORMATION****ECOTOXICITY**

Not regarded as dangerous for the environment.

**13 DISPOSAL CONSIDERATIONS****DISPOSAL METHODS**

Dispose of waste and residues in accordance with local authority requirements.

**14 TRANSPORT INFORMATION**

RAIL TRANSPORT NOTES Not Classified.

SEA TRANSPORT NOTES Not Classified.

AIR TRANSPORT NOTES Not Classified.

**15 REGULATORY INFORMATION**

---

**REEVES WATER MIXABLE OIL COLOURS****RISK PHRASES**

NC Not classified.

**SAFETY PHRASES**

NC Not classified.

**EU DIRECTIVES**

Dangerous Substance Directive 67/548/EEC. Dangerous Preparations Directive 1999/45/EC. System of specific information relating to Dangerous Preparations. 2001/58/EC.

**GUIDANCE NOTES**

Occupational Exposure Limits EH40.

---

**16 OTHER INFORMATION**

---

DATE

09/04/2008

**DISCLAIMER**

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.

**SAFETY DATA SHEET**  
**REEVES WATER MIXABLE OIL COLOUR COBALT BLUE**

---

**1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND COMPANY/UNDERTAKING**

---

PRODUCT NAME                   REEVES WATER MIXABLE OIL COLOUR COBALT BLUE  
 SUPPLIER                         Colart Fine Art & Graphics Limited  
                                       Whitefriars Avenue  
                                       Harrow  
                                       Middlesex HA3 5RH  
                                       +44 (0) 208 4274343  
                                       44 (0) 208 42433217

---

**2 COMPOSITION/INFORMATION ON INGREDIENTS**

---

Name	EC No.	CAS-No.	Content	Classification
Zinc oxide	215-222-5	1314-13-2	5-10%	N;R50/53.

The Full Text for all R-Phrases are Displayed in Section 16

---

**3 HAZARDS IDENTIFICATION**

---

Toxic to aquatic organisms. may cause long-term adverse effects in the aquatic environment.

CLASSIFICATION               N;R51/53.

---

**4 FIRST-AID MEASURES**

---

**INHALATION**

Move the exposed person to fresh air at once. Get medical attention if any discomfort continues.

**INGESTION**

NEVER MAKE AN UNCONSCIOUS PERSON VOMIT OR DRINK FLUIDS! Rinse mouth thoroughly. Drink plenty of water. Get medical attention if any discomfort continues.

**SKIN CONTACT**

Remove affected person from source of contamination. Get medical attention if irritation persists after washing.

**EYE CONTACT**

Make sure to remove any contact lenses from the eyes before rinsing. Promptly wash eyes with plenty of water while lifting the eye lids. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues.

---

**5 FIRE-FIGHTING MEASURES**

---

**EXTINGUISHING MEDIA**

Fire can be extinguished using: Powder. Foam. Carbon dioxide (CO2).

**UNUSUAL FIRE & EXPLOSION HAZARDS**

May ignite other combustible materials.

**SPECIFIC HAZARDS**

Fire creates: Oxides of: Carbon.

---

**6 ACCIDENTAL RELEASE MEASURES**

---

**SPILL CLEAN UP METHODS**

Absorb in vermiculite, dry sand or earth and place into containers. Flush with plenty of water to clean spillage area. Do not contaminate water sources or sewer.

---

**7 HANDLING AND STORAGE**

---

**USAGE PRECAUTIONS**

Avoid spilling, skin and eye contact.

**STORAGE PRECAUTIONS**

Keep in original container. Store at moderate temperatures in dry, well ventilated area.

---

**REEVES WATER MIXABLE OIL COLOUR COBALT BLUE**


---



---

**8 EXPOSURE CONTROLS/PERSONAL PROTECTION**


---

**INGREDIENT COMMENTS**

No exposure limits noted for ingredient(s).

**ENGINEERING MEASURES**

Provide adequate general and local exhaust ventilation.

**HAND PROTECTION**

Use suitable protective gloves if risk of skin contact.

**EYE PROTECTION**

Not relevant.

**OTHER PROTECTION**

Use barrier creams to prevent skin contact.

**HYGIENE MEASURES**

Use appropriate hand lotion to prevent defatting and cracking of skin. No specific hygiene procedures noted, but good personal hygiene practices are always advisable, especially when working with chemicals.

---

**9 PHYSICAL AND CHEMICAL PROPERTIES**


---

APPEARANCE	Paste		
COLOUR	Blue		
ODOUR	Characteristic		
SOLUBILITY	Immiscible with water		
BOILING POINT (°C)	>300 760 mm Hg	RELATIVE DENSITY	1.5 20
PARTICLE SIZE (Micron)	<25	FLASH POINT (°C)	>230 CC (Closed cup).
AUTO IGNITION TEMPERATURE (°C)	>300		

---

**10 STABILITY AND REACTIVITY**


---

**STABILITY**

Stable under normal temperature conditions.

**CONDITIONS TO AVOID**

Keep away from combustible material. Possible spontaneous combustion on drying.

**HAZARDOUS DECOMPOSITION PRODUCTS**

Fire creates: Carbon monoxide (CO). Carbon dioxide (CO<sub>2</sub>).

---

**11 TOXICOLOGICAL INFORMATION**


---

**GENERAL INFORMATION**

No specific health warnings noted.

**INGESTION**

No harmful effects expected in amounts likely to be ingested by accident.

**SKIN CONTACT**

Skin irritation is not anticipated when used normally.

---

**12 ECOLOGICAL INFORMATION**


---

**ECOTOXICITY**

Dangerous for the environment: May cause long-term adverse effects in the aquatic environment.

**ACUTE FISH TOXICITY**

Very toxic to aquatic organisms.

---

**13 DISPOSAL CONSIDERATIONS**


---

**REEVES WATER MIXABLE OIL COLOUR COBALT BLUE****DISPOSAL METHODS**

Dispose of waste and residues in accordance with local authority requirements.

**14 TRANSPORT INFORMATION**

ROAD TRANSPORT NOTES	Not Classified
RAIL TRANSPORT NOTES	Not Classified.
SEA TRANSPORT NOTES	Not Classified.
AIR TRANSPORT NOTES	Not Classified.

**15 REGULATORY INFORMATION****LABELLING**

Dangerous for the environment

**RISK PHRASES**

R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment

**SAFETY PHRASES**

S29 Do not empty into drains.

S61 Avoid release to the environment. Refer to special instructions/safety data sheets.

**EU DIRECTIVES**

Dangerous Substance Directive 67/548/EEC. Dangerous Preparations Directive 1999/45/EC. System of specific information relating to Dangerous Preparations. 2001/58/EC.

**16 OTHER INFORMATION**

DATE 09/04/2008

**RISK PHRASES IN FULL**

R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

**DISCLAIMER**

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.

**SAFETY DATA SHEET**  
**REEVES WATER MIXABLE OIL COLOUR TITANIUM WHITE**

---

**1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND COMPANY/UNDERTAKING**

---

PRODUCT NAME                   REEVES WATER MIXABLE OIL COLOUR TITANIUM WHITE  
 SUPPLIER                        Colart Fine Art & Graphics Limited  
                                       Whitefriars Avenue  
                                       Harrow  
                                       Middlesex HA3 5RH  
                                       +44 (0) 208 4274343  
                                       44 (0) 208 42433217

---

**2 COMPOSITION/INFORMATION ON INGREDIENTS**

---

Name	EC No.	CAS-No.	Content	Classification
Zinc oxide	215-222-5	1314-13-2	5-10%	N;R50/53.

The Full Text for all R-Phrases are Displayed in Section 16

---

**3 HAZARDS IDENTIFICATION**

---

Toxic to aquatic organisms. may cause long-term adverse effects in the aquatic environment.

CLASSIFICATION                N;R51/53.

---

**4 FIRST-AID MEASURES**

---

**INHALATION**

Move the exposed person to fresh air at once. Get medical attention if any discomfort continues.

**INGESTION**

NEVER MAKE AN UNCONSCIOUS PERSON VOMIT OR DRINK FLUIDS! Rinse mouth thoroughly. Drink plenty of water. Get medical attention if any discomfort continues.

**SKIN CONTACT**

Remove affected person from source of contamination. Get medical attention if irritation persists after washing.

**EYE CONTACT**

Make sure to remove any contact lenses from the eyes before rinsing. Promptly wash eyes with plenty of water while lifting the eye lids. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues.

---

**5 FIRE-FIGHTING MEASURES**

---

**EXTINGUISHING MEDIA**

Fire can be extinguished using: Powder. Foam. Carbon dioxide (CO2).

**UNUSUAL FIRE & EXPLOSION HAZARDS**

May ignite other combustible materials.

**SPECIFIC HAZARDS**

Fire creates: Oxides of: Carbon.

---

**6 ACCIDENTAL RELEASE MEASURES**

---

**SPILL CLEAN UP METHODS**

Absorb in vermiculite, dry sand or earth and place into containers. Flush with plenty of water to clean spillage area. Do not contaminate water sources or sewer.

---

**7 HANDLING AND STORAGE**

---

**USAGE PRECAUTIONS**

Avoid spilling, skin and eye contact.

**STORAGE PRECAUTIONS**

Keep in original container. Store at moderate temperatures in dry, well ventilated area.

## REEVES WATER MIXABLE OIL COLOUR TITANIUM WHITE

**8 EXPOSURE CONTROLS/PERSONAL PROTECTION****INGREDIENT COMMENTS**

No exposure limits noted for ingredient(s).

**ENGINEERING MEASURES**

Provide adequate general and local exhaust ventilation.

**HAND PROTECTION**

Use suitable protective gloves if risk of skin contact.

**EYE PROTECTION**

Not relevant.

**OTHER PROTECTION**

Use barrier creams to prevent skin contact.

**HYGIENE MEASURES**

Use appropriate hand lotion to prevent defatting and cracking of skin. No specific hygiene procedures noted, but good personal hygiene practices are always advisable, especially when working with chemicals.

**9 PHYSICAL AND CHEMICAL PROPERTIES**

APPEARANCE	Paste		
COLOUR	White		
ODOUR	Characteristic		
SOLUBILITY	Immiscible with water		
BOILING POINT (°C)	>300 760 mm Hg	RELATIVE DENSITY	1.5 20
PARTICLE SIZE (Micron)	<25	FLASH POINT (°C)	>230 CC (Closed cup).
AUTO IGNITION TEMPERATURE (°C)	>300		

**10 STABILITY AND REACTIVITY****STABILITY**

Stable under normal temperature conditions.

**CONDITIONS TO AVOID**

Keep away from combustible material. Possible spontaneous combustion on drying.

**HAZARDOUS DECOMPOSITION PRODUCTS**

Fire creates: Carbon monoxide (CO). Carbon dioxide (CO<sub>2</sub>).

**11 TOXICOLOGICAL INFORMATION****GENERAL INFORMATION**

No specific health warnings noted.

**INGESTION**

No harmful effects expected in amounts likely to be ingested by accident.

**SKIN CONTACT**

Skin irritation is not anticipated when used normally.

**12 ECOLOGICAL INFORMATION****ECOTOXICITY**

Dangerous for the environment: May cause long-term adverse effects in the aquatic environment.

**ACUTE FISH TOXICITY**

Very toxic to aquatic organisms.

**13 DISPOSAL CONSIDERATIONS**

**REEVES WATER MIXABLE OIL COLOUR TITANIUM WHITE****DISPOSAL METHODS**

Dispose of waste and residues in accordance with local authority requirements.

**14 TRANSPORT INFORMATION**

ROAD TRANSPORT NOTES	Not Classified
RAIL TRANSPORT NOTES	Not Classified.
SEA TRANSPORT NOTES	Not Classified.
AIR TRANSPORT NOTES	Not Classified.

**15 REGULATORY INFORMATION****LABELLING**

Dangerous for the environment

**RISK PHRASES**

R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment

**SAFETY PHRASES**

S29 Do not empty into drains.

S61 Avoid release to the environment. Refer to special instructions/safety data sheets.

**EU DIRECTIVES**

Dangerous Substance Directive 67/548/EEC. Dangerous Preparations Directive 1999/45/EC. System of specific information relating to Dangerous Preparations. 2001/58/EC.

**16 OTHER INFORMATION**

DATE 09/04/2008

**RISK PHRASES IN FULL**

R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

**DISCLAIMER**

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.

**SAFETY DATA SHEET**  
**REEVES WATER MIXABLE OIL COLOUR FLESH TINT**

---

**1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND COMPANY/UNDERTAKING**

---

PRODUCT NAME                   REEVES WATER MIXABLE OIL COLOUR FLESH TINT  
 SUPPLIER                         Colart Fine Art & Graphics Limited  
                                       Whitefriars Avenue  
                                       Harrow  
                                       Middlesex HA3 5RH  
                                       +44 (0) 208 4274343  
                                       44 (0) 208 42433217

---

**2 COMPOSITION/INFORMATION ON INGREDIENTS**

---

Name	EC No.	CAS-No.	Content	Classification
Zinc oxide	215-222-5	1314-13-2	1-5%	N;R50/53.

The Full Text for all R-Phrases are Displayed in Section 16

---

**3 HAZARDS IDENTIFICATION**

---

Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

CLASSIFICATION                N;R51/53.

---

**4 FIRST-AID MEASURES**

---

**INHALATION**

Move the exposed person to fresh air at once. Get medical attention if any discomfort continues.

**INGESTION**

NEVER MAKE AN UNCONSCIOUS PERSON VOMIT OR DRINK FLUIDS! Rinse mouth thoroughly. Drink plenty of water. Get medical attention if any discomfort continues.

**SKIN CONTACT**

Remove affected person from source of contamination. Get medical attention if irritation persists after washing.

**EYE CONTACT**

Make sure to remove any contact lenses from the eyes before rinsing. Promptly wash eyes with plenty of water while lifting the eye lids. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues.

---

**5 FIRE-FIGHTING MEASURES**

---

**EXTINGUISHING MEDIA**

Fire can be extinguished using: Powder. Foam. Carbon dioxide (CO2).

**UNUSUAL FIRE & EXPLOSION HAZARDS**

May ignite other combustible materials.

**SPECIFIC HAZARDS**

Fire creates: Oxides of: Carbon.

---

**6 ACCIDENTAL RELEASE MEASURES**

---

**SPILL CLEAN UP METHODS**

Absorb in vermiculite, dry sand or earth and place into containers. Flush with plenty of water to clean spillage area. Do not contaminate water sources or sewer.

---

**7 HANDLING AND STORAGE**

---

**USAGE PRECAUTIONS**

Avoid spilling, skin and eye contact.

**STORAGE PRECAUTIONS**

Keep in original container. Store at moderate temperatures in dry, well ventilated area.

---

**REEVES WATER MIXABLE OIL COLOUR FLESH TINT**


---



---

**8 EXPOSURE CONTROLS/PERSONAL PROTECTION**


---

**INGREDIENT COMMENTS**

No exposure limits noted for ingredient(s).

**ENGINEERING MEASURES**

Provide adequate general and local exhaust ventilation.

**HAND PROTECTION**

Use suitable protective gloves if risk of skin contact.

**EYE PROTECTION**

Not relevant.

**OTHER PROTECTION**

Use barrier creams to prevent skin contact.

**HYGIENE MEASURES**

Use appropriate hand lotion to prevent defatting and cracking of skin. No specific hygiene procedures noted, but good personal hygiene practices are always advisable, especially when working with chemicals.

---

**9 PHYSICAL AND CHEMICAL PROPERTIES**


---

APPEARANCE	Paste		
COLOUR	Pink		
ODOUR	Characteristic		
SOLUBILITY	Immiscible with water		
BOILING POINT (°C)	>300 760 mm Hg	RELATIVE DENSITY	1.5 20
PARTICLE SIZE (Micron)	<25	FLASH POINT (°C)	>230 CC (Closed cup).
AUTO IGNITION TEMPERATURE (°C)	>300		

---

**10 STABILITY AND REACTIVITY**


---

**STABILITY**

Stable under normal temperature conditions.

**CONDITIONS TO AVOID**

Keep away from combustible material. Possible spontaneous combustion on drying.

**HAZARDOUS DECOMPOSITION PRODUCTS**

Fire creates: Carbon monoxide (CO). Carbon dioxide (CO<sub>2</sub>).

---

**11 TOXICOLOGICAL INFORMATION**


---

**GENERAL INFORMATION**

No specific health warnings noted.

**INGESTION**

No harmful effects expected in amounts likely to be ingested by accident.

**SKIN CONTACT**

Skin irritation is not anticipated when used normally.

---

**12 ECOLOGICAL INFORMATION**


---

**ECOTOXICITY**

Dangerous for the environment: May cause long-term adverse effects in the aquatic environment.

**ACUTE FISH TOXICITY**

Very toxic to aquatic organisms.

---

**13 DISPOSAL CONSIDERATIONS**


---

## REEVES WATER MIXABLE OIL COLOUR FLESH TINT

### DISPOSAL METHODS

Dispose of waste and residues in accordance with local authority requirements.

---

### 14 TRANSPORT INFORMATION

---

ROAD TRANSPORT NOTES	Not Classified
RAIL TRANSPORT NOTES	Not Classified.
SEA TRANSPORT NOTES	Not Classified.
AIR TRANSPORT NOTES	Not Classified.

---

### 15 REGULATORY INFORMATION

---

#### LABELLING



Dangerous for the environment

#### RISK PHRASES

R51/53                      Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment

#### SAFETY PHRASES

S29                              Do not empty into drains.

S61                              Avoid release to the environment. Refer to special instructions/safety data sheets.

#### EU DIRECTIVES

Dangerous Substance Directive 67/548/EEC. Dangerous Preparations Directive 1999/45/EC. System of specific information relating to Dangerous Preparations. 2001/58/EC.

---

### 16 OTHER INFORMATION

---

DATE                                      09/04/2008

#### RISK PHRASES IN FULL

R50/53                      Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

#### DISCLAIMER

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.