

05/10/2006 13:24 4158848091

SAVOIR FAIRE

PAGE 10/23

** Raphael Watercolor Travel Set ** U.S. DEPARTMENT OF LABOR
Occupational Safety and Health Administration

Form Approved OMB No. 44-R1387

MATERIAL SAFETY DATA SHEET

01710-1010
01719-1009

Required under USDL Safety and Health Regulations for Ship Repairing, Shipbuilding, and Shipbreaking (29 CFR 1915, 1916, 1917)

SECTION I

MANUFACTURER'S NAME: Sennelier distributed by Savoir Faire
EMERGENCY TELEPHONE NO.: (415)884-8090

ADDRESS (Number, Street, City, State, and ZIP Code): 40 Leveroni Court Novato, CA 94949 USA

CHEMICAL NAME AND SYNONYMS: TRADE NAME AND SYNONYMS: Extra Fine Watercolor Half Pans

CHEMICAL FAMILY: Water, Gum Arabic, Glycerin, Honey
FORMULA: All colors except # 529, 533, 535, 537, 559, 567, 605, 609, 611, 653, 811, 823

SECTION II - HAZARDOUS INGREDIENTS

PAINTS, PRESERVATIVES, & SOLVENTS	%	TLV (Units)	ALLOYS AND METALLIC COATINGS	%	TLV (Units)
PIGMENTS			BASE METAL		
CATALYST			ALLOYS		
VEHICLE			METALLIC COATINGS		
SOLVENTS			FILLER METAL PLUS COATING OR CORE FLUX		
ADDITIVES			OTHERS		
OTHERS					
HAZARDOUS MIXTURES OF OTHER LIQUIDS, SOLIDS, OR GASES				%	TLV (Units)

SECTION III - PHYSICAL DATA

BOILING POINT (°F.)	N/A	SPECIFIC GRAVITY (H ₂ O=1)	1.1 to 1.7
VAPOR PRESSURE (mm Hg.)	N/A	PERCENT VOLATILE BY VOLUME (%)	
VAPOR DENSITY (AIR=1)	N/A	EVAPORATION RATE (_____ %)	
SOLUBILITY IN WATER	YES		
APPEARANCE AND ODOR	Odorless colored stiff pastes		

SECTION IV - FIRE AND EXPLOSION HAZARD DATA N/A

FLASH POINT (Method used)	FLAMMABLE LIMITS	LoL	Uel
EXTINGUISHING MEDIA			
SPECIAL FIRE FIGHTING PROCEDURES			
UNUSUAL FIRE AND EXPLOSION HAZARDS			

PAGE (1)

(Continued on reverse side)

Form OSHA-20 Rev. May 72

05/10/2006 13:24

4158848091

SAVOIR FAIRE

PAGE 11/23

SECTION V - HEALTH HAZARD DATA	
THRESHOLD LIMIT VALUE	None
EFFECTS OF OVEREXPOSURE	None
EMERGENCY AND FIRST AID PROCEDURES	
None Required	
No acute health effects expected	

SECTION VI - REACTIVITY DATA			
STABILITY	UNSTABLE		CONDITIONS TO AVOID
	STABLE	✓	
INCOMPATIBILITY (Materials to avoid)			
HAZARDOUS DECOMPOSITION PRODUCTS			
HAZARDOUS POLYMERIZATION	MAY OCCUR		CONDITIONS TO AVOID
	WILL NOT OCCUR	✓	

SECTION VII - SPILL OR LEAK PROCEDURES	
STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED	
No special disposal measures are required	
WASTE DISPOSAL METHOD	
Dispose in accordance with Federal, State, and Local Regulations	

SECTION VIII - SPECIAL PROTECTION INFORMATION		
RESPIRATORY PROTECTION (Specify type) None Required		
VENTILATION	LOCAL EXHAUST	SPECIAL
	MECHANICAL (General)	OTHER <i>none</i>
PROTECTIVE GLOVES	EYE PROTECTION	Avoid Contact
OTHER PROTECTIVE EQUIPMENT None Required		

SECTION IX - SPECIAL PRECAUTIONS	
PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING	Normal Hygiene
OTHER PRECAUTIONS	

05/10/2006 13:24

4158848091

SAVOIR FAIRE

PAGE 12/23

U.S. DEPARTMENT OF LABOR
Occupational Safety and Health Administration

Form Approved
OMB No. 44-R1387

MATERIAL SAFETY DATA SHEET

Required under USDL Safety and Health Regulations for Ship Repairing,
Shipbuilding, and Shipbreaking (29 CFR 1915, 1916, 1917)

SECTION I

MANUFACTURER'S NAME Sennelier distributed by Savoir Faire	EMERGENCY TELEPHONE NO. (415)884-8090
ADDRESS (Number, Street, City, State, and ZIP Code) 40 Levcroni Court Novato, CA 94949 USA	
CHEMICAL NAME AND SYNONYMS	TRADE NAME AND SYNONYMS Extra Fine Watercolor Half Pans
CHEMICAL FAMILY	FORMULA Colors # 529,533,535,534, 567,823

SECTION II - HAZARDOUS INGREDIENTS

PAINTS, PRESERVATIVES, & SOLVENTS	%	TLV (Units)	ALLOYS AND METALLIC COATINGS	%	TLV (Units)
PIGMENTS			BASE METAL		
CATALYST	P4 35 UP TO	65	ALLOYS		
VEHICLE			METALLIC COATINGS		
SOLVENTS			FILLER METAL PLUS COATING OR CORE FLUX		
ADDITIVES			OTHERS		
OTHERS					
HAZARDOUS MIXTURES OF OTHER LIQUIDS, SOLIDS, OR GASES				%	TLV (Units)

SECTION III - PHYSICAL DATA

BOILING POINT (°F.)	N/A	SPECIFIC GRAVITY (H ₂ O=1)	1.4 to 1.7
VAPOR PRESSURE (mm Hg.)	N/A	PERCENT VOLATILE BY VOLUME (%)	
VAPOR DENSITY (AIR=1)	N/A	EVAPORATION RATE (AIR=1)	
SOLUBILITY IN WATER	YES		
APPEARANCE AND ODOR Odorless Colored Stiff Pastes			

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

FLASH POINT (Method used)	FLAMMABLE LIMITS	
	Loi	Uei
EXTINGUISHING MEDIA		
SPECIAL FIRE FIGHTING PROCEDURES		
UNUSUAL FIRE AND EXPLOSION HAZARDS		

N/A

PAGE (1)

(Continued on reverse side)

Form OSHA-20
Rev. May 72

05/10/2006 13:24 4158848091

SAVOIR FAIRE

PAGE 13/23

SECTION V - HEALTH HAZARD DATA	
THRESHOLD LIMIT VALUE	
EFFECTS OF OVEREXPOSURE This product contains cadmium, a chemical known by the State of California to cause cancer by means of inhalation.	
EMERGENCY AND FIRST AID PROCEDURES	
No acute health effects expected	

SECTION VI - REACTIVITY DATA			
STABILITY	UNSTABLE	<input type="checkbox"/>	CONDITIONS TO AVOID
	STABLE	<input checked="" type="checkbox"/>	
INCOMPATIBILITY (Materials to avoid)			
HAZARDOUS DECOMPOSITION PRODUCTS			
HAZARDOUS POLYMERIZATION	MAY OCCUR	<input type="checkbox"/>	CONDITIONS TO AVOID
	WILL NOT OCCUR	<input checked="" type="checkbox"/>	

SECTION VII - SPILL OR LEAK PROCEDURES	
STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED	
Keep in original container	
WASTE DISPOSAL METHOD	
Dispose in accordance with Federal, State, and Local Regulations	

SECTION VIII - SPECIAL PROTECTION INFORMATION		
RESPIRATORY PROTECTION (Specify type) NIOSH certified mask for mists.		
VENTILATION	LOCAL EXHAUST	SPECIAL
	MECHANICAL (General)	OTHER
PROTECTIVE GLOVES		EYE PROTECTION
OTHER PROTECTIVE EQUIPMENT		

SECTION IX - SPECIAL PRECAUTIONS	
PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING	Do Not Spray Apply
OTHER PRECAUTIONS	
Not for use in health care facilities. Keep out of reach of children.	

05/10/2006 13:24

4158848091

SAVOIR FAIRE

PAGE 14/23

MATERIAL SAFETY DATA SHEET

Required under USDL Safety and Health Regulations for Ship Repairing, Shipbuilding, and Shipbreaking (29 CFR 1915, 1016, 1917)

SECTION I

MANUFACTURER'S NAME SENNELIER Distributed by SAVOIR FAIRE		EMERGENCY TELEPHONE NO. 415-484-8090
ADDRESS (Number, Street, City, State, and ZIP Code) NOVATO, CA 94949		
CHEMICAL NAME AND SYNONYMS	TRADE NAME AND SYNONYMS EXTRA FINE WATER COLORS HALF PANS	
CHEMICAL FAMILY	FORMULA COLORS # 529, 533, 535, 537, 547, 893	

SECTION II - HAZARDOUS INGREDIENTS

PAINTS, PRESERVATIVES, & SOLVENTS	X	TLV (Unit)	ALLOYS AND METALLIC COATINGS	X	TLV (Unit)
PIGMENTS PY 35 UPTO		65	BASE METAL		
CATALYST			ALLOYS		
VEHICLE			METALLIC COATINGS		
SOLVENTS			FILLER METAL PLUS COATING OR CORE FLUX		
ADDITIVES			OTHERS		
OTHERS					
HAZARDOUS MIXTURES OF OTHER LIQUIDS, SOLIDS, OR GASES				X	TLV (Unit)

SECTION III - PHYSICAL DATA

BOILING POINT (°F)	na	SPECIFIC GRAVITY (H ₂ O=1)	1.4617
VAPOR PRESSURE (mm Hg)	na	PERCENT VOLATILE BY VOLUME (%)	
VAPOR DENSITY (AIR=1)	na	EVAPORATION RATE (-1)	
SOLUBILITY IN WATER	yes		
APPEARANCE AND ODOR	odorless colored stiff paste		

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

FLASH POINT (Method used)	FLAMMABLE LIMITS (LFL)	UFL
EXTINGUISHING MEDIA		
SPECIAL FIRE FIGHTING PROCEDURES		
UNUSUAL FIRE AND EXPLOSION HAZARDS		

PAGE (1)

(Continued on reverse side)

Form OSHA-20 Rev. May 72

05/10/2006 13:24 4158848091

SAVOIR FAIRE

PAGE 15/23

SECTION V - HEALTH HAZARD DATA

THRESHOLD LIMIT VALUE

EFFECTS OF OVEREXPOSURE
This product contains a chemical known by the State of California to cause cancer by means of inhalation

EMERGENCY AND FIRST AID PROCEDURES
Not acute health effects expected

SECTION VI - REACTIVITY DATA

STABILITY	UNSTABLE		CONDITIONS TO AVOID
	STABLE	<input checked="" type="checkbox"/>	

INCOMPATIBILITY (Materials to avoid)

HAZARDOUS DECOMPOSITION PRODUCTS
 None

HAZARDOUS POLYMERIZATION	MAY OCCUR		CONDITIONS TO AVOID
	WILL NOT OCCUR	<input checked="" type="checkbox"/>	

SECTION VII - SPILL OR LEAK PROCEDURES

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED
Keep in original container

WASTE DISPOSAL METHOD
Dispose in accordance with federal state and local regulations

SECTION VIII - SPECIAL PROTECTION INFORMATION

RESPIRATORY PROTECTION (Specify type)
NIOSH certified mask for mist

VENTILATION	LOCAL EXHAUST	SPECIAL
	MECHANICAL (General)	OTHER

PROTECTIVE GLOVES

EYE PROTECTION

OTHER PROTECTIVE EQUIPMENT

SECTION IX - SPECIAL PRECAUTIONS

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING
DO NOT SPRAY APPLY

OTHER PRECAUTIONS
Not for use in health care facilities keep out of reach of children

05/10/2006 13:24

4158848091

SAVOIR FAIRE

PAGE 16/23

MATERIAL SAFETY DATA SHEET

Required under USDL Safety and Health Regulations for Ship Repairing, Shipbuilding, and Shipbreaking (29 CFR 1915, 1918, 1917)

SECTION I

MANUFACTURER'S NAME: SENNELIER Distributed by SAVOIR FAIRE
 EMERGENCY TELEPHONE NO.: 415.784.8090

ADDRESS (Number, Street, City, State, and ZIP Code): NOVATO, CA 94949

CHEMICAL NAME AND SYNONYMS: EXTRA FINE WATER COLORS HALF PANS
 CHEMICAL FAMILY: FORMULA: COLORS # S29, S33, S35, S37, S67, 823

SECTION II - HAZARDOUS INGREDIENTS

PAINTS, PRESERVATIVES, & SOLVENTS	%	TLV (Weight)	ALLOYS AND METALLIC COATINGS	%	TLV (Units)
PIGMENTS P435 UPTO	65		BASE METAL		
CATALYST			ALLOYS		
VEHICLE			METALLIC COATINGS		
SOLVENTS			FILLER METAL PLUS COATING OR CORE FLUX		
ADDITIVES			OTHERS		
OTHERS					
HAZARDOUS MIXTURES OF OTHER LIQUIDS, SOLIDS, OR GASES				%	TLV (Units)

SECTION III - PHYSICAL DATA

BOILING POINT (°F)	n.a.	SPECIFIC GRAVITY (M ₂₀ °/M ₂₀ °)	1.4617
VAPOR PRESSURE (mm Hg)	n.a.	PERCENT VOLATILE BY VOLUME (%)	
VAPOR DENSITY (AIR=1)	n.a.	EVAPORATION RATE (—)	
SOLUBILITY IN WATER	yes		
APPEARANCE AND ODOR	odorless colored stiff paste		

SECTION IV - FIRE AND EXPLOSION HAZARD DATA n.a.

FLASH POINT (Method used)	FLAMMABLE LIMITS (Lower)	Upper
EXTINGUISHING MEDIA		
SPECIAL FIRE FIGHTING PROCEDURES		
UNUSUAL FIRE AND EXPLOSION HAZARDS		

PAGE (1)

(Continued on reverse side)

Form OSHA-20 Rev. May 72

05/10/2006 13:24 4158848091

SAVOIR FAIRE

PAGE 17/23

SECTION V - HEALTH HAZARD DATA

THRESHOLD LIMIT VALUE

EFFECTS OF OVER EXPOSURE
 This product contains Cadmium, a chemical known by the State of California to cause cancer by means of inhalation

EMERGENCY AND FIRST AID PROCEDURES
 Not acute health effects expected

SECTION VI - REACTIVITY DATA

STABILITY	UNSTABLE		CONDITIONS TO AVOID
	STABLE	✓	

INCOMPATIBILITY (Materials to avoid)

HAZARDOUS DECOMPOSITION PRODUCTS
None

HAZARDOUS POLYMERIZATION	MAY OCCUR		CONDITIONS TO AVOID
	WILL NOT OCCUR	✓	

SECTION VII - SPILL OR LEAK PROCEDURES

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED
 Keep in original container

WASTE DISPOSAL METHOD
 Dispose in accordance with Federal State and local regulations

SECTION VIII - SPECIAL PROTECTION INFORMATION

RESPIRATORY PROTECTION (Specify type)
 N95 certified mask for mist

VENTILATION	LOCAL EXHAUST	SPECIAL
	MECHANICAL (General)	OTHER

PROTECTIVE CLOVES

EYE PROTECTION

OTHER PROTECTIVE EQUIPMENT

SECTION IX - SPECIAL PRECAUTIONS

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING
 DO NOT SPRAY APPLY

OTHER PRECAUTIONS
 Not for use in health care facilities - keep out of reach of children

05/10/2006 13:24

4158848091

SAVOIR FAIRE

PAGE 18/23

FORM APPROVED
OMB No. 44-R1387

Occupational Safety and Health Administration

MATERIAL SAFETY DATA SHEET

Required under USDL Safety and Health Regulations for Ship Repairing,
Shipbuilding, and Shipbreaking (29 CFR 1915, 1916, 1917)

SECTION I

MANUFACTURER'S NAME Sennelier distributed by Savoir Faire	EMERGENCY TELEPHONE NO. (415)884-8090
ADDRESS (Number, Street, City, State, and ZIP Code) 40 Leveroni Court Novato, CA 94949 USA	
CHEMICAL NAME AND SYNONYMS	TRADE NAME AND SYNONYMS Extra Fine Watercolor Half Pans
CHEMICAL FAMILY	FORMULA Colors #559, 653, 811

SECTION II - HAZARDOUS INGREDIENTS

PAINTS, PRESERVATIVES, & SOLVENTS	%	TLV (Units)	ALLOYS AND METALLIC COATINGS	%	TLV (Units)
PIGMENTS P400 up to	42		BASE METAL		
CATALYST			ALLOYS		
VEHICLE			METALLIC COATINGS		
SOLVENTS			FILLER METAL PLUS COATING OR CORE FLUX		
ADDITIVES			OTHERS		
OTHERS					
HAZARDOUS MIXTURES OF OTHER LIQUIDS, SOLIDS, OR GASES				%	TLV (Units)

SECTION III - PHYSICAL DATA

BOILING POINT (°F.)	N/A	SPECIFIC GRAVITY (H ₂ O=1)	
VAPOR PRESSURE (mm Hg.)	N/A	PERCENT VOLATILE BY VOLUME (%)	
VAPOR DENSITY (AIR=1)	N/A	EVAPORATION RATE (_____ = 1)	
SOLUBILITY IN WATER	yes		
APPEARANCE AND ODOR	Odorless Colored Stiff Pastes		

SECTION IV - FIRE AND EXPLOSION HAZARD DATA N/A

FLASH POINT (Method used)	FLAMMABLE LIMITS	Lo	Uel
EXTINGUISHING MEDIA			
SPECIAL FIRE FIGHTING PROCEDURES			
UNUSUAL FIRE AND EXPLOSION HAZARDS			

PAGE (1)

(Continued on reverse side)

Form OSHA-20
Rev. May 72

05/10/2006 13:24 4158848091

SAVOIR FAIRE

PAGE 19/23

SECTION V - HEALTH HAZARD DATA	
THRESHOLD LIMIT VALUE	
EFFECTS OF OVEREXPOSURE May be harmful if swallowed. Skin contact may cause allergic skin rashes. Exposure may cause damage to the heart and lungs.	
EMERGENCY AND FIRST AID PROCEDURES If swallowed, get prompt medical attention.	

SECTION VI - REACTIVITY DATA			
STABILITY	UNSTABLE	<input type="checkbox"/>	CONDITIONS TO AVOID
	STABLE	<input checked="" type="checkbox"/>	
INCOMPATIBILITY (Materials to avoid)			
HAZARDOUS DECOMPOSITION PRODUCTS			
HAZARDOUS POLYMERIZATION	MAY OCCUR	<input type="checkbox"/>	CONDITIONS TO AVOID
	WILL NOT OCCUR	<input checked="" type="checkbox"/>	

SECTION VII - SPILL OR LEAK PROCEDURES	
STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED	
WASTE DISPOSAL METHOD	

SECTION VIII - SPECIAL PROTECTION INFORMATION		
RESPIRATORY PROTECTION (Specify type)		
VENTILATION	LOCAL EXHAUST	SPECIAL
	MECHANICAL (General)	
PROTECTIVE GLOVES		EYE PROTECTION
OTHER PROTECTIVE EQUIPMENT		

SECTION IX - SPECIAL PRECAUTIONS	
PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING Do not spray apply. Avoid prolonged contact with skin. Wash hands immediately after use. When using, do not eat, drink, or smoke.	
OTHER PRECAUTIONS Avoid using in health care facilities. Keep out of reach of children.	

11 2015

05/10/2006 13:24

4158848091

SAVOIR FAIRE
U.S. DEPARTMENT OF LABOR
Occupational Safety and Health Administration

PAGE 20/23

Form Approved
OMB No. 44-R1387

MATERIAL SAFETY DATA SHEET

Required under USDL Safety and Health Regulations for Ship Repairing,
Shipbuilding, and Shipbreaking (29 CFR 1915, 1916, 1917)

SECTION I

MANUFACTURER'S NAME Sennelier distributed by Savoir Faire		EMERGENCY TELEPHONE NO. (415)884-8090
ADDRESS (Number, Street, City, State, and ZIP Code) 40 Leveroni Court Novato, CA 94949 USA		
CHEMICAL NAME AND SYNONYMS		TRADE NAME AND SYNONYMS Extra Fine Watercolor Half Pans
CHEMICAL FAMILY	FORMULA Color #609	

SECTION II - HAZARDOUS INGREDIENTS

PAINTS, PRESERVATIVES, & SOLVENTS	%	TLV (Units)	ALLOYS AND METALLIC COATINGS	%	TLV (Units)
PIGMENTS PO 20 up to	42		BASE METAL		
CATALYST			ALLOYS		
VEHICLE			METALLIC COATINGS		
SOLVENTS			FILLER METAL PLUS COATING OR CORE FLUX		
ADDITIVES			OTHERS		
OTHERS					
HAZARDOUS MIXTURES OF OTHER LIQUIDS, SOLIDS, OR GASES				%	TLV (Units)

SECTION III - PHYSICAL DATA

BOILING POINT (°F.)	N/A	SPECIFIC GRAVITY (H ₂ O=1)	
VAPOR PRESSURE (mm Hg.)	N/A	PERCENT VOLATILE BY VOLUME (%)	
VAPOR DENSITY (AIR=1)	N/A	EVAPORATION RATE (_____ = 1)	
SOLUBILITY IN WATER	yes		
APPEARANCE AND ODOR	Odorless Colored Stiff Pastes		

SECTION IV - FIRE AND EXPLOSION HAZARD DATA N/A

FLASH POINT (Method used)	FLAMMABLE LIMITS	Lel	Uel
EXTINGUISHING MEDIA			
SPECIAL FIRE FIGHTING PROCEDURES			
UNUSUAL FIRE AND EXPLOSION HAZARDS			

PAGE (1)

(Continued on reverse side)

Form OSHA-20
Rev. May 72

12 01 15

SAVOIR FAIRE

PAGE 21 / 23

05/10/2006 13:24

4158848091

SECTION V - HEALTH HAZARD DATA	
THRESHOLD LIMIT VALUE	
EFFECTS OF OVEREXPOSURE This product contains Cadmium, a product known by the State of California to cause cancer by means of inhalation.	
EMERGENCY AND FIRST AID PROCEDURES No acute health affects expected.	

SECTION VI - REACTIVITY DATA			
STABILITY	UNSTABLE		CONDITIONS TO AVOID
	STABLE	✓	
INCOMPATIBILITY (Materials to avoid)			
HAZARDOUS DECOMPOSITION PRODUCTS			
HAZARDOUS POLYMERIZATION	MAY OCCUR		CONDITIONS TO AVOID
	WILL NOT OCCUR	✓	

SECTION VII - SPILL OR LEAK PROCEDURES	
STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED Keep in original container	
WASTE DISPOSAL METHOD Dispose in accordance with Federal State and local regulations.	

SECTION VIII - SPECIAL PROTECTION INFORMATION		
RESPIRATORY PROTECTION (Specify type) NIOSH certified mask for mists		
VENTILATION	LOCAL EXHAUST	SPECIAL
	MECHANICAL (General)	OTHER
PROTECTIVE GLOVES		EYE PROTECTION
OTHER PROTECTIVE EQUIPMENT		

SECTION IX - SPECIAL PRECAUTIONS	
PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING Do not spray apply.	
OTHER PRECAUTIONS Not for use in health care facilities. Keep out of reach of children.	

05/10/2006 13:24

4158848091

SAVOIR FAIRE

PAGE 22/23

U.S. DEPARTMENT OF LABOR
Occupational Safety and Health Administration

Form Approved
OMB No. 44-R1387

MATERIAL SAFETY DATA SHEET

Required under USDL Safety and Health Regulations for Ship Repairing,
Shipbuilding, and Shipbreaking (29 CFR 1915, 1916, 1917)

SECTION I

MANUFACTURER'S NAME Sennelier distributed by Savoir Faire		EMERGENCY TELEPHONE NO. (415)884-8090
ADDRESS (Number, Street, City, State, and ZIP Code) 40 Leveroni Court Novato, CA 94949 USA		
CHEMICAL NAME AND SYNONYMS		TRADE NAME AND SYNONYMS
CHEMICAL FAMILY	FORMULA	Extra Fine Watercolors Half Pans Colors # 605, 611

SECTION II - HAZARDOUS INGREDIENTS

PAINTS, PRESERVATIVES, & SOLVENTS	%	TLV (Units)	ALLOYS AND METALLIC COATINGS	%	TLV (Units)
PIGMENTS PR 108 up to	35		BASE METAL		
CATALYST			ALLOYS		
VEHICLE			METALLIC COATINGS		
SOLVENTS			FILLER METAL PLUS COATING OR CORE FLUX		
ADDITIVES			OTHERS		
OTHERS					
HAZARDOUS MIXTURES OF OTHER LIQUIDS, SOLIDS, OR GASES				%	TLV (Units)

SECTION III - PHYSICAL DATA

BOILING POINT (°F.)	N/A	SPECIFIC GRAVITY (H ₂ O=1)	1.4 to 1.7
VAPOR PRESSURE (mm Hg.)	N/A	PERCENT VOLATILE BY VOLUME (%)	
VAPOR DENSITY (AIR=1)	N/A	EVAPORATION RATE (H ₂ O=1)	
SOLUBILITY IN WATER	Yes		
APPEARANCE AND ODOOR	Odorless Colored Stiff Pastes		

SECTION IV - FIRE AND EXPLOSION HAZARD DATA N/A

FLASH POINT (Method used)	FLAMMABLE LIMITS	Lel	Uel
EXTINGUISHING MEDIA			
SPECIAL FIRE FIGHTING PROCEDURES			
UNUSUAL FIRE AND EXPLOSION HAZARDS			

PAGE (1)

(Continued on reverse side)

Form OSHA-20
Rev. May 72

05/10/2006 13:24 4158848091

SAVOIR FAIRE

PAGE 23/23

SECTION V - HEALTH HAZARD DATA	
THRESHOLD LIMIT VALUE	
EFFECTS OF OVEREXPOSURE This product contains cadmium, a chemical know by the State of California to cause cancer by means of inhalation.	
EMERGENCY AND FIRST AID PROCEDURES No acute health effects expected	

SECTION VI - REACTIVITY DATA			
STABILITY	UNSTABLE	<input type="checkbox"/>	CONDITIONS TO AVOID
	STABLE	<input checked="" type="checkbox"/>	
INCOMPATABILITY (Materials to avoid)			
HAZARDOUS DECOMPOSITION PRODUCTS			
HAZARDOUS POLYMERIZATION	MAY OCCUR	<input type="checkbox"/>	CONDITIONS TO AVOID
	WILL NOT OCCUR	<input checked="" type="checkbox"/>	

SECTION VII - SPILL OR LEAK PROCEDURES	
STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED Keep in original container.	
WASTE DISPOSAL METHOD Dispose in accordance with Federal, State, and Local Regulations	

SECTION VIII - SPECIAL PROTECTION INFORMATION		
RESPIRATORY PROTECTION (Specify type) NIOSH certified mask for mists		
VENTILATION	LOCAL EXHAUST	SPECIAL
	MECHANICAL (General)	OTHER
PROTECTIVE GLOVES	EYE PROTECTION	
OTHER PROTECTIVE EQUIPMENT		

SECTION IX - SPECIAL PRECAUTIONS	
PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING Do Not spray apply	
OTHER PRECAUTIONS Not for use in health care facilities. Keep out of reach of children	

15 Page 14 of 14