

01724-1020

-2020

-2250

-2560

-2620

-3060

-3190

-3250

-3270

-3390

-3710

-3760

-3790

-4040

-4060

-4160

-4750

-4940

-5170

-5200

-5220

-5230

-5270

-6800

-7550

-7800

-8040

-8050

-8060

-8070

-8080

-8210

-8310

**MATERIAL SAFETY DATA SHEET****MSDS #: FW600**

Page 1 of 3

Chartpak, Inc.  
 One River Road  
 Leeds, MA 01053  
 Phone: 413-584-5446 or 800-628-1910

Emergency Medical Number: 888-786-0972

Creation Date: January 10, 2008

**Section One: Product Information**

Product Name: Finest Watercolors  
 Product Sizes: 14 ml  
 Product Class: Artists' Watercolors

**Section Two: Ingredients**

Ingredients	CAS Number	% by Weight	PEL/TLV
Glycerin	56-81-5	30.0%	10 mg/m3

**Section Three: Hazards Identification**

This product is considered safe under normal use conditions.

**Section Four: First Aid Measures**

Inhalation: None under normal use conditions.  
 Skin Contact: None under normal use conditions.  
 Eye Contact: None under normal use conditions.  
 Ingestion: None under normal use conditions.

This Material Safety Data Sheet is applicable to the consumer use of the following colors: W001, W002, W021, W023, W024, W043, W064, W067, W068, W076, W077, W095, W110, W111, W112, W115, W116, W118, W156, W168, W171, W172, W182, W193, W194, W203, W204, W205, W206, W207, W209, W219, W222, W242

**MATERIAL SAFETY DATA SHEET****MSDS #: FW600**

Page 2 of 3

**Section Five: Fire Fighting Measures**

Flash Point:	Not available		
Flammability Limits (% by volume):	Lower:	Not explosive	Upper: Not explosive
Extinguishing Media:	As appropriate for surrounding area		
Special Fire Fighting Measures:	No special fire fighting procedures required		
Unusual Fire and Explosion Hazards:	Not combustible		

**Section Six: Accidental Release Measures**

No special spill procedures required

**Section Seven: Handling and Storage**

Handling: No special handling requirements.

Storage: No special storage requirements.

**Section Eight: Exposure Controls and Personal Protection**

Respiratory Protection and Special Ventilation Requirements:	None required		
Other Protective Equipment (Gloves, Goggles, Etc.):	None		
Work/Hygiene Practices:	Studio hygiene rules should be observed. Wash thoroughly before eating, drinking, and smoking.		

**Section Nine: Physical and Chemical Properties**

Boiling Point:	Not determined	Melting Point:	Not determined
Vapor Pressure:	Not determined	Specific Gravity:	Not determined
Specific Vapor Density (AIR = 1):	Not determined	Evaporation Rate (Butyl Acetate = 1):	Not determined
Solubility in Water:	Not determined	Reactivity in Water:	Non-reactive
Appearance and Odor:	Colored paints; odorless		

**Section Ten: Stability and Reactivity**

Stability:	Stable
Conditions to Avoid:	Excessive heat
Chemical Incompatibility:	None known
Hazardous Decomposition:	None known
Hazardous Polymerization:	Will not occur

**MATERIAL SAFETY DATA SHEET**

**MSDS #: FW600**

Page 3 of 3

**Section Eleven: Toxicological Information**

IARC Monographs: No  
 National Toxicology Program: No  
 OSHA Regulated: No  
 Effects/Symptoms of Acute Exposure: None expected  
 Effects/Symptoms of Chronic Exposure: None expected  
 Medical Conditions Usually Aggravated By Overexposure of This Product: None known

**Section Twelve: Ecological Information**

Not available

**Section Thirteen: Disposal Considerations**

Dispose in accordance with Federal, State, and Local Regulations

**Section Fourteen: Transport Information**

Not regulated as a hazardous material by DOT, IMO, or IATA.

**Section Fifteen: Regulatory Information**

TSCA INVENTORY:

The product on this Material Safety Data Sheet is not listed on the United States Environmental Protection Agency Toxic Substances Control Act Inventory. However, the components of the product are included in the TSCA Inventory.

**Section Sixteen: Other Information**

HMIS Code	
Health	0
Flammability	0
Reactivity	0
Personal Protection	N/A

Chartpak, Inc. is a member of The Art and Creative Materials Institute, Inc. This product is certified by the Institute to be labeled in accordance with the voluntary chronic hazard labeling standard ASTM D-4236 and is labeled with the AP Seal. Products bearing the AP Seal are certified to be properly labeled in a program of toxicological evaluation by a medical expert for any known health risks and with information on the safe and proper use of these materials. Conforms to ASTM D-4236.

0=Minimal / 4 = Severe

May be used to comply with OSHA Hazard Communication Standard 29 CFR 1910.1200. Standard must be consulted for specific requirements.