

FROM : HK HOLBEIN, USA

FAX NO. : 8026585889

Jan. 29 2009 11:03AM P2/8

01732-1055
-2055

MATERIAL SAFETY DATA SHEET

12/10/2008

MANUFACTURER OR DISTRIBUTOR: **Holbein, Oenka**
P.O. Box 555
175 Commerce Street
Williston, Vermont 05495

INFORMATION TELEPHONE NUMBER: **800-682-6686**
 EMERGENCY TELEPHONE NUMBER: **802-862-4573**

SECTION I - PRODUCT IDENTIFICATION

PRODUCT NAME: **HOLBEIN OIL MEDIUMS & VARNISHES** PRODUCT NUMBER: **O&V**

PRODUCT SIZES: **20,40,50,55,100,200,220ML; 3,0,5L,1.8,4 L.** BRAND NAME: **HOLBEIN OIL MEDIUMS & VARNISHES**

PRODUCT CLASS: **ALKYD PAINTING MEDIUMS (LIQUID)**

SECTION II - HAZARDOUS INGREDIENTS

Ingredient	CAS #	PEL/TLV (MG/M#)	Max % Weight	NTP	IARC
SUNFLOWER OIL	8001-21-6	N/A	200.00000	N	N
PETROLEUM DISTILLATES	N/A	525.00	100.00000	N	N

SECTION III - PHYSICAL AND CHEMICAL CHARACTERISTICS

BOILING POINT: N/A MELTING POINT: N/A

VAPOR PRESSURE: N/A

SPECIFIC VAPOR DENSITY (AIR=1): N/A SPECIFIC GRAVITY: N/A

SOLUBILITY IN WATER: N/A REACTIVITY IN WATER: NON-REACTIVE

APPEARANCE AND ODOR:

SECTION IV - FIRE AND EXPLOSION INFORMATION

FLASH POINT (METHOD): N/A AUTOIGNITION TEMPERATURE: N/A

EXPLOSION LIMITS IN AIR (% BY VOLUME): NOT EXPLOSIVE

EXTINGUISHING MEDIA: NO SPECIAL MEDIA REQUIRED

FIRE FIGHTING PROCEDURES: Wear self-contained breathing apparatus.

UNUSUAL FIRE & EXPLOSION HAZARDS: RAGS, STEEL WOOL OR WASTE SOAKED WITH THIS PRODUCT MAY SPONTANEOUSLY CATCH FIRE IF IMPROPERLY DISCARDED. Rags or waste paper soaked with this material can burn spontaneously. Store in sealed metal container. Dispose of under water or by hanging out to dry. **COMBUSTIBLE.**

FROM : HK HOLBEIN, USA

FAX NO. : 8026585889

Jan. 29 2009 11:03AM P3/8

COMPANY: Holbein, Osaka
PRODUCT: O&V
BRAND NAME: HOLBEIN OIL MEDIUMS & VARNISHES

12/10/2008

SECTION V - PHYSICAL HAZARDS/REACTIVITY

HAZARDOUS POLYMERIZATION PRODUCTS: NONE
STABILITY: STABLE CONDITIONS TO AVOID: NONE
INCOMPATIBILITY (MATERIALS TO AVOID): NONE
HAZARDOUS DECOMPOSITION PRODUCTS: NONE

SECTION VI - HEALTH HAZARD DATA

PERMISSIBLE EXPOSURE LEVEL: SEE SECTION II FOR COMPONENT PEL/TLVs
PRIMARY ROUTES OF ENTRY: INHALATION, INGESTION, EYE, SKIN

EFFECTS AND SYMPTOMS OF ACUTE EXPOSURE: EXPOSURE MAY RESULT IN NAUSEA, HEADACHE, CONFUSION OR INSTABILITY. Exposure may result in nausea, headache, confusion or instability.
HARMFUL OR FATAL IF SWALLOWED. VAPOR HARMFUL.

EFFECTS AND SYMPTOMS OF CHRONIC EXPOSURE: NONE EXPECTED

CARCINOGEN LISTING: NTP: NO IARC: NO/SHA: NO.

SEE SECTION II FOR COMPONENTS AFFECTED

MEDICAL CONDITIONS USUALLY AGGRAVATED BY OVER EXPOSURE TO THIS PRODUCT: NONE

FIRST AID MEASURES: If swallowed, do not induce vomiting. Call a physician or poison control center immediately. If inhalation symptoms occur, move to fresh air. If symptoms persist, see a physician.

SECTION VII - SPILL OR LEAK PROCEDURES

PRECAUTIONS TO BE TAKEN DURING STORAGE AND HANDLING: Do not store or use near heat or flame.
KEEP OUT OF REACH OF CHILDREN.

FOR HOME USE, CHILD-PROOF PACKAGING REQUIRED IN CONFORMANCE WITH 16CFR1700.15 a), b), and c) and meet the child test protocol requirements of one of CSA-Z76.1, ISO 8317 or 16 CFR 1700.20 or a standard that is at least equivalent. Packaging is required for products containing 10% or more xylene, toluene, or petroleum hydrocarbons if the viscosity of the product is <100 SUS at 100o F, that contain 10% or more turpentine or ethylene glycol, that contain 10% or more sodium or potassium hydroxide in the powdered form or 2% or more in the liquid form when unneutralized, that contain 4% or more methanol, or that contain 10% or more sulfuric acid.

STEPS TO BE TAKEN IN CASE A MATERIAL IS SPILLED: NO SPECIAL SPILL PROCEDURES REQUIRED.

WASTE DISPOSAL METHOD: DISPOSE IN ACCORDANCE WITH FEDERAL, STATE AND LOCAL REGULATIONS.

SECTION VIII - PROTECTIVE EQUIPMENT/CONTROL MEASURES

FROM : HK HOLBEIN. USA

FAX NO. : 8026585889

Jan. 29 2009 11:03AM P4/8

COMPANY: Holbein, Osaka
 PRODUCT: O&V
 BRAND NAME: HOLBEIN OIL MEDIUMS & VARNISHES

12/10/2008

RESPIRATORY PROTECTION AND SPECIAL VENTILATION REQUIREMENTS: Use NIOSH-certified respirator with an organic vapor cartridge. Use only with adequate ventilation.

OTHER PROTECTIVE EQUIPMENT (GLOVES, GOGGLES, ETC): Immediately after use, place soiled material in a sealed water-filled metal container.

WORK/HYGIENE PRACTICES: NONE REQUIRED

SECTION IX - ADDITIONAL INFORMATION AND WARNINGS

THIS INFORMATION SHEET IS FOR CONSUMER USE ONLY.

ADDITIONAL INFORMATION AND WARNINGS: NONE REQUIRED

SECTION X - COLOR INFORMATION

THIS MSDS APPLIES TO THE FOLLOWING COLORS WHICH ARE ASSOCIATED WITH HAZARDOUS AND/OR NON-HAZARDOUS INGREDIENTS

<u>Product Color</u>	<u>Hazardous Ingredient</u>
0502 LINSEED OIL, PURIFIED	(none)
0503 POPPY OIL PURIFIED	(none)
0504 LE-SOLVENT DE COULEUR	(none)
0505 PAINTING OIL MEDIUM	(none)
0509 PAINTING VARNISH	(none)
0510 PICTURE VARNISH	(none)
0511 RETOUCH VARNISH	(none)
0517 SUN THICK POPPY OIL	SUNFLOWER OIL

FROM : HK HOLBEIN, USA

FAX NO. : 8026585889

Jan. 29 2009 11:03AM P5/8

COMPANY: Holbein, Osaka

12/10/2008

PRODUCT: O&V

BRAND NAME: HOLBEIN OIL MEDIUMS & VARNISHES

<u>Product Color</u>	<u>Hazardous Ingredient</u>
O518 SUN THICK LINSEED OIL	(none)
O519 WHITE MAT VARNISH	(none)
O521 JAPAN GOLD SIZE	(none)
O522 STAND LINSEED OIL	(none)
O527 SPIKE OIL LAVENDER	(none)
O528 VENETIAN TURPENTINE	(none)
O529 QUICK DRYING MEDIUM	(none)
O530	(none)
O540 ODORLESS PETROLE	(none)
	PETROLEUM DISTILLATES
	(none)
O650 PAINTING MED. JELLY	

Woodhall Stepford, MD, MSP11

Last Updated: 10/08/2008