

02007-1025

CHROMA AUSTRALIA PTY LTD ACN 001 594 609 17 MUNDOWI RD MT KURING-GAI NSW 2080, Australia TEL: (02) 9457 9922 FAX: (02) 9457 8082 EMERGENCY TEL: AS ABOVE, or POISONS INFORMATION CENTRE		PAGE 1 of 2 DATE of ISSUE: 1 SEPTEMBER 2006
Material Safety Data Sheet Not Classified as Hazardous According to the Criteria of Worksafe Australia		
IDENTIFICATION		
Product name: ATELIER CLEAR PAINTING MEDIUM Mid Viscosity Other names: ---- Manufacturer's Product Code: AT70240 Use: FOR PAINTING GRADATIONS WET-IN-WET OVER DRY FOR USE WITH ARTISTS PAINT		U.N. No: N/A Hazchem: N/A Dangerous Goods Class & Sub Risk: N/A Poisons Schedule: N/A
Physical Description/Properties		
Appearance: MILKY LIQUID Boiling Point Melting Point (°C) N/A Vapour Pressure (pascals or mm of Hg at 25°C) N/A Specific Gravity APPROX 1g/ml Other properties Slight ammonia smell		Flash Point (°C): N/A Flammability limits (%): N/A Solubility in Water (g/L): soluble
Ingredients		
Chemical entity	CAS No.	Proportion
WATER	7732-18-5	COMMERCIAL IN CONFIDENCE
AMMONIA	7664-41-7	<1%
PRESERVATIVE	149-30-4/2634-33-5	0.15%
ACRYLIC EMULSION	NON HAZ	COMMERCIAL IN CONFIDENCE
HEALTH HAZARD INFORMATION		
HEALTH EFFECTS:		
Acute: Swallowed	NONE ALLOCATED	
Eye	DIRECT CONTACT MAY CAUSE SLIGHT IRRITATION	
Skin	PROLONGED OR REPEATED CONTACT MAY CAUSE SLIGHT SKIN IRRITATION	
Inhaled	INHALATION OF VAPOUR MAY CAUSE IRRITATION	
Chronic	NONE ALLOCATED	
FIRST AID:		
Swallowed	IF SWALLOWED GIVE TWO GLASSES OF WATER TO DRINK	
Eye	FLUSH EYES WITH A LARGE AMOUNT OF WATER	
Skin	WASH AFFECTED SKIN AREAS THOROUGHLY	
Inhaled	MOVE SUBJECT TO FRESH AIR	
ADVICE TO DOCTOR: THIS PRODUCT CARRIES THE C.P. NON-TOXIC SEAL AND IS CERTIFIED BY A TOXICOLOGIST IN ASSOCIATION WITH THE ART & CRAFT MATERIALS INSTITUTE, BOSTON Ma 02110 USA.		

ATELIER CLEAR PAINTING MEDIUM, Mid Viscosity

Page 2 of 2

PRECAUTIONS FOR USE**EXPOSURE STANDARDS**

NONE

ENGINEERING CONTROLS

USE IN WELL VENTILATED AREAS

PERSONAL PROTECTION

NONE REQUIRED IF USED IN A WELL VENTILATED AREA

FLAMMABILITY

N/A

SAFE HANDLING INFORMATION**STORAGE & TRANSPORT**

KEEP FROM FREEZING. RECOMMENDED STORAGE CONDITIONS ARE BETWEEN 1° C AND 50 °C.

SPILLS & DISPOSAL

FOR LARGER QUANTITIES, CONTAIN ANY SPILLS WITH INERT MATERIALS. (SAND, SAWDUST ETC) AND TRANSFER TO CONTAINERS FOR DISPOSAL. CONTACT LOCAL WASTE DISPOSAL AUTHORITY FOR DISPOSAL METHODS. SOAK UP SMALLER SPILLS WITH A RAG AND DISPOSE OF CAREFULLY.

FIRE/EXPLOSION HAZARD

NONE

OTHER INFORMATION**CONTACT POINT**

MT KURING-GAI AUSTRALIA

DATE OF ISSUE: 1 SEPTEMBER 2006