



FABRICANT
DE COULEURS

02102-all codes except:

-5223

-5224

SAFETY DATA SHEET (91/155/EEC - 2001/58/EC - ISO 11014-1)

Date: 07/06/2006 Page 1/4

Version: N°1 (07/06/2006)

Revision: N°1 (02/06/2006)

Name: Huile XL / XL oil : toutes couleurs sauf n°10 / all colours except n°10 / Company: PEBEO ARTIST COLORS (KUNSHAN) Co., LTD

SAFETY DATA SHEET

1 - IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Identification of the substance or preparation:

Name: Huile XL / XL oil : toutes couleurs sauf n°10 / all colours except #10.

Product code: 937000.

Company/undertaking identification:

Registered company name: PEBEO ARTIST COLORS (KUNSHAN) Co. LTD.

Address: 19 Jin Sha Jiang road, JIANG SU Province 215309, KUNSHAN, CHINA

Telephone: 86 (0) 512 577 17 092 Fax: 86 (0) 512 577 17 096 Telex: ..

cededync@pebeo.com

www.pebeo.com

Emergency telephone: 33 (0)1.45.42.59.59.

Association/Organisation: INRS / ORFILA <http://www.centres-antipoison.net>.

Use of the substance/preparation:

Paint & Varnish

2 - COMPOSITION/INFORMATION ON INGREDIENTS

Full text of risk phrases appearing in section 2: see section 16.

Hazardous substances present on their own:

(present in the preparation at a sufficient concentration to give it the toxicological characteristics it would have in a 100% pure state)

This preparation contains no hazardous substance in this category.

Other substances representing a hazard:

No known substance in this category present.

Substances present at a concentration below the minimum danger threshold:

No known substance in this category present.

Other substances with occupational exposure limits:

No known substance in this category present.

Other components:

INDEX	CAS	EC	Name	Symb.	R:	%
649-327-00-6	64742-48-9	265-150-3	NAPHTHA (PETROLIUM). HYDROTREATED HEAVY	Xn	65	0 ≤ x % < 2.5

3 - IDENTIFICATION OF HAZARDS

This product is not classed as flammable. Refer to the recommendations regarding the other products present on the site

This preparation is not classed as hazardous to health by directive 1999/45/EC.

4 - FIRST AID MEASURES

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing in an unconscious person.

SAFETY DATA SHEET (91/155/EEC - 2001/58/EC - ISO 11014-1)

Date: 07/06/2006 Page 2/4

Version: N°1 (07/06/2006)

Revision: N°1 (02/06/2006)

Name: Huile XL / XL oil - toutes couleurs sauf n°10 / all colours except n°10 Company: PE'BEO ARTIST COLORS (KUNSHAN) Co., LTD

5 - FIRE-FIGHTING MEASURES

Not relevant.

Special protective equipment for fire-fighters:

Due to the toxicity of the gas emitted on thermal decomposition of the products, fire-fighting personnel are to be equipped with autonomous insulating breathing apparatus.

6 - ACCIDENTAL RELEASE MEASURES**Personal precautions:**

Consult the safety measures listed under headings 7 and 8.

Environmental precautions:

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

Methods for cleaning up:

Clean preferably with a detergent, do not use solvents.

7 - HANDLING AND STORAGE

The regulations relating to storage premises apply to workshops where the product is handled.

Fire prevention:

Prevent access by unauthorised personnel.

8 - EXPOSURE CONTROLS/PERSONAL PROTECTION

Use personal protection equipment as per Directive 89/686/EEC.

Technical measures:

Personnel shall wear regularly laundered overalls.

9 - PHYSICAL AND CHEMICAL PROPERTIES**General information:**

Physical state:

viscous liquid

Important health, safety and environmental information:

pH of the substance or preparation:

not relevant.

The pH is impossible to measure or its value is not relevant.

Boiling point/boiling range:

not relevant.

Flash point interval:

not relevant.

vapour pressure:

not specified.

Density:

> 1

water solubility:

Insoluble.

Other information:

melting point/melting range:

not relevant.

Self-ignition temperature:

not relevant.

Decomposition point/decomposition range :

not relevant.

VOC (g/l):

9.22

10 - STABILITY AND REACTIVITY

The preparation is stable at the handling and storage conditions recommended per § 7 of the safety data sheet.

11 - TOXICOLOGICAL INFORMATION

The preparation contains no substance classed as hazardous per directive 67/548/EEC.

SAFETY DATA SHEET (91/155/EEC - 2001/58/EC - ISO 11014-1)
Version: N°1 (07/06/2006)

Date: 07/06/2006 Page 3/4
Revision: N°1 (02/06/2006)

Name: Huile XL / XL oil : toutes couleurs sauf n°10 / all colours except Company: PEBEO ARTIST COLORS (KUNSHAN) Co., LTD

12 - ECOLOGICAL INFORMATION

No ecological data on the product itself is available.

Other adverse effects:

Germany: WGK 2 (VwVwS vom 17/05/99, KBws)

13 - DISPOSAL CONSIDERATIONS

Do not pour into drains or waterways.

Waste:

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

Soiled packaging:

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

Codes of wastes (Decision 2001/573/EC, Directive 75/442/EEC, Directive 91/689/EEC on hazardous waste) :

20 01 27 * paint, inks, adhesives and resins containing dangerous substances

14 - TRANSPORT INFORMATION

Exempt from transport classification and labelling.

Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport (ADR 2005 - IMDG 2004 - ICAO/IATA 2005)

15 - STATUTORY INFORMATION

This preparation was classified in compliance with the directive known as <All preparations> 1999/45/EC and its adaptations. In addition directive 2004/73/EC with the 29^e adaptation of directive 67/548/EEC (Hazardous substances) have been taken into account.

This preparation is not classed as hazardous to health by directive 1999/45/EC.

This product is not classed as flammable.


Particular hazards associated with the preparation and safety recommendations:

- | | |
|------|----------------------------------------------------------------------------------------------------------|
| S 2 | Keep out of reach of children. |
| S 23 | Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer). |
| S 24 | Avoid contact with skin. |
| S 62 | If swallowed, do not induce vomiting : seek medical advice immediately and show this container or label. |
| S 41 | In case of fire and/or explosion do not breathe fumes. |

Particular provisions:

Germany: WGK 2 (VwVwS vom 17/05/99, KBws)

NFPA 704 Label: Health=0 Flammability=1 Instability=1 Special Hazards=none



16 - OTHER INFORMATION

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The product must not be used for any purposes other than those specified under heading I without first obtaining written handling instructions.



SAFETY DATA SHEET (91/155/EEC - 2001/58/EC - ISO 11014-1)
Version: N°1 (07/06/2006)

Date: 07/06/2006 Page 1/4
Revision: N°1 (02/06/2006)

Name: Huile XL / XL oil : toutes couleurs sauf n°10 / all colours except Company: PEBEO ARTIST COLORS (KUNSHAN) Co. LTD

SAFETY DATA SHEET

1 - IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Identification of the substance or preparation:

Name: Huile XL / XL oil : toutes couleurs sauf n°10 / all colours except #10.
Product code: 200000.

Company/undertaking identification:

Registered company name: PEBEO ARTIST COLORS (KUNSHAN) Co. LTD.
Address: 19 Jin Sha Jiang road, JIANG SU Province.215300.KUNSHAN.CHINA.
Telephone: 86 (0) 512 577 17 092. Fax:86 (0) 512 577 17 096. Telex:
cdedeyne@pebeo.com
www.pebeo.com

Emergency telephone: 33 (0)1.45.42.59.59.

Association/Organisation: INRS / ORFILA <http://www.centres-antipoison.net>.

Use of the substance/preparation:

Paint & Varnish

2 - COMPOSITION/INFORMATION ON INGREDIENTS

Full text of risk phrases appearing in section 2: see section 16.

Hazardous substances present on their own:

(present in the preparation at a sufficient concentration to give it the toxicological characteristics it would have in a 100% pure state)

This preparation contains no hazardous substance in this category.

Other substances representing a hazard:

No known substance in this category present.

Substances present at a concentration below the minimum danger threshold:

No known substance in this category present.

Other substances with occupational exposure limits:

No known substance in this category present.

Other components:

INDEX	CAS	EC	Name	Symb.	R:	%
649-327-00-6	64732-48-9	265-150-3	NAPHTHA (PETROLEUM), HYDROTREATED HEAVY	Xn	65	0 <= x % < 2.5

3 - IDENTIFICATION OF HAZARDS

This product is not classed as flammable. Refer to the recommendations regarding the other products present on the site

This preparation is not classed as hazardous to health by directive 1999/45/EC.

4 - FIRST AID MEASURES

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing in an unconscious person.

- Made under licence of European Label System - MSDS software from InfoDyne - <http://www.infodyne.fr> -

Item Numbers: 02102-1023, 02102-1024, 02102-1033, 02102-1034, 02102-1059, 02102-1913, 02102-1914, 02102-2253, 02102-2254, 02102-2543, 02102-2544, 02102-2563, 02102-2564, 02102-3043, 02102-3044, 02102-3073, 02102-3074, 02102-3093, 02102-3094, 02102-3103, 02102-3104, 02102-3153, 02102-3154, 02102-3163, 02102-3164, 02102-3713, 02102-3714, 02102-3733, 02102-3734, 02102-3743, 02102-3744, 02102-3773, 02102-3774, 02102-3913, 02102-3914, 02102-3963, 02102-3964, 02102-4043, 02102-4044, 02102-4123, 02102-4124, 02102-4133, 02102-4134, 02102-4143, 02102-4144, 02102-4183, 02102-4184, 02102-4273, 02102-4274, 02102-4283, 02102-4284, 02102-4293, 02102-4294, 02102-4313, 02102-4314, 02102-4533, 02102-4534, 02102-4933, 02102-4934, 02102-5163, 02102-5164, 02102-5173, 02102-5174, 02102-5183, 02102-5184, 02102-5233, 02102-5234, 02102-5383, 02102-5384, 02102-5483, 02102-5484, 02102-5913, 02102-5914, 02102-6023, 02102-6024, 02102-6583, 02102-6584, 02102-7053, 02102-7054, 02102-7093, 02102-7094, 02102-7203, 02102-7204, 02102-7213, 02102-7214, 02102-7253, 02102-7254, 02102-7673, 02102-7674, 02102-7903, 02102-7904, 02102-7913, 02102-7914, 02102-7923, 02102-7924, 02102-8043, 02102-8044, 02102-8053, 02102-8054, 02102-8063, 02102-8064, 02102-8073, 02102-8074, 02102-8213, 02102-8214, 02102-8313, 02102-8314, 02102-9013, 02102-9014, 02102-0089

SAFETY DATA SHEET (91/155/EEC - 2001/58/EC - ISO 11014-1)
Version: N°1 (07/06/2006)

Date: 07/06/2006 Page 2/4
Revision: N°1 (02/06/2006)

Name: Huile XL / XL oil : toutes couleurs sauf n°10 / all colours except Company: PEBEO ARTIST COLORS (KUNSHIAN) Co., LTD

5 - FIRE-FIGHTING MEASURES

Not relevant.

Special protective equipment for fire-fighters:

Due to the toxicity of the gas emitted on thermal decomposition of the products, fire-fighting personnel are to be equipped with autonomous insulating breathing apparatus.

6 - ACCIDENTAL RELEASE MEASURES

Personal precautions:

Consult the safety measures listed under headings 7 and 8

Environmental precautions:

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

Methods for cleaning up:

Clean preferably with a detergent, do not use solvents.

7 - HANDLING AND STORAGE

The regulations relating to storage premises apply to workshops where the product is handled.

Fire prevention:

Prevent access by unauthorised personnel.

8 - EXPOSURE CONTROLS/PERSONAL PROTECTION

Use personal protection equipment as per Directive 89/686/EEC.

Technical measures:

Personnel shall wear regularly laundered overalls.

9 - PHYSICAL AND CHEMICAL PROPERTIES

General information:

Physical state: viscous liquid

Important health, safety and environmental information:

pH of the substance or preparation: not relevant.

The pH is impossible to measure or its value is not relevant.

Boiling point/boiling range: not relevant.

Flash point interval: not relevant.

vapour pressure: not specified.

Density: > 1

water solubility: Insoluble.

Other information:

melting point/melting range: not relevant.

Self-ignition temperature: not relevant.

Decomposition point/decomposition range : not relevant.

VOC (g/l): 9.22

10 - STABILITY AND REACTIVITY

The preparation is stable at the handling and storage conditions recommended per § 7 of the safety data sheet.

11 - TOXICOLOGICAL INFORMATION

The preparation contains no substance classed as hazardous per directive 67/548/EEC.

SAFETY DATA SHEET (91/155/EEC - 2001/58/EC - ISO 11014-1)
Version: N°1 (07/06/2006)
Name: Huile XL / XL oil : toutes couleurs sauf n°10 / all colours except

Date: 07/06/2006 Page 3/4
Revision: N°1 (02/06/2006)
Company: PEBE O ARTIST COLORS (KUNSHAN) Co. LTD

12 - ECOLOGICAL INFORMATION

No ecological data on the product itself is available.

Other adverse effects:

Germany: WGK 2 (VwVwS vom 17/05/99, KBws)

13 - DISPOSAL CONSIDERATIONS

Do not pour into drains or waterways

Waste:

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

Soiled packaging:

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor

Codes of wastes (Decision 2001/573/EC, Directive 75/442/EEC, Directive 91/689/EEC on hazardous waste) :

20 01 27 * paint, inks, adhesives and resins containing dangerous substances

14 - TRANSPORT INFORMATION

Exempt from transport classification and labelling.

Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport (ADR 2005 - IMDG 2004 - ICAO/IATA 2005).

15 - STATUTORY INFORMATION

This preparation was classified in compliance with the directive known as <All preparations> 1999/45/EC and its adaptations. In addition directive 2004/73/EC with the 29th adaptation of directive 67/548/EEC (Hazardous substances) have been taken into account.

This preparation is not classed as hazardous to health by directive 1999/45/EC.

This product is not classed as flammable.


Particular hazards associated with the preparation and safety recommendations:

- | | |
|------|----------------------------------------------------------------------------------------------------------|
| S 2 | Keep out of reach of children. |
| S 23 | Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer). |
| S 24 | Avoid contact with skin. |
| S 62 | If swallowed, do not induce vomiting : seek medical advice immediately and show this container or label. |
| S 41 | In case of fire and/or explosion do not breathe fumes. |

Particular provisions:

Germany: WGK 2 (VwVwS vom 17/05/99, KBws)

NFPA 704 Label: Health=0 Flammability=1 Instability=1 Special Hazards=none



16 - OTHER INFORMATION

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The product must not be used for any purposes other than those specified under heading 1 without first obtaining written handling instructions.

