

JAN-09-01 TUE 01:42 PM A

F.M.A. NO.

Rwd 01-09-01 ✓

02952-1001
-1002

ALL PURPOSE VARNISH GLOSS/MATT

Page 1 of 3

27/10/00

Material Safety Data Sheet

WINSOR & NEWTON AEROSOL

ALL PURPOSE VARNISH GLOSS/MATT

Section I

ColArt Americas, Inc
11 Constitution Avenue
Piscataway
New Jersey 08855-1396

Emergency Telephone Number 1-800-628-3385
Telephone Number for Information 732- 562- 0770
Date prepared 27/10/00

Section II Hazard Ingredients/Identity Information

Hazardous Components	CAS No.	OSHA PEL	ACGIH TLV
Butane	106-97-9	no data	600 ppm
Aliphatic hydrocarbon solvent	64742-49-0	no data	400 ppm
Propane	74-98-6	no data	no data ppm
Toluene	108-88-3	no data	50 ppm

Section III Physical/Chemical Characteristics

Boiling Point:	no data °C	Specific Gravity	1.2
Vapour pressure:	no data	Melting Point:	nil °C
Vapour density:	no data	Evaporation rate	no data
Solubility in water :	Partly miscible		
Appearance and odour	Solvent odour		

Section IV Fire and Explosion Hazard Data

Flash Point	no data °C	Flammable limits	LEL: 1.5 UEL: 9.5
Extinguishing Media	Water spray, fog or mist, carbon dioxide, foam.		
Special Fire Fighting Procedures	Water may be ineffective but will keep containers cool.		
Unusual Fire and Explosion Hazards	May travel considerable distance to ignition source.		

Section V Reactivity Data

Stability :	Unstable Volatile	Conditions to avoid :	Heat, ignition sources
	Stable :		
Incompatibility:	None known		
Hazardous Decomposition	None known		
Hazardous Polymerisation	No		

V-4565

JAN-09-01 TUE 01:43 PM A

PRX NO.

7. 06

ALL PURPOSE VARNISH GLOSS/MATT

Page 2 of 3

27/10/00

Section VI Health Hazard Data

Route of Entry	Inhalation? <input checked="" type="checkbox"/>	Skin? <input type="checkbox"/>	Ingestion? <input type="checkbox"/>
Health Hazards: Inhalation can affect central nervous system, respiratory system and lungs.			
Carcinogenicity: NTP: n/a IARC Monographs: n/a OSHA Regulated: n/a			
WARNING: This product contains a chemical known to the State of California to cause birth defects or other reproductive harm.			
Signs and Symptoms of Exposure		Narcotic effect, drowsiness.	
Medical Conditions aggravated by exposure		Pre existing respiratory disorders	
First Aid Procedures			
Eyes:	Immediately wash with lots of water for at least 15 minutes. Seek medical attention if irritation persists.		
Skin:	Wash off with soap and water.		
Inhalation:	Remove patient to fresh air. Keep warm and at rest. Get prompt medical attention.		
Ingestion:	Rinse mouth thoroughly. Do not induce vomiting. Seek medical advice.		

Section VII Precautions for Safe Handling and Use

Steps to be taken if material is spilled	Absorb on inert absorbent.	Shut off all ignition sources. Ventilate.
Waste Disposal Method	Do not pierce container. Do not incinerate. According to local regulations	
Precautions to be taken in Handling and Storage		
Keep away from heat and sources of ignition. Do not spray near naked flame or any incandescent material.		
Do not expose to temperatures exceeding 50 degrees Celsius.		
Other precautions	Do not inhale vapour	

JAN-09-01 TUE 01:43 PM A

RAX NO.

P. 09

ALL PURPOSE VARNISH GLOSS/MATT

Page 3 of 3

27/10/00

Section VIII Control Measures

Respiratory protection	Wear mask		
Ventilation	Ensure good ventilation		
	Local exhaust	Yes	
	Mechanical	If required	
Protective gloves	Not required	Eye protection	Not normally required
Other protective equipment	Protective clothing as required		
Work/Hygenic Practices	Avoid build up of vapour		

This product has been evaluated by a toxicologist and is labeled for acute and chronic health hazards in conformity with the Labeling of Hazardous Art Materials Act and Federal regulation 16 CFR 1500.14 of the Federal Hazardous Substances Act.

This product conforms to ASTM D4236 Standard Practice for Labeling Art Materials for Chronic Adverse Health Hazards

DANGER : EXTREMELY FLAMMABLE. VAPORS MAY CAUSE FLASH FIRE. VAPOURS MAY IGNITE EXPLOSIVELY. CONTENTS UNDER PRESSURE. DO NOT PUNCTURE OR INCINERATE CONTAINER. DELIBERATE MISUSE BY CONCENTRATING AND INHALING VAPORS MAY BE HARMFUL OR FATAL.

MAY BE HARMFUL BY BREATHING VAPORS. EYE IRRITANT. EXPOSURE MAY RESULT IN NAUSEA, HEADACHE, CONFUSION OR INSTABILITY. CONTAINS PETROLEUM DISTILLATE , TOLUENE.