

04/30/02 13:16 To:MSDS Coordinator

From:Paul Camarillo

562-695-5157

Page 5/7

MSDS000115

**Delta Technical Coatings, Inc.**  
**Material Safety Data Sheet**

02964-1010	-5040
-2020	-5220
-2570	-6010
-3000	-7360
-3170	
-4000	
-4900	

Rev 04-30-02

IDENTITY (As Used on label and List) *Note: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that*  
 Delta Transparent Glass Stain (all colors)

Manufacturer's Name Delta Technical Coatings, Inc.	Emergency Telephone Number (562) 406-0349
Address 2550 Pellissier Place	Telephone Number for Information (562) 695-7969
Whittier, California 90601-1505	Date Prepared Rev. 3/20/01
	Signature of Preparer (optional) Paul J. Camarillo

**SECTION II - Hazardous Ingredients/Identify Information**

Hazardous Ingredients (Specify Chemical Identity, Common Name(s))	OSHA PEL	ACGIH TLV	Other Limits	% Containing
None	N/A	N/A	N/A	N/A

**SECTION III - Physical/Chemical Characteristics**

Boiling Point	>230	Specific Gravity (H <sub>2</sub> O = 1)	1.22 - 1.35
Vapor Pressure (mm Hg.)	N/A	Melting Point	N/A
Vapor Density (AIR = 1)	>1	Evaporation Rate (Butyl Acetate = 1)	<1

Solubility in Water  
Dilutable

Appearance and Odor  
Medium viscous liquids in various colors with a strong acrylic odor.

**SECTION IV - Fire and Explosion Hazard Data**

Flash Point (Method Used)	N/A	Flammable Limits	N/A	LEL	N/A	UEL	N/A
---------------------------	-----	------------------	-----	-----	-----	-----	-----

Extinguishing Media  
Dry chemical, CO<sub>2</sub>, water fog

Special Fire Fighting Procedures  
N/A

Unusual Fire and Explosion Hazards  
Product will not burn but may spatter if temperature exceeds boiling point. Dry film may burn and give off oxides of Carbon/Nitrogen.

V-3800

04/30/02 13:16 To:MSDS Coordinator

From:Paul Camarillo

562-695-5157

Page 6/7

MSDS000115

**SECTION V - Reactivity Data**

Stability	Unstable		Conditions to Avoid N/A
	Stable	X	

Incompatibility (Materials to Avoid)

Strong acids and alkalis.

Hazardous Decomposition or Byproducts

N/A

Hazardous Polymerization	May Occur		Conditions to Avoid N/A
	Will Not Occur	X	

**SECTION VI - Health Hazard Data**

Route(s) of Entry	Inhalation? No	Skin? Yes	Ingestion? No
-------------------	-------------------	--------------	------------------

Health Hazards (Acute and Chronic)

None

Carcinogenicity	NTP? No	IARC Monographs No	OSHA Regulated? No
-----------------	------------	-----------------------	-----------------------

Signs and Symptoms of Exposure

Inhalation: No known signs or symptoms associated with exposure to product.

Skin & Eye: No known signs or symptoms associated with exposure to product.

Ingestion: No known signs or symptoms associated with exposure to product.

Medical Conditions Generally Aggravated by Exposure

N/A

Emergency and First Aid Procedures

Inhalation: Move subject to fresh air. Eye contact: Flush eyes with a large amount of water for at least 15 minutes.

Skin Contact: Wash affected areas thoroughly with soap and water.

Ingestion: If swallowed, give two glasses of water to drink. Consult a physician.

04/30/02 13:16 To:MSDS Coordinator

From:Paul Camarillo

562-695-5157

Page 7/7

MSDS000115

**SECTION VII - Precautions for Safe Handling and Use**

Steps To Be Taken in Case Material Is Released or Spilled

Control spill with paper towel. Dried refuse may be disposed of according to local, state and federal regulations.

Waste Disposal Method

Dried refuse may be disposed of according to local, state and federal regulations. Check with local authorities for details on disposal.

Precautions to Be Taken in Handling and Storage

Avoid storing in areas exposed to direct sunlight. Keep from freezing temperatures. Store in a cool, dry place.

Other Precautions

Keep container tightly closed when not in use.

**KEEP OUT OF REACH OF CHILDREN.**

**SECTION VIII - Control Measures**

Respiratory Protection (Specify Type)

Ventilation	Local Exhaust	Recommended	Special	None
	Mechanical (General)	Recommended	Other	None

Protective Gloves

Impervious plastic or rubber.

Protective Glasses

Safety glasses may be worn to avoid eye contact.

Other Protective Clothing or Equipment

Long sleeve garments may be worn to avoid contact with skin.

Work/Hygiene Practices

Clean-up with soap and water. Wash hands with soap and water after using product. Close container tightly.

**SECTION IX - Disclaimer**

Delta Technical Coatings, Inc. Assumes no responsibility for personal injury or property damage to vendees,

users or third parties caused by the product. Such vendees assumes all risks associated with the use of this product.

<b>HMIS SYMBOL</b>	<b>RATING</b>	<b>Transportation Information:</b>								
<table border="1" style="display: inline-table; border-collapse: collapse;"> <tr><td style="width: 50px; height: 15px; background-color: black;"></td><td style="width: 30px; text-align: center;">0</td></tr> <tr><td style="width: 50px; height: 15px; background-color: black;"></td><td style="width: 30px; text-align: center;">0</td></tr> <tr><td style="width: 50px; height: 15px; background-color: black;"></td><td style="width: 30px; text-align: center;">0</td></tr> <tr><td style="width: 50px; height: 15px; background-color: black;"></td><td style="width: 30px; text-align: center;">0</td></tr> </table>		0		0		0		0	SEVERE            4 SERIOUS          3 MODERATE        2 SLIGHT            1 MINIMAL           0	D.O.T. : Not Regulated  I.A.T.A.: Not Regulated  CERCLA RQ: None
	0									
	0									
	0									
	0									