

MSDS000156

02977-All Skus.

12.12.03

## Delta Technical Coatings, Inc. Material Safety Data Sheet

<b>IDENTITY (As Used on Label and List)</b> Delta Iridescent Permenamel (all colors)		<small>Note. Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.</small>	
<b>Manufacturer's Name</b> Delta Technical Coatings, Inc.		<b>Emergency Telephone Number</b> (800) 423-4135	
<b>Address</b> 2550 Pellissier Place		<b>Telephone Number for Information</b> (562) 695-7969	
<b>Whittier, California 90601-1505</b>		<b>Date Prepared</b> 3/4/03	
		<b>Signature of Preparer (optional)</b>	
<b>SECTION 3: Hazardous Components (Specific Chemical Identity; Common Name(s))</b>			
None		OSHA PEL N/A	ACOH TLV N/A
			Other Limits N/A
<b>SECTION 4: Physical and Chemical Characteristics</b>			
<b>Boiling Point</b>	>230	<b>Specific Gravity (H<sub>2</sub>O = 1)</b>	1.2
<b>Vapor Pressure (mm Hg)</b>	N/A	<b>Melting Point</b>	
<b>Vapor Density (AIR = 1)</b>	>1	<b>Evaporation Rate (Butyl Acetate = 1)</b>	
<b>Solubility in Water</b> Dilutable			
<b>Appearance and Odor</b> Medium viscous liquids in various colors with a strong acrylic odor.			
<b>SECTION 5: Flammable and Explosion Hazard Data</b>			
<b>Flash Point (Method Used)</b>	N/A	<b>Flammable Limits</b>	LEL N/A UEL N/A
<b>Extinguishing Media</b> Dry chemical, CO <sub>2</sub> , water fog			
<b>Special Fire Fighting Procedures</b> N/A			
<b>Unusual Fire and Explosion Hazards</b> Product will not burn but may spatter if temperature exceeds boiling point. Dry film may burn and give off oxides of Carbon/Nitrogen.			
<b>SECTION 6: Stability and Reactivity</b>			
<b>Stability</b>	Unstable	<b>Condensable Acid</b>	

V-3800

MSDS000156

		N/A	
Stable		X	
Incompatibility (Materials to Avoid)			
Strong acids and alkalis.			
Hazardous Decomposition or Byproducts			
N/A			
Hazardous Polymerization	May Occur		Conditions to Avoid
	Will Not Occur	X	N/A
<b>SECTION 6 - EXPOSURE CONTROLS</b>			
Route(s) of Entry:		Inhalation?	Ingestion?
		No	Yes
Health Hazards (Acute and Chronic)			
None.			
Carcinogenicity:		NTP?	OSHA Regulator
		No	N
Signs and Symptoms of Exposure			
Inhalation: No known signs or symptoms associated with exposure to product.			
Skin & Eye: No known signs or symptoms associated with exposure to product.			
Ingestion: No known signs or symptoms associated with exposure to product.			
Medical Conditions Generally Aggravated by Exposure			
N/A			
Emergency and First Aid Procedures			
Inhalation: Move subject to fresh air. Eye contact: Flush eyes with a large amount of water for at least 15 minutes.			
Skin Contact: Wash affected areas thoroughly with soap and water.			
Ingestion: If swallowed, give two glasses of water to drink. Consult a physician.			
<b>SECTION 7 - DISPOSAL METHODS</b>			
Steps To Be Taken in Case Material is Released or Spilled			
Control spill with paper towel. Dried refuse may be disposed of according to local, state and federal regulations.			

MSDS000158

**Waste Disposal Method**

Dried refuse may be disposed of according to local, state and federal regulations. Check with local authorities for details on disposal.

**Precautions to Be Taken in Handling and Storing**

Avoid storing in areas exposed to direct sunlight. Keep from freezing temperatures. Store in a cool, dry place.

**Other Precautions**

Keep container tightly closed when not in use.

**KEEP OUT OF REACH OF CHILDREN.**

**Respiratory Protection (Specify Type)**

Ventilation	Local Exhaust	Special
		Recommended
	Mechanical (General)	Other
		Recommended

**Protective Gloves**

Impervious plastic or rubber.

**Protective Glasses**

Safety glasses may be worn to avoid eye contact.

**Other Protective Clothing or Equipment**

Long sleeve garments may be worn to avoid contact with skin.

**Work/Hygiene Practices**

Clean-up with soap and water. Wash hands with soap and water after using product. Close container tightly.

Delta Technical Coatings, Inc. Assumes no responsibility for personal injury or property damage to vendees.

users or third parties caused by the product. Such vendees assumes all risks associated with the use of this product.

HMIS SYMBOL	RATING	Transportation Information:
0	SEVERE 4	D.O.T. : Not Regulated
0	SERIOUS 3	I.A.T.A. : Not Regulated
REACTIVITY 0	MODERATE 2	CERCLA RQ: None
	SLIGHT 1	
	MINIMAL 0	