

01/26/2006 10:37 18154592823

FREUDENTHAL SALES GR

PAGE 07

Mar. 11. 2005 11:48AM CARAN D'ACHE

No. 7085 P. 2/5

04/08 '03 11:14 FAX 0041228690138

CARAN D'ACHE SA

→ CDA USA

0002/009

20067-XXXX

Material Safety Data Sheet

Product : NEOCOLOR I water-resistant colour crayons

Page : 1/4

Validation date : 04/06/2003

Version : US-7000-2.02

Replaces version : US-2.01

1. Product and Company Identification

PRODUCT TRADE NAME (as labeled) : NEOCOLOR I[®]

MANUFACTURERS NAME : CARAN D'ACHE SA

Address (complete mailing address) : 19, chemin du Foron ; CH-1225 THONEX-GENEVE
 Phone number : +41 22 980 01 01
 FAX number : +41 22 859 01 35

US importer : CARAN D'ACHE SA of SWITZERLAND inc.
 33-52 43rd Street
 LONG ISLAND CITY, NY 11101

Phone number (for additional information) : +1 718 492 75 00

2. Product Preparation and Hazardous Ingredients

Preparation composition : Natural or synthetic waxes, paraffin
 Synthetic organic and inorganic pigments (without heavy metals or other toxic chemical compounds)
 Natural or synthetic binders and additives
 Natural mineral fillers

Hazardous chemicals : None
 CAS numbers : -
 Percent* : -

NOTE : ACGI's AP label : The product is certified by an authority on toxicology associated with a leading university to contain no materials in sufficient quantities to be toxic or injurious to the human body even if ingested

Others : The product do not contain any suspected carcinogenic agents. This product's ingredients are not found in the Federal OSHA - regulated carcinogens register

3. Health Hazard Information

SYMPTOMS OF OVEREXPOSURE - For each potential route of exposure

Inhaled : Not applicable

* Not a required category

NOTE : All required categories should be addressed. If any item is not applicable or no information is available, the space must be marked to indicate that.

This voluntary form is provided by Cal/OSHA to assist MSDS preparers and users. Any format may be used as long it contains all the required information

01/26/2005 10:37 18154592823

FREUDENTHAL SALES GR

PAGE 08

Mar. 11. 2005 11:48AM CARAN D'ACHE

No. 7085 P. 3/5

04/06 '03 11:14 FAX 0041228690138

CARAN D'ACHE SA

CDA USA

003/008

Material Safety Data Sheet

Product : NEOCOLOR : water-resistant colour crayons

Page : 2/4

Validation date : 04/05/2003

Version : US-7000-2.02

Replaces version : US-2:01

NOTE : *If heated to more than 400 °F, the product may form vapours or fumes which may irritate respiratory tract and cause coughing*

Contact with skin or eyes :

Skin : No known effects from overexposure
Eyes : Slight irritation

Absorbed through skin

No known effects from overexposure

Swallowed

No known effects

HEALTH EFFECTS OR RISKS FROM EXPOSURE - Explain in lay terms - Attach extra page if more space is needed

Acute :

Oral LD 50 greater than 5000 mg/kg body weight

Chronic :

None observed and none known

Others :

None

4. First Aid and Emergency Procedures

General information :

In case of clothes contamination, remove and wash off with water and soap

NOTE : *The product could be solvent soluble (e.g. it shows a complete solubility in hydrocarbon solvent like white spirit). In case of solvent use, caution with flammability risk and chemical resistance of synthetic material*

Eyes contact :

Irrigate with fresh water immediately and continuously for 5 to 15 minutes keeping eye open
Consult a specialized medical service

Skin contact :

Wash skin with water and soap immediately
In case of persistent irritation, seek medical advice

NOTE : *In case of burn by contact with molten material, consult a medical service*

Inhaled :

Not applicable

Swallowed :

Consult physician

* Not a required category

NOTE : All required categories should be addressed. If any item is not applicable or no information is available, the space must be marked to indicate that.

This voluntary form is provided by Cal/OSHA to assist MSDS preparers and users. Any format may be used as long as it contains all the required information.

01/26/2006 10:37 18154592823

FREUDENTHAL SALES GR

PAGE 09

Mar. 11. 2005 11:49AM CARAN D'ACHE

No. 7085 P. 4/5

04/06 '03 11:15 FAX 0041228690138

CARAN D. ACHE SA

CDA USA

004/009

Material Safety Data Sheet

Product : NEOCOLOR I water-resistant colour crayons

Page : 3/4

Validation date : 04/06/2003

Version : US-7000-2.02

Replaces version : US-2.01

5. Fire and Explosion

Flash point (°F) :	Not applicable
Flammable limits in air (volume %) :	Not applicable
Auto ignition temperature (°F) :	Above 100 °F
Fire extinguishing materials :	Carbon dioxide or Dry chemical powder
Special fire-fighting procedures :	None known
Unusual fire and explosion hazards :	Organic material combustion may produce carbon dioxide and/or carbon monoxide

NOTE : If heated to more than 400 °F, the product may form vapours or fumes which may irritate respiratory tract and cause coughing

6. Physical Properties

Vapor density (air = 1) :	Not applicable
Melting point or range (°F) :	Range 200 to 250 °F
Boiling point or range (°F) :	Not applicable
Softening point or range (°F) :	Range 130 to 150 °F
Specific gravity (water = 1) :	Range 1,20 to 1,55
Solubility in water :	Insoluble
Vapor pressure (mmHg at 68°F) :	Negligible
Appearance and odor :	Fatty solid sticks with soft marking texture, odorless - mild odor

7. Reactivity Data

Stability :	Stable under normal conditions of use, handling and storage : at room temperature and, as general rule, not higher than 120 °F
Conditions to avoid :	None known
Incompatibility (material to avoid) :	Incompatible with oxidizing materials
Hazardous decomposition products : (including combustion products)	None known
Hazardous polymerization :	Will not occur

* Not a required category

NOTE : All required categories should be addressed. If any item is not applicable or no information is available, the space must be marked to indicate that.

This voluntary form is provided by CAL/OSHA to assist MSDS preparation and usage. Any format may be used as long as it contains all the required information.

01/26/2006 10:37 18154592823

FREUDENTHAL SALES GR

PAGE 10

Mar. 11. 2005 11:49AM CARAN D'ACHE

No. 7085 P. 5/5

04/08 '03 11:15 FAX 0041226090138

CARAN D'ACHE SA

+ CDA USA

003/008

Material Safety Data Sheet

Product : NEOCOLOR I water-resistant colour crayons

Page : 4/4

Validation date : 04/05/2003

Version : US-7000-2.02

Replaces version : US-2.01

~~8. Spill, Leak and Disposal Procedures - Dispose of all wastes in accordance with federal, state and local regulations~~

Spill response procedures : Not applicable
(including employee protection measures)

Preparing wastes for disposal : Not applicable
(container types, neutralization)

9. Special Handling Information

Ventilation and engineering controls : None should be needed

Respiratory protection (type) : None should be needed

Eye protection (type) : None should be needed

Gloves (specify material) : None should be needed

Other clothing and equipment : None should be needed

Work and hygiene practices : Avoid ingestion by eating, smoking or drinking while handling

Other handling and storage requirements : Keep away from heat and open flame

Protective measures during maintenance of contaminated equipment : Use of gloves recommended and wash off contamination with soap and water

10. Transport Information

None

11. Regulatory Information

Labeled in accordance with EC-Directives and Standards EN71 concerning " Safety of Toys "

In accordance to Toys classification, also labeled "Not recommended for children under 3 years old"

No compulsory hazard warning label, Made in Switzerland in accordance with all national regulation

12. Other information

The information above is based on our present state of knowledge. It should not therefore be construed as guaranteeing specific properties of the product described or their suitability for a particular application.

* Not a regulated category

NOTE: All required categories should be addressed. If any item is not applicable or no information is available, the space must be marked to indicate that.

This voluntary form is provided by CALQUISA to assist MSDS preparation and usage. Any format may be used as long it contains all the required information.

Item Numbers: 20067-0159, 20067-0159, 20067-1020, 20067-2020, 20067-2500, 20067-2520, 20067-2560, 20067-3060, 20067-3080, 20067-3090, 20067-3150, 20067-3280, 20067-3440, 20067-3500, 20067-3510, 20067-3570, 20067-4010, 20067-4040, 20067-4060, 20067-4510, 20067-4750, 20067-4920, 20067-5020, 20067-5110, 20067-5180, 20067-5220, 20067-5230, 20067-5250, 20067-5770, 20067-5910, 20067-6030, 20067-6400, 20067-6510, 20067-7050, 20067-7060, 20067-7070, 20067-7240, 20067-7930, 20067-8000, 20067-8040, 20067-8090, 20067-8530, 20067-9030, 20067-0409

01/26/2006 10:37 18154592823

FREUDENTHAL SALES GR

PAGE 02

18/AUG/16. 2004 10:30AM 228690134

CARAN D'ACHE SA

No.7912 P. 2/6

Material Safety Data Sheet

Product : NEOCOLOR I metallic wax pastels crayons

Page : 1/5

Validation date : 09/07/04

Version : US-7004-3.01

Replaces version : US-7004-2.01

1. Product and Company Identification

PRODUCT TRADE NAME (as labeled) : **NEOCOLOR I metallic ®**

MANUFACTURERS NAME : **CARAN d'ACHE SA**

Address (complete mailing address) : **19, chemin du Foron ; CH-1226 THÔNEX-GENEVE**

Phone number : **+41 22 869 01 01**

FAX number : **+41 22 869 01 35**

US Importer : **CARAN d'ACHE SA of SWITZERLAND Inc.
38-52 43rd Street
LONG ISLAND CITY, NY 11101**

Phone number (for additional information) : **+1 718 482 75 00**

2. Product Preparation and Hazardous Ingredients

Preparation composition : **Natural or synthetic waxes, paraffin
Synthetic organic and inorganic pigments (without
heavy metals or other toxic chemical compounds)
Natural or synthetic binders and additives
Natural mineral fillers**

Hazardous chemicals : **None**

CAS numbers : **-**

Percent* : **-**

NOTE : ACMI's AP label : The product is certified by an authority on toxicology associated with a leading university to contain no materials in sufficient quantities to be toxic or injurious to the human body even if ingested

Others : **The product do not contain any suspected carcinogenic agents. This product's ingredients are not found in the Federal OSHA - regulated carcinogens register**

* Not a required category

NOTE : All required categories should be addressed. If any item is not applicable or no information is available, the space must be marked to indicate that.

This voluntary form is provide by Cal/OSHA to assist MSDS preparers and users. Any format may be used as long it contains all the required information

01/26/2006 10:37 18154592823
 16/AUG.16. 2004 10:30AM L228890134

FREUDENTHAL SALES GR

PAGE 03

CARAN D'ACHE SA

No. 7912 P. 3/6

Material Safety Data Sheet

Product : NEOCOLOR I metallic wax pastels crayons

Page : 2/5

Validation date : 09/07/04

Version : US-7004-3.01

Replaces version : US-7004-2.01

3. Health Hazard Information

SYMPTOMS OF OVEREXPOSURE

Inhaled : Not applicable

NOTE : If heated to more than 400 °F, the product may form vapours or flames which may irritate respiratory tract and cause coughing

Contact with skin or eyes : Skin : No known effects from overexposure
 Eyes : Slight irritation

Absorbed through skin No known effects from overexposure

Swallowed No known effects

HEALTH EFFECTS OR RISKS FROM EXPOSURE

Acute : Oral LD 50 greater than 5000 mg/kg body weight

Chronic : None observed and none known

Others : None

4. First Aid and Emergency Procedures

General information : In case of clothes contamination, remove and wash off with water and soap

NOTE : The product could be solvent soluble (e.g. it shows a complete solubility in hydrocarbon solvent like white spirit). In case of solvent use, caution with flammability risk and chemical resistance of synthetic material

Eyes contact : Irrigate with fresh water immediately and continuously for 3 to 15 minutes keeping eye open
 Consult a specialized medical service

Skin contact : Wash skin with water and soap immediately
 In case of persistent irritation, seek medical advice

* Not a required category

NOTE : All required categories should be addressed. If any item is not applicable or no information is available, the space must be marked to indicate that.

This voluntary form is provided by CRI/OSHA to assist MSDS preparers and users. Any format may be used as long it contains all the required information

01/26/2006 10:37 18154592823

FREUDENTHAL SALES GR

PAGE 04

16/AUG.16. 2004 10:30AM 228690134

CARAN D ACHE SA

No.7912 P. 4/5

Material Safety Data Sheet

Product : NEOCOLOR I metallic wax pastels crayons

Page : 3/5

Validation date : 09/07/04

Version : US-7004-3.01

Replaces version : US-7004-2.01

NOTE : *In case of burn by contact with molten material, consult a medical service*

Inhaled : Not applicable

Swallowed : Consult physician

5. Fire and Explosion

Flash point (°F) : Not applicable

Flammable limits in air (volume %) : Not applicable

Auto ignition temperature (°F) : Above 400 °F

Fire extinguishing materials : Carbon dioxide or Dry chemical powder

Special fire-fighting procedures : None known

Unusual fire and explosion hazards : Organic material combustion may produce carbon dioxide and/or carbon monoxide

NOTE : *if heated to more than 400 °F, the product may form vapours or fumes which may irritate respiratory tract and cause coughing*

6. Measures in Case of Unintended Release

No special measures requested.

7. Handling and Storage

Ventilation and engineering controls : None should be needed

Respiratory protection (type) : None should be needed

Eye protection (type) : None should be needed

Gloves (specify material) : None should be needed

■ *Not a required category*

NOTE : All required categories should be addressed. If any item is not applicable or no information is available, the space must be marked to indicate that.

This voluntary form is provide by Cal/OSHA to assist MSDS preparers and users. Any format may be used as long it contains all the required information

01/26/2006 10:37 18154592823

FREUDENTHAL SALES GR

PAGE 05

16/ Aug 16 2004 10:30AM 228690134

CARAN D ACHE SA

No. 7912 P. 5/6

Material Safety Data Sheet

Product : NEOCOLOR I metallic wax pastels crayons

Page : 4/5

Validation date : 09/07/04

Version : US-7004-3.01

Replaces version : US-7004-2.01

Other clothing and equipment : None should be needed

Work and hygienic practices : Avoid ingestion by eating, smoking or drinking while handling

Other handling and storage requirements : Keep away from heat and open flame

Protective measures during maintenance of contaminated equipment : Use of gloves recommended and wash off contamination with soap and water

8. Limitation of Exposition and Personal Protection Equipment

No special measures requested.

9. Physical and Chemical Properties

Vapor density (air = 1) : Not applicable

Melting point or range (°F) : Range 250 to 300 °F

Boiling point or range (°F) : Not applicable

Softening point or range (°F) : Range 130 to 150 °F

Specific gravity (water = 1) : Range 1,20 to 1,64

Solubility in water : Insoluble

Vapor pressure (mmHg at 68°F) : Negligible

Appearance and odor : Fatty solid sticks with soft marking texture, odorless - mild odor

10. Stability and Reactivity

Stability : Stable under normal conditions of use, handling and storage : at room temperature and, as general rule, not higher than 120 °F

Conditions to avoid : None known

Incompatibility (material to avoid) : Incompatible with oxidizing materials

Hazardous decomposition products : None known
(including combustion products)

* Not a required category

NOTE: All required categories should be addressed. If any item is not applicable or no information is available, the space must be marked to indicate that.

This voluntary form is provided by Cal/OSHA to assist MSDS preparers and users. Any format may be used as long it contains all the required information.

01/26/2006 10:37 18154592823

FREUDENTHAL SALES GR

PAGE 06

ic/Au8-16. 2004 10:30AM L228690134

CARAN D ACHE SA

No.7912 P. 6/6

Material Safety Data Sheet

Product : NEOCOLOR I metallic wax pastels crayons

Page : 5/5

Validation date : 09/07/04

Version : US-7004-3.01

Replaces version : US-7004-2.01

Hazardous polymerization :

Will not occur

11. Information about Toxicology

No information available.

12. Information about Ecology

No information available.

13. Spill, Leak and Disposal Procedures

Dispose of all wastes in accordance with federal, state and local regulations

Spill response procedures :
(including employee protection measures)

Not applicable

Preparing wastes for disposal :
(container types, neutralization)

Not applicable

14. Transport Information

None

15. Regulatory Information

Labeled in accordance with EC-Directives and Standards EN71 concerning " Safety of Toys " .
In accordance to Toys classification, also labeled "Not recommended for children under 3 years old"
No compulsory hazard warning label. Made in Switzerland in accordance with all national regulation

16. Other Information

The information above is based on our present state of knowledge. It should not therefore be construed as guaranteeing specific properties of the product described or their suitability for a particular application.

* Not a required category

NOTE : All required categories should be addressed. If any item is not applicable or no information is available, the space must be marked to indicate that.

This voluntary form is provided by Cal/OSHA to assist MSDS preparers and users. Any format may be used as long it contains all the required information.