

Apr-27-04 11:04A

04-27-04 ✓

20091-all codes

P.03

20038-XXXX

20093-XXXX

U.S. DEPARTMENT OF LABOR
Occupational Safety and Health Administration

Form Approved
OMB No. 44-R1387
20094-0369

MATERIAL SAFETY DATA SHEET

Required under USDL Safety and Health Regulations for Ship Repairing,
Shipbuilding, and Shipbreaking (29 CFR 1915, 1916, 1917)

SECTION I

MANUFACTURER'S NAME SENNELET Distributed by SAVOIR FAIRE		EMERGENCY TELEPHONE NO. 415.332.4660
ADDRESS (Number, Street, City, State, and ZIP Code) PO BOX 2021 SAUSALITO CA 9454		
CHEMICAL NAME AND SYNONYMS OIL PASTELS AND GIANT OIL		TRADE NAME AND SYNONYMS OIL PASTELS AND GIANT OIL
CHEMICAL FAMILY	FORMULA	PASTELS

SECTION II - HAZARDOUS INGREDIENTS none

PAINTS, PRESERVATIVES, & SOLVENTS	%	TLV (Units)	ALLOYS AND METALLIC COATINGS	%	TLV (Units)
PIGMENTS			BASE METAL		
CATALYST			ALLOYS		
VEHICLE			METALLIC COATINGS		
SOLVENTS			FILLER METAL PLUS COATING OR CORE FLUX		
ADDITIVES			OTHERS		
OTHERS					
HAZARDOUS MIXTURES OF OTHER LIQUIDS, SOLIDS, OR GASES				%	TLV (Units)

V3671

SECTION III - PHYSICAL DATA

BOILING POINT (°F.)	n.a	SPECIFIC GRAVITY (H ₂ O=1)	n.a
VAPOR PRESSURE (mm Hg.)	n.a	PERCENT VOLATILE BY VOLUME (%)	n.a
VAPOR DENSITY (AIR=1)	n.a	EVAPORATION RATE (_____ =1)	n.a
SOLUBILITY IN WATER	n.a		
APPEARANCE AND ODOR	Solid		

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

FLASH POINT (Method used)	n.a	FLAMMABLE LIMITS	Lei	Uei
EXTINGUISHING MEDIA	n.a			
SPECIAL FIRE FIGHTING PROCEDURES	n.a			
UNUSUAL FIRE AND EXPLOSION HAZARDS	not combustible			

Apr-27-04 11:04A

P.05

U.S. DEPARTMENT OF LABOR
Occupational Safety and Health Administration

Form Approved
OMB No. 48-R1387

MATERIAL SAFETY DATA SHEET

Required under USDL Safety and Health Regulations for Ship Repairing,
Shipbuilding, and Shipbreaking (29 CFR 1915, 1916, 1917)

SECTION I

MANUFACTURER'S NAME SENNELEIER Distributed by SAVOIR FAIRE	EMERGENCY TELEPHONE NO. 415.332.4660
ADDRESS (Number, Street, City, State, and ZIP Code) PO BOX 2021 SAUSALITO CA 9454	
CHEMICAL NAME AND SYNONYMS Safflower	TRADE NAME AND SYNONYMS IRIDESCENT OIL PASTELS
CHEMICAL FAMILY Safflower	FORMULA

SECTION II - HAZARDOUS INGREDIENTS none

PAINTS, PRESERVATIVES, & SOLVENTS	%	TLV (Units)	ALLOYS AND METALLIC COATINGS	%	TLV (Units)
PIGMENTS			BASE METAL		
CATALYST			ALLOYS		
VEHICLE			METALLIC COATINGS		
SOLVENTS			FILLER METAL PLUS COATING OR CORE FLUX		
ADDITIVES			OTHERS		
OTHERS					
HAZARDOUS MIXTURES OF OTHER LIQUIDS, SOLIDS, OR GASES				%	TLV (Units)

SECTION III - PHYSICAL DATA

BOILING POINT (°F.)	n.a	SPECIFIC GRAVITY (H ₂ O=1)	n.a
VAPOR PRESSURE (mm Hg.)	n.a	PERCENT VOLATILE BY VOLUME (%)	n.a
VAPOR DENSITY (AIR=1)	n.a	EVAPORATION RATE (—=1)	n.a
SOLUBILITY IN WATER	n.a		
APPEARANCE AND ODOR	Solid		

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

FLASH POINT (Method used)	n.a	FLAMMABLE LIMITS	Lel	Uel
EXTINGUISHING MEDIA	n.a			
SPECIAL FIRE FIGHTING PROCEDURES	n.a			
UNUSUAL FIRE AND EXPLOSION HAZARDS	no combustible			

PAGE (1)

(Continued on reverse side)

Form OSHA-20
Rev. May 72

Apr-27-04 11:03A

P.02

SENNELIER Paris Manufacturer

USER'S INFORMATION CONCERNING SENNELIER OIL PASTELS

Dear Artist,

This concerns the old stock which may still be in your possession

PASTELS Nr. 39 contain lead chromate and require the following precautions of use :

WARNING

Contains : LEAD CHROMATE

- When using, do not eat, drink or smoke
- Wear a work apron
- Wash hands immediately after use
- If pregnant, or contemplating pregnancy, limit use to classroom studio
- Ingestion may cause anemia, nervous system or kidney changes, or harm to developing fetus
- Keep out of reach of children

CONSULT A PHYSICIAN IF INGESTED

PASTELS Nr. 40 contain baryum chromate

WARNING

Contain : BARYUM CHROMATE

- May be harmful by breathing vapors/dusts
- May be harmful if swallowed
- May be harmful by skin contact
- Wash hands immediately after use

CONSULT A PHYSICIAN IF INGESTED

Our products, from January 1st, 1986, will be modified and these two mineral pigments will be replaced by organic pigments, which are non-toxic.

All the other references of pastels do not present any danger of toxicity. We are waiting for the approval of the Art & Craft Materials Institute.