

Rec'd 4-23-02

20300 - 1012

May be used to comply with
 OSHA's Hazard Communication Standard,
 29 CFR 1910.1200. Standard Must Be
 Consulted for Specific Requirements

Occupational Safety and Health Administration
 (Non-Mandatory Form)
 Form Approved
 OMB No. 1218-0072

IDENTITY (As Used on Label and List)

NOTE: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that

Dixon Ticonderoga Pencils

SECTION I

Manufacturer's Name DIXON TICONDEROGA	Emergency Telephone Number (419) 625-9545
Address(Number, Street, City, State, and ZIP) 1706 Hayes Avenue Sandusky, OH 44870	Telephone Number for Information (419) 625-9545
	Date Prepared 1/22/2002
	Signature of Preparer (optional)

SECTION II - HAZARDOUS INGREDIENTS/IDENTITY INFORMATION

Hazardous Components	Other Limits
(Specific Chemical Identity; Common Name(s) OSHA PEL ACGIH TLV Recom %Optional)	

Pencil products bearing the PMA certification mark are certified in a program of toxicological evaluation by a medical expert subject to review by a toxicological review board to contain no materials in sufficient quantities to offer an acute or chronic health hazard to humans. No acute or chronic health labeling is required under provision of federal law, the Federal Hazardous Substances Act, or under ASTM Standard D 4881-97, a standard for labeling art materials for chronic health hazard. Pencils are certified as non toxic under the PMA program.

VISO

SECTION III - PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point N/A	Specific Gravity (H2O = 1) < 1.0
Vapor Pressure (mm Hg) N/A	Melting Point N/A
Vapor Density (Air=1) N/A	Evaporation Rate (Butyl Acetate = 1) N/A
Solubility In Water Nil	
Appearance and Odor Solid rod - odorless	

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

Flash Point (Method Used) N/A	Flammable Limits N/A	LEL N/A	UEL N/A
Extinguishing Media Water or Chemical			
Special Fire Fighting Procedures NONE			
Unusual Fire and Explosion Hazards Pencil products stored in bulk are subject to ignition and may release toxic or irritating fumes. Self-contained breathing apparatus recommended for exposure.			

(Reproduce Locally)

OSHA 174, SEPT. 1985

Item Numbers: 20300-1012

