

Material Safety Data Sheet**LYRA Bleistift-Fabrik GmbH & Co.KG**in accordance with 91/155/EWG
issued: 12.01.07

5630... (1773 2B, 6B, 9B, 1773C24)

7. Handling and storage	
Handling:	No special precautions necessary;
Fire- and explosion prevention:	None;
Storage:	Store in a dry place;
8. Exposure controls/personal protection	
Personal protective equipment:	None;
Respiratory protection:	Not necessary;
Eye protection:	Not necessary;
Hand protection:	Not necessary;
Skin protection:	Not necessary;
9. Physical and chemical properties	
Physical form:	Paperwrapped solid sticks;
Colour:	Gray;
Odour:	None;
pH - Value (20°C):	Not applicable;
Viscosity dynamic (20°C):	Not applicable;
Melting point/melting area:	Not applicable;
Boiling point:	Not applicable;
Autoignition temperature:	Not applicable;
Flash point:	Not applicable;
Explosion limits: lower:	Not applicable;
upper:	Not applicable;
Vapour pressure:	Not applicable;
Density (20°C):	1.6 g/cm ³
Solubility in water:	Dispersable;
10. Stability and reactivity	
Hazardous reactions:	None;
Conditions to avoid:	None;
Substances to avoid:	None;
Hazardous decomposition products:	None;
11. Toxicological information	
Acute oral toxicity:	LD ₅₀ > 5000 ppm;
Local effects:	Not known;

page 2 of 3

Material Safety Data Sheet**LYRA Bleistift-Fabrik GmbH & Co.KG**in accordance with 91/155/EEC
revised 12.01.07

5630... (1773 2B, 6B, 9B, 1773C24)

12. Ecological information

Common informations: No ecotoxicological effects known;

13. Disposal considerations

Product: According to local regulations;

Packing: According to local regulations;

14. Transport information

International regulations: None;

15. Regulatory information

Labelling in accordance with EG-regulations: None;

National regulations: None;

16. Other information

This information is based on our present state of knowledge. It should not therefore be construed as guaranteeing specific properties of the products described or their suitability for a particular application.

This product is no dangerous composition according European Hazardous Substance Act, it is in conformity with ASTM D 4236.

It is approved to bear the AP-Seal (ACMI).