

9-17-03

201

21249-1009

FIRE TIP MARKERS USED IN 201/30, 100, 122D

487



CASLIVER PRODUCTS DIVISION OF BUREAU VERITAS

Technical Report: (5201)290-0053
Date Received: Oct 17, 2001

November 23, 2001
Page 1 of 1

ALEX/Panline USA, Inc.
251 Union St.
Northvale, NJ 07647

A

Sample Description: 50 COLOURING PEN (VENTED CAP) (ON PACKAGING: 50. COLORING MARKER)

- | | |
|-------------|--------------|
| 1) #685 C | 26) #102 C |
| 2) #264 C | 27) #109 C |
| 3) #2665 C | 28) #123 C |
| 4) #2573 C | 29) #150 C |
| 5) #2622 C | 30) #1375 C |
| 6) #2695 C | 31) #1505 C |
| 7) #5747 C | 32) #1655 C |
| 8) #5473 C | 33) #176 C |
| 9) #285 C | 34) #231 C |
| 10) #301 C | 35) #212 C |
| 11) #299 C | 36) #204 C |
| 12) #637 C | 37) #189 C |
| 13) #325 C | 38) #201 C |
| 14) #3265 C | 39) #219 C |
| 15) #343 C | 40) #234 C |
| 16) #325 C | 41) #208 C |
| 17) #3471 C | 42) #4655 C |
| 18) #347 C | 43) #470 C |
| 19) #395 C | 44) #49 C |
| 20) #362 C | 45) #497 C |
| 21) #375 C | 46) #BLACK C |
| 22) #456 C | 47) #431 C |
| 23) #388 C | 48) #443 C |
| 24) #389 C | 49) #413 C |
| 25) #365 C | 50) #413 C |

Vendor:	VANKER INDUSTRIES LIMITED	Sample Size:	3
Manufacturer:	N/A	Style No(s):	N/A
Buyer:	N/A	PO No.:	N/A
Labeled Age Grade:	NOT SUITABLE FOR CHILDREN UNDER 36 MONTHS	Client Item/Part No.:	N/A
Appropriate Age Grade:	N/A	Assortment No.:	N/A
Country of Origin:	CHINA	Code:	4895014102507

This document/report belongs to:
VANKER INDUSTRIES LIMITED

EXECUTIVE SUMMARY:

此文件 / 報告屬於：
VANKER INDUSTRIES LIMITED

The sample(s) was evaluated for the following requirements:

The labeling requirements of 16 CFR 1500.14(b)(8), "Art materials" (LHAMA and FHSA regulations).

After review by a board certified toxicologist, it has been determined that, based upon the submitted formulations, the sample will not pose chronic adverse health effects in humans when the sample is used as intended. This sample, therefore, does not require chronic health hazard labeling.

The sample must bear the following or comparable statement: "Conforms to ASTM D4236".

This LHAMA evaluation was conducted in accordance with the guidelines specified by the Consumer Products Safety Commission in 16 CFR 1500.135.

ACTS TESTING LABS (H.K.) LTD.

Dr. Samuel Wong, Manager



PANLINE USA, Inc
251 UNION ST. NORTHVALE, NJ 07647
TEL (201) 750-8010
FAX (201) 750-8030

ART TO GO
74245-1000
ART VALET
74249-1000
markers
21249-1009
SIDEWALK *sun*
74258-1000 *PR*

April 3, 2003

To Whom It May Concern:

This letter is to confirm that Dick Blick has requested MSDS Testing for all ALEX products.

ALEX has provided to Dick Blick ASTM and LHAMA Testing Reports for its products. These tests show that all ALEX Products comply to all government safety standards for children.

Thank you very much and have a great day.

Sincerely,

Stuart Sentner
Vice President of Sales