

JUN-13-2005 12:13

B&S 800 CONSUMER

610 559 0407 P.01/18

Material Safety Data Sheet

21274-1059

Rec'd 10.18.05

Material Safety Data Sheet

Product Name: GRAYOLA(R) SLICK STIX
Product Family:

1. Chemical Product and Company Identification

BINNEY & SMITH
1100 CHURCH LANE
EASTON, PA 18044
1-800-272-9652

EMERGENCY TELEPHONE NUMBER:
1-800-445-7067

SUBSTANCE: GRAYOLA(R) SLICK STIX

TRADE NAMES/SYNONYMS:
PRODUCT CODE/COLOR: 52-9505-0-000: 00230178


PRODUCT USE: Arts and Crafts

CREATION DATE: Nov 05 2003
REVISION DATE: Dec 15 2003

2. Composition, Information on Ingredients

COMPONENT: Product has been certified as non-toxic by The Art and Creative Materials Institute, Inc. and conforms to ASTM D-4236 Standard Practice for Labeling Art Materials for Acute and Chronic Adverse Health Hazards.
CAS NUMBER: Not assigned.
EC NUMBER: Not assigned.
PERCENTAGE: 100

3. Hazards Identification



NFPA RATINGS (SCALE 0-4): HEALTH=1 FIRE=1 REACTIVITY=0

EMERGENCY OVERVIEW:
COLOR: various colors
PHYSICAL FORM: wax
MAJOR HEALTH HAZARDS: No significant target effects reported.

POTENTIAL HEALTH EFFECTS:

INHALATION: none
SKIN CONTACT: none
EYE CONTACT: none
INGESTION: none

CARCINOGEN STATUS:

OSHA: No
NTP: No

Handwritten form with fields for Date (6/10), From (B&S), Co (B&S), Phone (800-272-9652), Fax (800-445-7067), Pos (7671), and Fax Note (309-343-3999).

CRAYOLA(R) SLICK STIX

JUN-13-2005 12:13

B&S 800 CONSUMER

610 559 0407 P.02/18

Material Safety Data Sheet

IARC: No

4. First Aid Measures

INHALATION: It is unlikely that emergency treatment will be required. Remove from exposure. ~~Get medical attention, if needed.~~

SKIN CONTACT: It is unlikely that emergency treatment will be required. If adverse effects occur, ~~wash with soap or mild detergent and large amounts of water.~~ Get medical attention, if needed.

EYE CONTACT: It is unlikely that emergency treatment will be required. Wash with large amounts of water or normal saline until no evidence of chemical¹ remains (at least 15-20 minutes). ~~Get medical attention immediately.~~

INGESTION: Contact local poison control center or physician immediately.

5. Fire Fighting Measures

FIRE AND EXPLOSION HAZARDS: Slight fire hazard.

EXTINGUISHING MEDIA: ~~regular dry chemical, carbon dioxide, water, regular foam~~

FIRE FIGHTING: Move container from fire area if it can be done without risk. Avoid inhalation of material or combustion by products.

6. Accidental Release Measures

OCCUPATIONAL RELEASE:
Collect spilled material in appropriate container for disposal.

7. Handling and Storage

STORAGE: Store and handle in accordance with all current regulations and standards. See original container for storage recommendations. ~~Keep separated from incompatible substances.~~

8. Exposure Controls, Personal Protection

EXPOSURE LIMITS:
~~CRAYOLA(R) SLICK STIX~~
No occupational exposure limits established.

VENTILATION: Based on available information, additional ventilation is not required.

EYE PROTECTION: ~~Eye protection not required under normal conditions.~~

CLOTHING: Protective clothing is not required under normal conditions.

GLOVES: Protective gloves are not required under normal conditions.

CRAYOLA(R) SLICK STIX

2

JUN-13-2005 12:14

B&S 800 CONSUMER

610 559 0407 P.03/18

Material Safety Data Sheet

RESPIRATOR: No respirator is required under normal conditions of use.

9. Physical and Chemical Properties

PHYSICAL STATE: solid
COLOR: various colors
PHYSICAL FORM: wax
ODOR: Not available
BOILING POINT: Not applicable
MELTING POINT: Not available
VAPOR PRESSURE: Not applicable
VAPOR DENSITY: Not applicable
SPECIFIC GRAVITY: Not available
WATER SOLUBILITY: Not available
PH: Not applicable
VOLATILITY: Not applicable
ODOR THRESHOLD: Not available
EVAPORATION RATE: Not applicable
COEFFICIENT OF WATER/OIL DISTRIBUTION: Not available

10. Stability and Reactivity

REACTIVITY: Stable at normal temperatures and pressure.

CONDITIONS TO AVOID: None reported.

INCOMPATIBILITIES: oxidizing materials

HAZARDOUS DECOMPOSITION:

Thermal decomposition products: May release oxides of carbon. Provide adult supervision in a well ventilated area for techniques involving melted crayons. Ironing should be done by an adult in a well ventilated area. Overheating wax crayons during melting or ironing may release irritating fumes.

POLYMERIZATION: Will not polymerize.

11. Toxicological Information

Not available

12. Ecological Information

Not available

13. Disposal Considerations

Dispose in accordance with all applicable regulations.

CRAYOLA(R) SLICK STIX

3

JUN-13-2005 12:14

B&S 800 CONSUMER

610 559 0407 P.04/18

~~Material Safety Data Sheet~~**14. Transport Information**

U.S. DEPARTMENT OF TRANSPORTATION: ~~No classification assigned.~~
CANADIAN TRANSPORTATION OF DANGEROUS GOODS: ~~No classification assigned.~~
LAND TRANSPORT ADR: ~~No classification assigned.~~
LAND TRANSPORT RID: ~~No classification assigned.~~
AIR TRANSPORT IATA: ~~No classification assigned.~~
AIR TRANSPORT ICAO: ~~No classification assigned.~~
MARITIME TRANSPORT IMDG: ~~No classification assigned.~~

15. Regulatory Information

U.S. REGULATIONS:
CERCLA SECTIONS ~~102 and 103 HAZARDOUS SUBSTANCES (40 CFR 302.4):~~ ~~Not regulated.~~
SARA TITLE III SECTION 302 EXTREMELY HAZARDOUS SUBSTANCES (40 CFR 355.30):
Not regulated.
SARA TITLE III ~~SECTION 304 EXTREMELY HAZARDOUS SUBSTANCES (40 CFR 355.40):~~
Not regulated.
SARA TITLE III ~~SARA SECTIONS 311/312 HAZARDOUS CATEGORIES (40 CFR 370.21):~~
ACUTE: No
CHRONIC: No
FIRE: No
REACTIVE: No
SUDDEN RELEASE: ~~No.~~
SARA TITLE III SECTION 313 (40 CFR 372.65): Not regulated.
OSHA PROCESS SAFETY (29CFR1910.119): ~~Not regulated.~~
STATE REGULATIONS:
California Proposition ~~65: Not regulated.~~
CANADIAN REGULATIONS:
WHMIS CLASSIFICATION: ~~Not determined.~~
EUROPEAN REGULATIONS:
EC CLASSIFICATION (CALCULATED): ~~Not determined.~~
NATIONAL INVENTORY STATUS:
U.S. INVENTORY (TSCA): ~~Listed on inventory.~~
TSCA 12(b) EXPORT NOTIFICATION: Not listed.

16. Other Information

Copyright 1984-2005 MDL Information Systems, Inc. All rights reserved.

CRAYOLA(R) SLICK STIX

4