

21850-1020
-2020

MATERIAL SAFETY DATA SHEET

May be used to comply with OSHA's Hazard Communication
Standard 29 CFR 1910.1200 ~

Standard must be consulted for specific requirements

U.S. DEPARTMENT OF LABOR

OCCUPATIONAL SAFETY & HEALTH ADMINISTRATION

(Non Mandatory Form) FORM APPROVED

OMB No. 1218-0072

IDENTITY: (As used on Label & List) GX100, GX101 SERIES
GEL EXTREME & PASTELS

NOTE: Blank spaces are not permitted. If any items are not applicable, or no
information is available, the space must be marked to indicate that N/A

SECTION I**MANUFACTURER'S NAME**

YASUTOMO & COMPANY

ADDRESS (Number, Street, City, State & Zip)

490 ECCLES AVENUE

SOUTH SAN FRANCISCO, CA 94080

EMERGENCY PHONE NUMBER:

CALL YOUR LOCAL POISON CONTROL CENTER

INFORMATION NUMBER:

650-737-8888

DATE PREPARED:*updated* MAY 10, 2006**SIGNATURE OF PREPARED (optional)****SECTION II – HAZARDOUS INGREDIENTS / IDENTIFY INFORMATION****HAZARDOUS COMPONENTS**

(Specific, Chemical Identify, Common Name(s))

OSHA PEL

ACGIH TLV

OTHER LIMITS

RECOMMENDED

% (OPTIONAL)

NO HAZARDOUS MATERIALS. ACID FREE

AP NON TOXIC LABEL CONFORMS W/ ASTM D4236

SECTION III – PHYSICAL / CHEMICAL CHARACTERISTICS**BOILING POINT:**

100°C

SPECIFIC GRAVITY (H₂O = 1)

0.85 – 1.3

VAPOR PRESSURE (mm Hg):

UNKNOWN

MELTING POINT:

N/A

VAPOR DENSITY (AIR = 1)

UNKNOWN

EVAPORATION RATE: (butyl acetate = 1)

LESS THAN 1

SOLUBILITY IN WATER

COMPLETE

APPEARANCE & ODOR:

COLOR & MINIMUM ODOR

SECTION IV – FIRE & EXPLOSION HAZARD DATA**FLASH POINT (Method Used):**

N/A

FLAMMABLE LIMITS:

NONE

LEL:

UEL

EXTINGUISHING MEDIA:

N/A

SPECIAL FIRE FIGHTING PROCEDURES:

N/A

USUAL FIRE & EXPLOSION HAZARDS:

N/A

SECTION V – REACTIVITY DATA**STABILITY:**

UNSTABLE

CONDITIONS TO AVOID:

STABLE

X

INCOMPATIBILITY (Materials to Avoid)

N/A

OSHA 174, OCTOBER 2005
6/21/2006 – PAGE 1 of 2

MATERIAL SAFETY DATA SHEET

(PAGE 2 OF 2)

U.S. DEPARTMENT OF LABOR

IDENTITY: (As used on Label & List)

GEL EXTREME & PASTELS: GX 100, GX 101 SERIES

SECTION V – REACTIVITY DATA (continued)

HAZARDOUS DECOMPOSITION OR BYPRODUCTS:

N/A

HAZARDOUS POLYMERIZATION:

MAY OCCUR

CONDITIONS TO AVOID:

WILL NOT OCCUR

X

SECTION VI – HEALTH HAZARD DATA

ROUTE(S) OF ENTRY:

INHALATION? FRESH AIR

SKIN? WASH W/

INGESTION? DO NOT

SEEK MEDICAL AID IF NEEDED

SOAP & WATER

INDUCE VOMITTING

HEALTH HAZARDS (Acute & Chronic):

EYE CONTACT: FLUSH W/ WATER FOR 15 MIN. CALL PHYSICIAN IF NEEDED

CARCINOGENICITY:

NTP?

IARC MONOGRAPHS?

OSHA REGULATED?

N/A

N/A

N/A

SIGNS & SYMPTOMS OF EXPOSURE:

MAY CAUSE SKIN OR EYE IRRITATION TO CERTAIN INDIVIDUALS.

MEDICAL CONDITIONS – GENERALLY AGGRAVATED BY EXPOSURE:

NONE KNOWN.

EMERGENCY & FIRST AID PROCEDURES:

SEE SECTION VI ABOVE.

SECTION VII – PRECAUTIONS FOR SAFE HANDLING & USE

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED:

WIPE UP SMALL SPILLS W/ CLOTH

WASTE DISPOSAL METHOD

WHEN DISPOSING LARGE AMOUNT IN ACCORDANCE W/ EXISTING FEDERAL
STATE & LOCAL ENVIRONMENTAL REGULATIONS.

PRECAUTIONS TO BE TAKEN IN HANDLING & STORING:

STORE IN COOL, DRY AREA. AVOID FREEZING, SPARKS & OPEN FLAMES.

OTHER PRECAUTIONS:

SECTION VIII – CONTROL MEASURES

RESPIRATORY PROTECTION (Specify Type)

EXCESSIVE SPILLAGE, USE CHEMICAL RESISTANT MASK.

VENTILATION:

LOCAL EXHAUST

SPECIAL:

N/A

N/A

MECHANICAL (General)

OTHER:

N/A

N/A

PROTECTIVE GLOVES:

RESISTANT GLOVES

EYE PROTECTION:

RESISTANT GOOGLES

OTHER PROTECTIVE CLOTHING OR EQUIPMENT:

N/A

WORK / HYGIENIC PRACTICES:

WASH HANDS W/ SOAP & WATER

OSHA 174, OCTOBER 2005
6/21/2006 – PAGE 2 of 2