

22152-XXXX

MATERIAL SAFETY DATA SHEET

Uchida of America Corp
 3535 Del Amo Blvd.
 Torrance, CA 90503
 (800) 541-5877

SECTION 1- PRODUCT IDENTIFICATION

Chemical Family Paint Type Trade Name #480 Bistro Chalk Marker- Water Based Pigment Ink
--

SECTION 2- HAZARDOUS INGREDIENTS

<u>INGREDIENTS</u>	<u>%</u>
Ethylene Glycol	7.6
Dipropylene glycol methyl ether	0.5
Polyoxyethylene Alkyl ether	0.2
1,2-Benz isothiazol	0.04
Sodium Polyacrylate	0.9
Stylene Acrylonitrile copolymer	0.6
Sodium Trideceth Carboxylate	3.4
Water	55.96
Pigment White 6	30.8

SECTION 3- PHYSICAL & CHEMICAL CHARACTERISTICS

Boiling Point (Celsius degree)	100~110 degrees Celcius
Solubility in Water	Miscible
Vapor Pressure at 25C	not measured
Evaporation Rate (Bu-Ac=1)	unknown
Appearance and Odor	Colored liquid substantially odorless
Specific Density	1.0~1.4

SECTION 4- FIRE & EXPLOSION INFORMATION

Flash Point (Method) N/A

Autoignition Temperature: N/A

Explosion Limits in Air (% by volume): N/A

Extinguishing Media: Dry Chemical, Foam or water jet

Fire Fighting procedures: Self contained breathing apparatus

Unusual fire & explosion hazards: Not combustible

SECTION 5- PHYSICAL HAZARDS/REACTIVITY

Hazardous Polymerization Products: NONE

Stability: Stable conditions to avoid: Heat, High Temperature and fire sources

Incompatibility (Materials to avoid): Oxidizing Agents.

Hazardous Decomposition Products: CO, CO₂, NO_x

SECTION 6- HEALTH HAZARD DATA

Primary Routes of entry: EYE, SKIN, INGESTION

Effects & symptoms of acute exposure: IRRITATING TO SKIN & EYES

Effects & symptoms of chronic exposure: NO DATA

Carcinogen listing: NTP:NO IARC: NO OSHA: NO

See section 2 for components affected

Medical conditions usually aggravated by over exposure to this product:

First aid measures: EYES: Rinse away thoroughly with water

SKIN: Wash off with plenty of water & soap

INGESTION: Call a physician

SECTION 7- SPILL OR LEAK PROCEDURES

Precautions to be taken during storage and handling: height temperature and fire sources

Steps to be taken in case a material is spilled: Take up with absorbent materials

Waste disposal method: Dispose in accordance with Federal, State and Local regulations

SECTION 8- PROTECTIVE EQUIPMENT/CONTROL MEASURES

Respiratory protection and special ventilation requirements: N/A

Other protective equipment (gloves, goggles, etc.): N/A

Work/hygiene practices: Local Regulation

SECTION 9- ADDITIONAL INFORMATION & WARNINGS

CLOSE CAP AFTER USE.

AVOID HIGH TEMPERATURE (<40 degrees Celcius)

SECTION 10- OTHER INFORMATION

REFERENCES THE INFORMATION IN THIS MSDS WAS OBTAINED FROM SOURCES WHICH WE BELIEVE ARE RELIABLE BUT CANNOT GUARANTEE. ADDITIONALLY, YOUR USE OF THIS INFORMATION IS BEYOND OUR CONTROL AND MAY BE BEYOND OUR KNOWLEDGE. THEREFORE, THE INFORMATION IS PROVIDED WITHOUT ANY REPRESENTATION OR WARRANTY EXPRESS OR IMPLIED.