

22156-XXXX

MATERIAL SAFETY DATA SHEET

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Elmer's Products, Inc.
1 Easton Oval
Columbus, OH 43219

Emergency Phone Number:
Poison Control Center
1-888-516-2502

For additional product information, access our website at www.elmers.com or call 1-888-435-6377.
To place an order, call 1-800-848-9400.

SUBSTANCE: ELMER'S PAINTERS - METALLIC

PRODUCT USE: paint related products

CREATION DATE: Aug 11 2005

REVISION DATE: Aug 17 2005

2. COMPOSITION, INFORMATION ON INGREDIENTS

COMPONENT: LIGHT AROMATIC SOLVENT NAPHTHA

CAS NUMBER: 64742-95-6

PERCENTAGE: <=43.5

COMPONENT: NON-HAZARDOUS SUBSTANCE

CAS NUMBER: Not assigned.

PERCENTAGE: <=27.5

COMPONENT: ALIPHATIC SOLVENT NAPHTHA

CAS NUMBER: 64742-89-8

PERCENTAGE: <=23.5


COMPONENT: DIPROPYLENE GLYCOL METHYL ETHER

CAS NUMBER: 34590-94-8

PERCENTAGE: <=5.5

3. HAZARDS IDENTIFICATION

NFPA RATINGS (SCALE 0-4): HEALTH=2 FIRE=3 REACTIVITY=0



EMERGENCY OVERVIEW:

PHYSICAL FORM: liquid

ODOR: solvent odor

MAJOR HEALTH HAZARDS: respiratory tract irritation, skin irritation, eye irritation, central nervous system depression

PHYSICAL HAZARDS: Flammable liquid and vapor. Vapor may cause flash fire.

POTENTIAL HEALTH EFFECTS:

INHALATION:

SHORT TERM EXPOSURE: irritation, nausea, vomiting, loss of appetite, headache, drowsiness, dizziness, tremors, loss of coordination, lung congestion, heart damage, unconsciousness

LONG TERM EXPOSURE: irritation, nausea, vomiting, headache, loss of appetite, drowsiness, dizziness, loss of coordination, tremors, nerve damage, unconsciousness

SKIN CONTACT:

SHORT TERM EXPOSURE: irritation, absorption may occur, headache, drowsiness, dizziness, loss of coordination

LONG TERM EXPOSURE: irritation, kidney damage

EYE CONTACT:

SHORT TERM EXPOSURE: irritation, tearing

LONG TERM EXPOSURE: irritation, eye damage

INGESTION:

SHORT TERM EXPOSURE: irritation, loss of appetite, nausea, vomiting, headache, drowsiness, dizziness, tremors, loss of coordination, lung congestion, heart damage, unconsciousness

LONG TERM EXPOSURE: no information on significant adverse effects

4. FIRST AID MEASURES

INHALATION: If adverse effects occur, remove to uncontaminated area. Give artificial respiration if not breathing. If breathing is difficult, oxygen should be administered by qualified personnel. Get immediate medical attention.

SKIN CONTACT: Wash skin with soap and water for at least 15 minutes while removing contaminated clothing and shoes. Get medical attention, if needed. Thoroughly clean and dry contaminated clothing and shoes before reuse.

EYE CONTACT: Flush eyes with plenty of water for at least 15 minutes. Then get immediate medical attention.

INGESTION: If a large amount is swallowed, get medical attention.

NOTE TO PHYSICIAN: For inhalation, consider oxygen.

5. FIRE FIGHTING MEASURES

FIRE AND EXPLOSION HAZARDS: Severe fire hazard. The vapor is heavier than air. Vapors or gases may ignite at distant ignition sources and flash back. Vapor/air mixtures are explosive.

EXTINGUISHING MEDIA: carbon dioxide, regular dry chemical, regular foam, water

FIRE FIGHTING: Move container from fire area if it can be done without risk. Cool containers with water spray until well after the fire is out. Flood with fine water spray. Do not scatter spilled material with high-pressure water streams. Avoid inhalation of material or combustion by-products. Stay upwind and keep out of low areas.

FLASH POINT: 55 F (13 C) (PMCC)

LOWER FLAMMABLE LIMIT: 1.0% estimated

UPPER FLAMMABLE LIMIT: 7.0% estimated

FLAMMABILITY CLASS (OSHA): IB

HAZARDOUS COMBUSTION PRODUCTS:

Thermal decomposition products or combustion: oxides of carbon

6. ACCIDENTAL RELEASE MEASURES

OCCUPATIONAL RELEASE:

Avoid heat, flames, sparks and other sources of ignition. Stop leak if possible without personal risk. Reduce vapors with water spray. Small spills: Absorb with sand or other non-combustible material. Collect spilled material in appropriate container for disposal.

7. HANDLING AND STORAGE

STORAGE: Store and handle in accordance with all current regulations and standards. Keep away from heat, sparks and flame. Subject to storage regulations: U.S. OSHA 29 CFR 1910.106. Grounding and bonding required. See original container for storage recommendations. Keep separated from incompatible substances.

8. EXPOSURE CONTROLS, PERSONAL PROTECTION

EXPOSURE LIMITS:

LIGHT AROMATIC SOLVENT NAPHTHA:

V M AND P NAPHTHA:

300 ppm (1350 mg/m³) OSHA TWA (vacated by 58 FR 35338, June 30, 1993)

400 ppm (1800 mg/m³) OSHA STEL (vacated by 58 FR 35338, June 30, 1993)

300 ppm ACGIH TWA

350 mg/m³ NIOSH recommended TWA 10 hour(s)

1800 mg/m³ NIOSH recommended ceiling 15 minute(s)

STODDARD SOLVENT:

500 ppm (2900 mg/m³) OSHA TWA

100 ppm (525 mg/m³) OSHA TWA (vacated by 58 FR 35338, June 30, 1993)

100 ppm ACGIH TWA

350 mg/m³ NIOSH recommended TWA 10 hour(s)

1800 mg/m³ NIOSH recommended ceiling 15 minute(s)

ALIPHATIC SOLVENT NAPHTHA:

PETROLEUM DISTILLATES:

500 ppm (2000 mg/m³) OSHA TWA

400 ppm (1600 mg/m³) OSHA TWA (vacated by 58 FR 35338, June 30, 1993)

DIPROPYLENE GLYCOL METHYL ETHER:

100 ppm (600 mg/m³) OSHA TWA (skin)

150 ppm (900 mg/m³) OSHA STEL (vacated by 58 FR 35338, June 30, 1993)

100 ppm ACGIH TWA (skin)

150 ppm ACGIH STEL (skin)

100 ppm (600 mg/m³) NIOSH recommended TWA 10 hour(s) (skin)

150 ppm (900 mg/m³) NIOSH recommended STEL (skin)

VENTILATION: Ventilation equipment should be explosion-resistant if explosive concentrations of material are present. Provide local exhaust ventilation system. Ensure compliance with applicable exposure limits.

EYE PROTECTION: Wear splash resistant safety goggles with a faceshield. Provide an emergency eye wash fountain and quick drench shower in the immediate work area.

CLOTHING: Wear appropriate chemical resistant clothing.

GLOVES: Wear appropriate chemical resistant gloves.

PROTECTIVE MATERIAL TYPES: protective skin cream

RESPIRATOR: Under conditions of frequent use or heavy exposure, respiratory protection may be needed. Respiratory protection is ranked in order from minimum to maximum. Consider warning properties before use.

Any chemical cartridge respirator with organic vapor cartridge(s).

Any chemical cartridge respirator with a full facepiece and organic vapor cartridge(s).

Any air-purifying respirator with a full facepiece and an organic vapor canister.

For Unknown Concentrations or Immediately Dangerous to Life or Health -

Any supplied-air respirator with full facepiece and operated in a pressure-demand or other positive-pressure mode in combination with a separate escape supply.

Any self-contained breathing apparatus with a full facepiece.

9. PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE: liquid

ODOR: solvent odor

BOILING POINT: 248-390 F (120-199 C)

FREEZING POINT: Not available

VAPOR PRESSURE: 6 mmHg estimated

VAPOR DENSITY (air=1): >1

SPECIFIC GRAVITY (water=1): 0.9-1.0

WATER SOLUBILITY: negligible

PH: Not available

VOLATILITY: Not available
ODOR THRESHOLD: Not available
EVAPORATION RATE: >1 (butyl acetate=1)
COEFFICIENT OF WATER/OIL DISTRIBUTION: Not available

10. STABILITY AND REACTIVITY

REACTIVITY: Stable at normal temperatures and pressure.

CONDITIONS TO AVOID: Avoid heat, flames, sparks and other sources of ignition. Containers may rupture or explode if exposed to heat. Keep out of water supplies and sewers.

INCOMPATIBILITIES: oxidizing materials

HAZARDOUS DECOMPOSITION:
Thermal decomposition products or combustion: oxides of carbon

POLYMERIZATION: Will not polymerize.

11. TOXICOLOGICAL INFORMATION

LIGHT AROMATIC SOLVENT NAPHTHA:

IRRITATION DATA:

100 ul/24 hour(s) eyes-rabbit mild

TOXICITY DATA:

>3670 ppm/8 hour(s) inhalation-rat LC50: >5 gm/kg oral-rat LD50

CARCINOGEN STATUS: ACGIH: A3 -Animal Carcinogen (Full-range Naphthas)

ACUTE TOXICITY LEVEL:

Slightly Toxic: ingestion

TARGET ORGANS: central nervous system

REPRODUCTIVE EFFECTS DATA: Available.

ALIPHATIC SOLVENT NAPHTHA:

LOCAL EFFECTS:

Irritant: inhalation, skin, eye

TARGET ORGANS: central nervous system

DIPROPYLENE GLYCOL METHYL ETHER:

IRRITATION DATA:

8 mg eyes-human mild; 500 mg open skin-rabbit mild; 500 mg/24 hour(s) eyes-rabbit mild

TOXICITY DATA:

10 ml/kg skin-rabbit LD50; 5.5 ml/kg oral-rat LD50

LOCAL EFFECTS:

Irritant: inhalation

ACUTE TOXICITY LEVEL:

Slightly Toxic: dermal absorption, ingestion

TARGET ORGANS: central nervous system

MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE: liver disorders, respiratory disorders

12. ECOLOGICAL INFORMATION

Not available

13. DISPOSAL CONSIDERATIONS

Dispose in accordance with all applicable regulations. Subject to disposal regulations: U.S. EPA 40 CFR 262. Hazardous Waste Number(s): D001.

14. TRANSPORT INFORMATION**U.S. DOT 49 CFR 172.101:****PROPER SHIPPING NAME:** Flammable liquids, n.o.s. (ALIPHATIC SOLVENT NAPHTHA. LIGHT AROMATIC SOLVENT NAPHTHA)**ID NUMBER:** UN1993**HAZARD CLASS OR DIVISION:** 3**PACKING GROUP:** II**LABELING REQUIREMENTS:** 3**CANADIAN TRANSPORTATION OF DANGEROUS GOODS:** No classification assigned.**15. REGULATORY INFORMATION****U.S. REGULATIONS:****CERCLA SECTIONS 102a/103 HAZARDOUS SUBSTANCES (40 CFR 302.4):** Not regulated.**SARA TITLE III SECTION 302 EXTREMELY HAZARDOUS SUBSTANCES (40 CFR 355.30):** Not regulated.**SARA TITLE III SECTION 304 EXTREMELY HAZARDOUS SUBSTANCES (40 CFR 355.40):** Not regulated.**SARA TITLE III SARA SECTIONS 311/312 HAZARDOUS CATEGORIES (40 CFR 370.21):**

ACUTE: Yes

CHRONIC: No

FIRE: Yes

REACTIVE: No

SUDDEN RELEASE: No

SARA TITLE III SECTION 313 (40 CFR 372.65): Not regulated.**OSHA PROCESS SAFETY (29CFR1910.119):** Not regulated.**STATE REGULATIONS:****California Proposition 65:** Not regulated.**CANADIAN REGULATIONS:**

WHMIS CLASSIFICATION: Not determined.

NATIONAL INVENTORY STATUS:

U.S. INVENTORY (TSCA): All the components of this substance are listed on or are exempt from the inventory.

TSCA 12(b) EXPORT NOTIFICATION:

DIPROPYLENE GLYCOL METHYL ETHER

CAS NUMBER: 34590-94-8

SECTION 4

CANADA INVENTORY (DSL/NDSL): Not listed on inventory.

16. OTHER INFORMATION

©Copyright 1984-2005 MDL Information Systems, Inc. All rights reserved.

SELLER MAKES NO WARRANTY, EXPRESS OR IMPLIED, CONCERNING THE PRODUCT OR THE MERCHANTABILITY OR FITNESS THEREOF FOR ANY PURPOSE, except that the product shall conform to contracted specifications, and that the product does not infringe any valid United States or Canadian patent. No claim of any kind shall be greater in amount than the purchase price of the quantity of product in respect of which damages are claimed. In no event shall Seller be liable for incidental or consequential damages, whether Buyer's claim is based on contract, breach of warranty, negligence or otherwise.