

23877-1058

ELMER'S STIX-ALL GEL CEMENT

Page 1 of 5

**MATERIAL SAFETY DATA SHEET****1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION**

Elmer's Products, Inc.
1 Easton Oval
Columbus, OH 43219

Emergency Phone Number:
Poison Control Center
1-888-516-2502

For additional product information, access our website at www.elmers.com or call 1-888-435-6377.
To place an order, call 1-800-848-9400.

SUBSTANCE: ELMER'S STIX-ALL GEL CEMENT

TRADE NAMES/SYNONYMS:
E1011

PRODUCT USE: adhesives**CREATION DATE:** Jan 26 2007**REVISION DATE:** Jan 29 2007**2. COMPOSITION, INFORMATION ON INGREDIENTS**

COMPONENT: NON-HAZARDOUS SUBSTANCE
CAS NUMBER: Not assigned.
PERCENTAGE: 95-100

COMPONENT: 3-(TRIMETHOXYSILYL)-1-PROPANAMINE
CAS NUMBER: 13822-56-5
PERCENTAGE: 1-5

3. HAZARDS IDENTIFICATION**NFPA RATINGS (SCALE 0-4):** HEALTH = 2 FIRE = 1 REACTIVITY = 0

EMERGENCY OVERVIEW:
PHYSICAL FORM: liquid
MAJOR HEALTH HAZARDS: eye irritation

POTENTIAL HEALTH EFFECTS:
INHALATION:
SHORT TERM EXPOSURE: irritation, cough, headache, nausea
LONG TERM EXPOSURE: no information on significant adverse effects



ELMER'S STIX-ALL GEL CEMENT

Page 2 of 5

SKIN CONTACT:**SHORT TERM EXPOSURE:** irritation, allergic reactions**LONG TERM EXPOSURE:** irritation, allergic reactions**EYE CONTACT:****SHORT TERM EXPOSURE:** irritation, tearing, visual disturbances, sensitivity to light, eye damage**LONG TERM EXPOSURE:** irritation, tearing, visual disturbances, sensitivity to light, eye damage**INGESTION:****SHORT TERM EXPOSURE:** irritation**LONG TERM EXPOSURE:** irritation

4. FIRST AID MEASURES**INHALATION:** If adverse effects occur, remove to uncontaminated area. Give artificial respiration if not breathing. Get immediate medical attention.**SKIN CONTACT:** If bonding occurs, immerse the bonded surfaces in warm soapy water. Peel or roll the surfaces apart using a blunt edge, such as a spatula or spoon handle. Do not pull surfaces apart with a direct opposing action. If burns occur, treat as thermal burns. Get medical attention, if needed.**EYE CONTACT:** If bonding to tissues occurs, wash with large amounts of warm water. Cover both eyes with sterile, dry bandages. The eye will open without further action. Do not pull surfaces apart with a direct opposing action. If burns occur, treat as thermal burns. Get medical attention.**INGESTION:** If a large amount is swallowed, get medical attention.**NOTE TO PHYSICIAN:** Mineral oil, vegetable oil, or petrolatum jelly may help soften the bonding between skin surfaces. For skin contact, consider acetone or nitromethane.

5. FIRE FIGHTING MEASURES**FIRE AND EXPLOSION HAZARDS:** Slight fire hazard.**EXTINGUISHING MEDIA:** carbon dioxide, regular dry chemical, regular foam, water**FIRE FIGHTING:** Move container from fire area if it can be done without risk. Avoid inhalation of material or combustion by-products. Stay upwind and keep out of low areas.**FLASH POINT:** No data available.**HAZARDOUS COMBUSTION PRODUCTS:**

Thermal decomposition products or combustion: oxides of carbon, oxides of nitrogen, oxides of silicon

6. ACCIDENTAL RELEASE MEASURES**OCCUPATIONAL RELEASE:**

Stop leak if possible without personal risk. Small spills: Absorb with sand or other non-combustible material. Collect spilled material in appropriate container for disposal.

ELMER'S STIX-ALL GEL CEMENT

Page 3 of 5

7. HANDLING AND STORAGE

STORAGE: Store and handle in accordance with all current regulations and standards. See original container for storage recommendations. Keep separated from incompatible substances.

8. EXPOSURE CONTROLS, PERSONAL PROTECTION

EXPOSURE LIMITS:**ELMER'S STIX-ALL GEL CEMENT:**

No occupational exposure limits established.

VENTILATION: Provide local exhaust ventilation system. Ensure compliance with applicable exposure limits.

EYE PROTECTION: Wear splash resistant safety goggles with a faceshield. Provide an emergency eye wash fountain and quick drench shower in the immediate work area.

CLOTHING: Wear appropriate chemical resistant clothing.

GLOVES: Wear appropriate chemical resistant gloves.

RESPIRATOR: Under conditions of frequent use or heavy exposure, respiratory protection may be needed. Respiratory protection is ranked in order from minimum to maximum. Consider warning properties before use.

Any chemical cartridge respirator with organic vapor cartridge(s).

Any chemical cartridge respirator with a full facepiece and organic vapor cartridge(s).

Any air-purifying respirator with a full facepiece and an organic vapor canister.

For Unknown Concentrations or Immediately Dangerous to Life or Health -

Any supplied-air respirator with full facepiece and operated in a pressure-demand or other positive-pressure mode in combination with a separate escape supply.

Any self-contained breathing apparatus with a full facepiece.

9. PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE: liquid

ODOR: mild

BOILING POINT: Not applicable

FREEZING POINT: Not applicable

VAPOR PRESSURE: Not applicable

VAPOR DENSITY: Not applicable

SPECIFIC GRAVITY: 1.04

WATER SOLUBILITY: insoluble

pH: Not applicable

VOLATILITY: Not available

ODOR THRESHOLD: Not available

EVAPORATION RATE: Not available

COEFFICIENT OF WATER/OIL DISTRIBUTION: Not applicable

ELMER'S STIX-ALL GEL CEMENT

Page 4 of 5

10. STABILITY AND REACTIVITY**REACTIVITY:** Stable at normal temperatures and pressure.**CONDITIONS TO AVOID:** Avoid heat, flames, sparks and other sources of ignition. Avoid contact with incompatible materials.**INCOMPATIBILITIES:** oxidizing materials**HAZARDOUS DECOMPOSITION:**

Thermal decomposition products or combustion: oxides of carbon, oxides of nitrogen, oxides of silicon

POLYMERIZATION: Will not polymerize.**11. TOXICOLOGICAL INFORMATION****3-(TRIMETHOXYSILYL)-1-PROPANAMINE:****LOCAL EFFECTS:**

Corrosive: inhalation, skin, eye, ingestion

12. ECOLOGICAL INFORMATION

Not available

13. DISPOSAL CONSIDERATIONS

Dispose in accordance with all applicable regulations.

14. TRANSPORT INFORMATION**U.S. DEPARTMENT OF TRANSPORTATION:** No classification assigned.**CANADIAN TRANSPORTATION OF DANGEROUS GOODS:** No classification assigned.**15. REGULATORY INFORMATION****U.S. REGULATIONS:****CERCLA SECTIONS 102a/103 HAZARDOUS SUBSTANCES (40 CFR 302.4):** Not regulated.**SARA TITLE III SECTION 302 EXTREMELY HAZARDOUS SUBSTANCES (40 CFR 355.30):**
Not regulated.**SARA TITLE III SECTION 304 EXTREMELY HAZARDOUS SUBSTANCES (40 CFR 355.40):**
Not regulated.**SARA TITLE III SARA SECTIONS 311/312 HAZARDOUS CATEGORIES (40 CFR 370.21):**
ACUTE: Yes

ELMER'S STIX-ALL GEL CEMENT

Page 5 of 5

CHRONIC: No
FIRE: No
REACTIVE: No
SUDDEN RELEASE: No

SARA TITLE III SECTION 313 (40 CFR 372.65): Not regulated.

OSHA PROCESS SAFETY (29CFR1910.119): Not regulated.

STATE REGULATIONS:
California Proposition 65: Not regulated.

CANADIAN REGULATIONS:
WHMIS CLASSIFICATION: Not determined.

NATIONAL INVENTORY STATUS:
U.S. INVENTORY (TSCA): All the components of this substance are listed on or are exempt from the inventory.

TSCA 12(b) EXPORT NOTIFICATION: Not listed.

CANADA INVENTORY (DSL/NDSL): Not determined.

16. OTHER INFORMATION

©Copyright 1984-2007 MDL Information Systems, Inc. All rights reserved.

SELLER MAKES NO WARRANTY, EXPRESS OR IMPLIED, CONCERNING THE PRODUCT OR THE MERCHANTABILITY OR FITNESS THEREOF FOR ANY PURPOSE, except that the product shall conform to contracted specifications, and that the product does not infringe any valid United States or Canadian patent. No claim of any kind shall be greater in amount than the purchase price of the quantity of product in respect of which damages are claimed. In no event shall Seller be liable for incidental or consequential damages, whether Buyer's claim is based on contract, breach of warranty, negligence or otherwise.