

25087-1001**Material Safety Data Sheet**

ETAC™ COLOR CONCEPTS COLOR SYSTEMS

Revision Date: July 6, 2006 Date Printed: May 29th, 2008NFPA ClassificationHealth 0
Flammability 1
Reactivity 0
Flammability 1
Instability 0
Special HazardsHMS ClassificationHealth 0
Flammability 1
Reactivity 0**1 CHEMICAL PRODUCT AND COMPANY IDENTIFICATION**

Chemical Name: Chemical Mixture

Product Use: Art Material

Supplier ETAC Color Systems
ETAC LLC
PO Box 370
Camp Hill, AL. 36850
(334)332-4322 Cell
(706)413-5526For Chemical Emergency Call CHEMTREC 1(800)424-9300
For ingestion Call Your Local Poison Control Center**2 COMPOSITION/ INFORMATION ON INGREDIENTS**

Defined as non-hazardous by OSHA under CFR 1910.1200 (d).

3 HAZARDS IDENTIFICATION

No known hazards associated with this product.

4 FIRST AID MEASURESEYE CONTACT: Flush eyes thoroughly with large amounts of water for at least fifteen minutes. Get medical attention.SKIN CONTACT: Wash with soap and water. Remove severely contaminated clothing and clean before reuse. Seek medical attention in the unlikely event irritation occurs.INHALATION: Remove to fresh air. Get medical attention if breathing is difficult..INGESTION: Do not give anything by mouth to an unconscious person. Get medical attention.**5 FIRE FIGHTING MEASURES**FLAMMABILITY: OSHA/NFPA Class IIIB combustible liquid

HAZARDOUS COMBUSTION PRODUCTS: Incomplete combustion may produce carbon monoxide.

EXTINGUISHING MEDIA: Dry Chemical, Carbon Dioxide or water

6 ACCIDENTAL RELEASE MEASURES

SMALL SPILL: Inert materials such as sand may be used to control spillage. Place spilled material in appropriate waste containers for disposal

LARGE SPILL: Inert materials such as sand may be used to control spillage. Place spilled material in appropriate waste containers for disposal.

7 HANDLING AND STORAGE

HANDLING: Avoid exposure through the use of appropriate engineering controls and good hygiene practices.

STORAGE: Store in a moderately cool, dry, well ventilated area away from direct sources of heat. Empty containers may contain residue, dispose of properly. Keep labeling visible.

8 EXPOSURE CONTROL/PERSONAL PROTECTION

ENGINEERING CONTROLS: Local exhaust ventilation is recommended.

PERSONAL PROTECTION: Safety glasses are recommended. Impervious gloves and clothing should be worn when gross contact is likely as when cleaning up large spills.

EXPOSURE LIMITS: There are no AGGIH TLV's or OSHA PELs for this product. The AGGIH TLV for nuisance dust is 10mg/M³.

9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance : Colored Liquid

SOLUBILITY : Dispersible

VOLATILE ORGANIC COMPOUND (VOCs): Negligible

10 STABILITY AND REACTIVITY

GENERAL: This material is stable when properly handled and stored.

INCOMPATABILITY: Reacts with strong oxidizing agents.

HAZARDOUS DECOMPOSITION PRODUCTS: Carbon Monoxide

12 ECOLOGICAL INFORMATION

Organic components are expected to degrade rapidly in contact with air or water. Biodegradation of inorganic pigments is poor, however there is no evidence to suggest that they create any significant ecological problem when released into the environment in small quantities.

13 DISPOSAL CONSIDERATIONS

Contaminated products, soil, water, container residues and cleanup materials must be disposed of in accordance with all applicable federal, state and local regulations. This product is not identified as a RCRA hazardous waste under 40 CFR 261, and is not regulated under CERCLA (superfund)

14 TRANSPORT INFORMATION

D.O.T. SHIPPING NAME (49 CFR 172.101.102)	Not Regulated
D.O.T. HAZARD CLASS (49 CFR 172.101.102)	Not Regulated
D.O.T. LABEL	None
D.O.T. PLACARD	None
BILL OF LADEN DESCRIPTION	Art Material NOI
CERCLA SUBSTANCE (49 CFR)	Not Regulated
REPORTABLE QUANTITY (RQ)	None
IATA CLASSIFICATION	Not Regulated
UN/NA NUMBER	Not Regulated
IMDG/IACO CLASSIFICATION	Not Regulated

15 REGULATORY INFORMATION

COMPLIES WITH ASTM Designation D 4236-94 Standard Practice for Labeling Art Materials for Chronic Health Hazards.

Consumer Product Safety Commission Labeling Requirements for Art Materials Presenting Chronic Hazards (16 CFR 1500)

Occupational Safety and Health Administration Hazard Communication Standard 1910.1200

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65)

Canadian Consumer Chemicals and Containers Regulations 2001 (CCCR, 2001)

OSHA Hazard Communications Standard

EPA Toxic Substances Control Act: All ingredients have been reported to the U.S. EPA and are included in the TSCA chemical inventory.

16 OTHER INFORMATION

For more information contact

Bill Edwards
ETAC color concepts
PO Box 370
302 South Main St.
Camp Hill, AL. 36850
(706) 413-5526
(334) 332-4322 Cell