

(7562-00)

Badger Trillion Comp

#25109-1007 /
7562-00

SECTION I - PRODUCT IDENTIFICATION

PRODUCER'S NAME: TRI STATE INDUSTRIAL LUBRICANTS, INC.
ADDRESS: 7438 Channel Road Skokie, Illinois 60076
EMERGENCY PHONE NUMBER: 312-761-0772
CHEMICAL NAME: PETROLEUM OIL
CHEMICAL FAMILY: HYDROCARBON
TRADE NAME: COMPRESSOR OIL 486
HAZARD CLASSIFICATION: POSSIBLE EYE IRRITANT

2-24-89
prepared

SECTION II - HAZARDOUS COMPONENTS

INGREDIENTS	% OSHA HAZARD TLV (UNITS)
CONTAINS NO HAZARDOUS INGREDIENTS	

SECTION III - HEALTH INFORMATION AND PROTECTION

FIRST AID AND NATURE OF HAZARD

- EYE CONTACT: Immediately flush eyes with large amounts of water for at least 15 minutes... Get prompt medical attention.
- SKIN CONTACT: Flush with large amounts of water; use soap if available. Remove contaminated clothing, including shoes, and launder before reuse.
- INHALATION: Proper respiratory protection, immediately remove the affected victim from exposure. Call for prompt medical attention.
- INGESTION: If swallowed and individual is conscious, INDUCE VOMITING. Get prompt medical attention.

This MSDS is being provided to your company for the purpose of providing current health and safety information to your management and for your employees who work with this material. Please read the information on these sheets, and then provide this information to those people at your company whose responsibility it is to comply with Federal and State right to know regulations.

SECTION IV - PHYSICAL DATA - TYPICAL

SOLUBILITY IN WATER: INSOLUBLE
SPECIFIC GRAVITY AT 60 DEGREES FAHRENHEIT: 0.96
% VOLATILES: N/A
~~APPEARANCE AND ODOR: CLEAR AMBER LIQUID-PETROLEUM ODOR~~
FREEZING POINT: WIDE RANGE

V-320

SECTION V - FIRE AND EXPLOSION HAZARD

FLASHPOINT DEG. F: 310 C.O.C.

FLAMMABLE LIMITS - LEL: UEL: NOTE: NOT AVAILABLE.

AUTO IGNITION TEMP.: NOTE: NOT AVAILABLE

GENERAL HAZARD

Low hazard, liquid can burn upon heating to temp. at flashpoint. If thermally decomposed, flammable/toxic gas may be released. Empty product containers may contain product residue. Do not pressurize, cut weld or expose containers to flame or other sources of ignition.

FIRE FIGHTING - Use water spray to cool fire exposed surfaces and to protect personnel. Isolate "fuel" supply from fire. Use foam, dry chemical, or water spray to extinguish fire. Respiratory and eye protection required for fire fighting to avoid boil over.

HAZARDOUS COMBUSTION PRODUCTS: No Unusual.

INCOMPATIBILITY: Strong Oxidants.

HAZARDOUS POLYMERIZATION: Will not occur.

SECTION VI SPILL CONTROL PROCEDURE

LAND SPILL

Eliminate sources of ignition. Prevent additional discharge of material, if possible to do so without hazard. For small spills implement cleanup procedures, and if in public area, keep public away and advise authorities. Also, if this product is an EPA hazardous substance (see Section IX) notify the U.S. EPA if appropriate. Prevent liquid from entering sewers, watercourses, or low areas. Contain spilled liquid with sand or earth, allow material to solidify and scrape up.

Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations.

SECTION VII TRANSPORT AND STORAGE

ELECTROSTATIC ACCUMULATION HAZARD

Unknown, use proper grounding procedures

Storage
Temperature deg. F
Ambient

Loading/Unloading
Temperature deg. F
Ambient

Storage/Transport
Pressure, mmHg.
(Atmospheric)

Viscosity at Loading/Unloading
Temperature, Sus
 N/A N/A

SECTION VIII - PROTECTIVE EQUIPMENT TO BE USED

RESPIRATORY PROTECTION: Use NIOSH approved hydrocarbon vapor canister or supplied - air respiratory protection in confined or enclosed spaces if needed.

VENTILATION: Use with adequate ventilation.

MECHANICAL (general): Use standard exhaust fan, face velocity > 60 PPM.

SPECIAL: If flash point is below 150 deg. F., use explosion proof equipment.

PROTECTIVE GLOVES: Use chemical resistant gloves, if needed to avoid repeated or prolonged skin contact.

EYE PROTECTION: Use splash goggles or face shield when eye contact may occur.

OTHER PROTECTIVE EQUIPMENT: Use chemical resistant apron or other clothing if needed to avoid repeated or prolonged skin contact.

SECTION IX - HAZARD CLASSIFICATION

U.S. DOT CLASSIFICATION
Not Regulated

EPA HAZARD SUBSTANCE
Not Applicable

DATE PREPARED: 2/24/89

For additional product information contact your technical sales representative.