

07/17/2006 15:58 8474270426  
01/14/2002

POLYFORM

PAGE 02/04  
Page 1 of 3**33273 - 1009****MATERIAL SAFETY DATA SHEET**

MANUFACTURER OR DISTRIBUTOR: Polyform Products Co.  
1901 Estes Avenue  
Elk Grove Village, IL 60007

INFORMATION TELEPHONE NUMBER: 1-847-427-0020  
EMERGENCY TELEPHONE NUMBER: 1-847-427-0020

**SECTION I - PRODUCT IDENTIFICATION**

PRODUCT NAMES: SCULPEY  
SCULPEY III  
SUPER SCULPEY  
PRO SCULPT  
SCULPEY SCULP-A-DOLL  
SCULPEY LIVING DOLL  
SUPER ELASTICLAY  
SCULPEY MOLD MAKER  
SCULPEY MOLD MAKER & POLYMER CLAY CONDITIONER  
SCULPEY ULTRALIGHT  
GRANITEX  
PREMO! SCULPEY  
SCULPEY SUPERFLEX BAKE & BEND CLAY  
AMAZING ERASER CLAY!

PRODUCT SIZES: 28 GRAMS - 454 GRAMS  
PRODUCT CLASS: MODELING CLAY (OVEN HARDENING)

**SECTION II - HAZARDOUS INGREDIENTS**

None

**SECTION III - PHYSICAL AND CHEMICAL CHARACTERISTICS**

BOILING POINT: N/A MELTING POINT: N/A VAPOR PRESSURE: N/A  
SPECIFIC VAPOR DENSITY (AIR=1): N/A SPECIFIC GRAVITY: N/A  
SOLUBILITY IN WATER: N/A REACTIVITY IN WATER: NON-REACTIVE  
APPEARANCE AND ODOR: CLAY

**SECTION IV - FIRE AND EXPLOSION INFORMATION**

FLASH POINT (METHOD): N/A  
AUTOIGNITION TEMPERATURE: N/A  
EXPLOSION LIMITS IN AIR (% BY VOLUME): NOT EXPLOSIVE  
EXTINGUISHING MEDIA: NO SPECIAL MEDIA REQUIRED  
FIRE FIGHTING PROCEDURES: NO SPECIAL FIRE FIGHTING PROCEDURES REQUIRED  
UNUSUAL FIRE & EXPLOSION HAZARDS: NOT COMBUSTIBLE

**SECTION V - PHYSICAL HAZARDS/REACTIVITY**

HAZARDOUS POLYMERIZATION PRODUCTS: NONE  
STABILITY; STABLE CONDITIONS TO AVOID: NONE  
INCOMPATIBILITY (MATERIALS TO AVOID): NONE  
HAZARDOUS DECOMPOSITION PRODUCTS: NONE

07/17/2006 15:58 8474270426  
01/14/2002

POLYFORM

PAGE 03/04  
Page 2 of 3

**SECTION VI - HEALTH HAZARD DATA**

PERMISSIBLE EXPOSURE LEVEL: SEE SECTION II FOR COMPONENT PEL/TLVs  
 PRIMARY ROUTES OF ENTRY: EYE, SKIN, INHALATION, AND INGESTION  
 EFFECTS AND SYMPTOMS OF ACUTE EXPOSURE: NONE EXPECTED  
 EFFECTS AND SYMPTOMS OF CHRONIC EXPOSURE: NONE EXPECTED  
 CARCINOGEN LISTING: NTP: NO IARC: NO OSHA: NO  
 SEE SECTION II FOR COMPONENTS AFFECTED  
 MEDICAL CONDITIONS USUALLY AGGRAVATED BY OVER EXPOSURE TO THIS PRODUCT: NONE  
 FIRST AID MEASURES: NONE REQUIRED.  
 NO ACUTE HEALTH EFFECTS EXPECTED.

**SECTION VII - SPILL OR LEAK PROCEDURES**

PRECAUTIONS TO BE TAKEN DURING STORAGE AND HANDLING: NONE REQUIRED  
 STEPS TO BE TAKEN IN CASE A MATERIAL IS SPILLED: NONE REQUIRED  
 WASTE DISPOSAL METHOD: DISPOSE IN ACCORDANCE WITH FEDERAL, STATE AND LOCAL REGULATIONS.

**SECTION VIII - PROTECTIVE EQUIPMENT/CONTROL MEASURES**

RESPIRATORY PROTECTION AND SPECIAL VENTILATION REQUIREMENTS: NONE REQUIRED  
 OTHER PROTECTIVE EQUIPMENT (GLOVES, GOGGLES, ETC): NONE REQUIRED  
 WORK/HYGIENE PRACTICES: Do not heat above 175 degrees C (350 degrees F), allow to come in contact with an open flame or use with a hot knife or wire

**SECTION IX - ADDITIONAL INFORMATION AND WARNINGS**

THIS INFORMATION SHEET IS FOR CONSUMER USE ONLY

**SECTION X - COLOR INFORMATION**

THIS MSDS APPLIES TO THE FOLLOWING COLORS WHICH ARE ASSOCIATED WITH HAZARDOUS AND/OR NON-HAZARDOUS INGREDIENTS:

Products

Colors with Hazardous Ingredients

SCULPEY	none
SCULPEY III	none
SUPER SCULPEY	none
PRO SCULPT	none
SCULPEY SCULP-A-DOLL	none
SCULPEY LIVING DOLL	none
SUPER ELASTICLAY	none
SCULPEY MOLD MAKER	none
SCULPEY MOLD MAKER & POLYMER CLAY CONDITIONER	none
SCULPEY ULTRALIGHT	none
GRANITEX	none
PREMO! SCULPEY	none
SCULPEY SUPERFLEX BAKE & BEND CLAY	none
AMAZING ERASER CLAY!	none

Form Completed by: Larry L. Cook, PhD, DABT

07/17/2006 15:58 8474270426  
01/14/2002

POLYFORM

PAGE 04/04  
Page 3 of 3

Duke University  
03/09/05