

V# 1953

36903-1020



## MATERIAL SAFETY DATA SHEET

### 1. Product and Company Identification

**Product number** 894  
**Product name** Water Based Multi-Purpose Adhesive Remover  
**Effective date** 30-Dec-2008  
**Company information** Sprayway, Inc.  
 484 Vista Ave.  
 Addison, IL 60101 United States  
**Company phone** General Assistance 630-543-7600  
**Emergency telephone US** 800-424-9300  
**Emergency telephone outside US** 703-527-3887  
**Version #** 03  
**Supersedes date** 13-Nov-2007

### 2. Hazards Identification

**Emergency overview** FLAMMABLE  
 CONTENTS UNDER PRESSURE. Aerosol. Pressurized container may explode when exposed to heat or flame.  
 Cancer hazard. Irritating to eyes. Prolonged exposure may cause chronic effects.

**Potential health effects**

**Eyes** Causes eye irritation.

**Skin** Prolonged or repeated contact can result in defatting and drying of the skin which may result in skin irritation and dermatitis (rash).

**Inhalation** Intentional misuse by concentrating and inhaling the product can be harmful or fatal. Prolonged inhalation may be harmful.

**Ingestion** Exposure by ingestion of an aerosol is unlikely. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. May cause delayed lung damage.

**Target organs** Central nervous system.

**Chronic effects** May cause central nervous system disorder (e.g., narcosis involving a loss of coordination, weakness, fatigue, mental confusion, and blurred vision) and/or damage. May cause delayed lung damage.

### 3. Composition / Information on Ingredients

Components	CAS #	Percent
d-Limonene	5989-27-5	15 - 20
Diethylene Glycol Monobutyl Ether	112-34-5	10 - 15
n-Methyl-2-Pyrrolidinone	872-50-4	5 - 8
Dimethyl Ether	115-10-6	5 - 8
Polyethylene Glycol Nonylphenol Ether	9016-45-9	5 - 8
Isobutane	75-28-5	5 - 8
Propane	74-98-6	1 - 3
Nitromethane	75-52-5	0.1 - 0.5
Non-hazardous and other components below reportable levels		40 - 60

### 4. First Aid Measures

**First aid procedures**

**Eye contact** Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Get medical attention if irritation develops or persists.

**Skin contact** Remove and isolate contaminated clothing and shoes. Wash off with warm water and soap. Get medical attention if irritation develops or persists. For minor skin contact, avoid spreading material on unaffected skin.

trade\_name

MSDS US

Product #: 894 Water Based Multi-Purpose Adhesive Remover

Page 1 of 5

Item Numbers: 36903-1020

Inhalation	Move to fresh air. Oxygen or artificial respiration if needed. Do not use mouth-to-mouth method if victim inhaled the substance. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Call a physician if symptoms develop or persist.
Ingestion	Rinse mouth. Do not induce vomiting without medical advice. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration. Do not use mouth-to-mouth method if victim ingested the substance. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device.

### 5. Fire Fighting Measures

Flammable properties	Containers may explode when heated. Vapor or gas may spread to distant ignition sources and flash back.
Extinguishing media	
Suitable extinguishing media	Water fog. Alcohol foam. Dry chemical. Polymer foam. Dry chemical powder. Carbon dioxide (CO <sub>2</sub> ).
Protection of firefighters	
Specific hazards arising from the chemical	Fire may produce irritating, corrosive and/or toxic gases.
Protective equipment and precautions for firefighters	In the event of fire and/or explosion do not breathe fumes. Wear full protective clothing, including helmet, self-contained positive pressure or pressure demand breathing apparatus, protective clothing and face mask. Containers should be cooled with water to prevent vapor pressure build up. For massive fire, use unmanned hose holders or monitor nozzles; if this is impossible, withdraw from area and let fire burn.

### 6. Accidental Release Measures

Methods for containment	Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Stop leak if you can do so without risk. Move the cylinder to a safe and open area if the leak is irreparable.
Methods for cleaning up	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean contaminated surface thoroughly.

### 7. Handling and Storage

Handling	Pressurized container: Do not pierce or burn, even after use. Do not handle or store near an open flame, heat or other sources of ignition. Do not use if spray button is missing or defective. Use only with adequate ventilation. Do not get this material in contact with eyes. Do not breathe gas/fumes/vapor/spray. Avoid contact with skin. Wear personal protective equipment. Avoid prolonged exposure.
Storage	Level 2 Aerosol. Contents under pressure. Do not puncture, incinerate or crush. The pressure in sealed containers can increase under the influence of heat. Avoid exposure to long periods of sunlight. Keep in an area equipped with sprinklers. Keep out of the reach of children.

### 8. Exposure Controls / Personal Protection

#### Exposure limits

##### ACGIH

Components	CAS #	TWA	STEL	Ceiling
Diethylene Glycol Monobutyl Ether	112-34-5	20 ppm	Not established	Not established
Isobutane	75-28-5	1000 ppm	Not established	Not established
Propane	74-98-6	1000 ppm	Not established	Not established
Nitromethane	75-52-5	20 ppm	Not established	Not established

##### OSHA

Components	CAS #	TWA	STEL	Ceiling
Diethylene Glycol Monobutyl Ether	112-34-5	100 ppm	Not established	Not established
Propane	74-98-6	1000 ppm	Not established	Not established
Nitromethane	75-52-5	100 ppm	Not established	Not established

trade\_name

MSDS US

Product #: 894 Water Based Multi-Purpose Adhesive Remover

Page 2 of 5

Item Numbers: 36903-1020

**Personal protective equipment**

<b>Eye / face protection</b>	Wear chemical goggles.
<b>Skin protection</b>	Protective gloves.
<b>Respiratory protection</b>	When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

**9. Physical & Chemical Properties**

<b>Appearance</b>	Compressed liquefied gas.
<b>Boiling point</b>	176 °F (80 °C) estimated
<b>Color</b>	Light yellow.
<b>Flammability (HOC)</b>	21.1363 kJ/g estimated
<b>Flash back</b>	No
<b>Flash point</b>	-156 °F (-104.4 °C) estimated
<b>Form</b>	Aerosol.
<b>Odor</b>	Sweet.
<b>pH</b>	8.93 - 9.93
<b>Physical state</b>	Liquid.
<b>Pressure</b>	40 - 50 psig @ 70F
<b>Solubility</b>	Partially
<b>Specific gravity</b>	0.8905 estimated

**10. Chemical Stability & Reactivity Information**

<b>Chemical stability</b>	Risk of ignition.
<b>Conditions to avoid</b>	Heat, flames and sparks.
<b>Incompatible materials</b>	Isocyanates.
<b>Hazardous decomposition products</b>	May include oxides of oxides of carbon.

**11. Toxicological Information**

<b>Acute effects</b>	Acute LD50: 5690 mg/kg estimated, Rat, Dermal Acute LC50: 31 mg/l/4h estimated, Rat, Inhalation
<b>Sensitization</b>	Not expected to be hazardous by OSHA criteria.
<b>Carcinogenicity</b>	Hazardous by OSHA criteria.
<b>Reproductive effects</b>	Not expected to be hazardous by OSHA criteria.
<b>Teratogenicity</b>	Not expected to be hazardous by OSHA criteria.

**12. Ecological Information**

<b>Ecotoxicity</b>	LC50 2195 mg/L estimated, Fish, 96.00 Hours, EC50 873 mg/L estimated, Daphnia, 48.00 Hours, IC50 2119 mg/L estimated, Algae, 72.00 Hours, Components of this product have been identified as having potential environmental concerns.
--------------------	--

**13. Disposal Considerations**

<b>Waste codes</b>	D001: Waste Flammable material with a flash point <140 F
<b>Disposal instructions</b>	Contents under pressure. Do not allow this material to drain into sewers/water supplies. If discarded, this product is considered a RCRA ignitable waste, D001. Dispose in accordance with all applicable regulations.

trade\_name

Product #: 894 Water Based Multi-Purpose Adhesive Remover

MSDS US

Item Numbers: 36903-1020

Page 3 of 5


### 14. Transport Information

**Department of Transportation (DOT) Requirements**
**Basic shipping requirements:**


Proper shipping name	Consumer commodity
Hazard class	ORM-D
Subsidiary hazard class	None
<b>Additional information:</b>	
Packaging exceptions	156, 306
Packaging non bulk	156, 306
Packaging bulk	None

**IMDG**
**Basic shipping requirements:**

Proper shipping name	AEROSOLS
Hazard class	2.1
UN number	1950
<b>Additional information:</b>	
Packaging exceptions	LTD QTY
Labels required	None


**IATA**
**Basic shipping requirements:**

Proper shipping name	Aerosols, flammable
Hazard class	2.1
UN number	1950
<b>Additional information:</b>	
Packaging exceptions	LTD QTY
Labels required	2.1



### 15. Regulatory Information

**US federal regulations** This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

**U.S. - CERCLA/SARA - Section 313 - Emission Reporting**

Diethylene Glycol Monobutyl Ether	112-34-5	1.0 % de minimis concentration (applies to R-(OCH <sub>2</sub> CH <sub>2</sub> ) <sub>n</sub> -OR', where n = 1, 2, or 3, R=alkyl C7 or less, or R = phenyl or alkyl substituted phenyl, R' = H or alkyl C7 or less, or OR' consisting of carboxylic acid ester, sulfate, phosphate, nitrate, or sulfonate, Chemical Category N230)
n-Methyl-2-Pyrrolidinone	872-50-4	1.0 % de minimis concentration

**Occupational Safety and Health Administration (OSHA)**

29 CFR 1910.1200 hazardous chemical Yes

**CERCLA (Superfund) reportable quantity**

None

**Superfund Amendments and Reauthorization Act of 1986 (SARA)**

Hazard categories	Immediate Hazard - Yes Delayed Hazard - No Fire Hazard - Yes Pressure Hazard - Yes Reactivity Hazard - No
-------------------	---

Section 302 extremely hazardous substance No  
Section 311 hazardous chemical Yes

trade\_name

MSDS US

Product #: 894 Water Based Multi-Purpose Adhesive Remover  
Item Numbers: 36903-1020

Page 4 of 5

**Inventory status**

Country(s) or region	Inventory name	On inventory (yes/no)*
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of New and Existing Chemicals (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

**State regulations**

**WARNING:** This product contains a chemical known to the State of California to cause birth defects or other reproductive harm.

**U.S. - Pennsylvania - RTK (Right to Know) List**

Chemical Name	EC Number	Environmental hazard
Diethylene Glycol Monobutyl Ether	112-34-5	Present
Dimethyl Ether	115-10-6	Present
Isobutane	75-28-5	Present
Nitromethane	75-52-5	Present
n-Methyl-2-Pyrrolidinone	872-50-4	Present
Propane	74-98-6	Present

**16. Other Information****HMIS® ratings**

Health: 1  
Flammability: 3  
Physical hazard: 0

**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**MSDS sections updated**

Hazards Identification: Emergency overview  
Handling and Storage: Storage  
Physical & Chemical Properties: Physical & Chemical Properties  
Transport Information: Product Shipping Name/Packing Group  
Regulatory Information: United States  
Regulatory Information: State regulations

trade\_name

MSDS US

Product #: 894 Water Based Multi-Purpose Adhesive Remover

Item Numbers: 36903-1020

Page 5 of 5