

44961-1005**Material Safety Data Sheet**

May be used to comply with
OSHA's Hazard Communication Standard, 29 CFR 1910.1200
Standard must be consulted for specific requirements.

U.S. Department of Labor

Occupational Safety and Health Administration
(Non-Mandatory Form)
Form Approved OMB No. 1218-0072

IDENTITY (As Used on Label and List)
Diazo Photo Emulsion Remover (4557)

Note: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.

Section I Manufacturer's Name
Speedball Art Products, LLC

Emergency Telephone Number
704-838-1475

Address (Number, Street, City, State, and ZIP Code)
2301 Speedball Road Statesville, NC 28677 USA

Telephone Number for Information
704-838-1475

Date Prepared: January 1, 2010

Signature of Preparer (optional)

Section II – Hazardous Ingredients/Identity Information

Hazardous Components (Specific Chemical Identity; Common Name(s)):	OSHA PEL	ACGIH TLV	Other Limits Recommended	% (optional)
--	----------	-----------	--------------------------	--------------

This product has been evaluated by a Toxicologist only as per intended usage. DO NOT DEVIATE FROM INTENDED USE.

Section III - Physical/Chemical Characteristics

Boiling Point	212°F	Specific Gravity (H ₂ O = 1)	1.02
Vapor Pressure (mm Hg.)	N/A	Melting Point	<32°F
Vapor Density (AIR = 1)	Less than 1	Evaporation Rate (Butyl Acetate = 1)	Less than 1
Solubility in Water	Dilutable	Appearance and Odor	Transparent liquid with slight detergent odor

Section IV - Fire and Explosion Hazard Data

Flash Point (Method Used) N/A	Flammable Limits N/A	LEL N/A	UEL N/A
Extinguishing Media N/A			
Special Fire Fighting Procedures Wear self-contained breathing apparatus (pressure-demand, MSHA/NIOSH approved or equivalent) and full protective gear.			
Unusual Fire and Explosion Hazards Material can spatter above 212°F			

(Reproduce locally)

OSHA 174, Sept. 1985

Section V - Reactivity Data

Diazo Photo Emulsion Remover

Page 2

Stability	Unstable	Stable ✓	Conditions to Avoid N/A
Incompatibility (<i>Materials to Avoid</i>) Avoid contact with strong oxidizing agents			
Hazardous Decomposition or Byproducts None			
Hazardous Polymerization	May Occur	Will Not Occur ✓	Conditions to Avoid N/A

Section VI - Health Hazard Data

Route(s) of Entry: Multiple	Inhalation? See below	Skin? Can be an irritant	Ingestion? Low order of acute oral toxicity
Health Hazards (<i>Acute and Chronic</i>) Inhalation: Excessive inhalation of vapors can cause nasal and respiratory irritation. Eyes & Skin: Can be an irritant			
Carcinogenicity: N/A	NTP? N/A	IARC Monographs? N/A	OSHA Regulated? N/A
Signs and Symptoms of Exposure N/A			
Medical Conditions Generally Aggravated by Exposure Pre-existing eye, skin, and respiratory disorders			
Emergency and First Aid Procedures Contact with eyes and skin may cause irritation: Flush with water. If irritation persists, see doctor. Ingestion: dilute by giving water. See doctor. Inhalation: move to fresh air.			

Section VII - Precautions for Safe Handling and Use

Steps to Be Taken in Case Material is Released or Spilled Floor may be slippery: use care to avoid falling. Transfer to containers for recovery or disposal.
Waste Disposal Method Observe all Federal, State and local laws concerning health and environment.
Precautions to Be taken in Handling and Storing N/A
Other Precautions N/A

Section VIII - Control Measures

Respiratory Protection (<i>Specify Type</i>) None required with adequate ventilation & normal usage conditions.			
Ventilation	Local Exhaust	N/A	Special
	Mechanical (<i>General</i>)	N/A	Other
Protective Gloves	Impervious		Eye Protection
Other Protective Clothing or Equipment	N/A		
Work/Hygienic Practices Use protective cream where excessive skin contact is likely.			