

02/03/2006 17:00 14158848091

SAVOIR FAIRE

PAGE 10

Charbonnel Vernis noir a recouvrir Lamour / Black Covering Varnish

46914-2020
20241 IDENTIFICATION OF THE
SUBSTANCE/PREPARATION AND OF THE
COMPANY/UNDERTAKINGColart International S.A.
5 Rue Rene-Panhard
Z.I.Nord
72018 La Mans Cedex
France

Tel : (33) 02 43 83 83 00

SAFETY DATA SHEET

PRODUCT NAME : Charbonnel Vernis noir a recouvrir Lamour / Black Covering Varnish

PRODUCT CODE : 331280/1/2

33-1281



Harmful

2 COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients	Cas No.	EC No.	Weight%	Symbols	R Phrases
Turpentine	0038006-64-2	232-350-7	74	Xn	10, 20/21/22

3 HAZARDS IDENTIFICATION

- Harmful by inhalation, in contact with skin and if swallowed (R20/21/22)
- Some people may be susceptible to an allergic skin reaction with this substance in undiluted form
- Flammable (R10)

4 FIRST-AID MEASURES

CONTACT WITH SKIN

- Remove contaminated clothing immediately and drench affected skin with plenty of water. Then wash with soap and water
- Do not use solvents to clean skin

CONTACT WITH EYES

- In case of contact with eyes, rinse immediately with plenty of water and seek medical advice (S26)

Item Numbers: 46914-2020, 46914-2024

02/03/2006 17:00

14158848091

SAVOIR FAIRE

PAGE 11

est noir à recouvrir Lamour / Black Covering Varnish

FIRST-AID MEASURES

INGESTION

- If swallowed, do not induce vomiting; seek medical advice immediately and show this container or label (S62)

INHALATION

- Remove patient to fresh air
- Keep warm and at rest
- Seek medical advice

OTHER INFORMATION

- If you feel unwell, seek medical advice (show the label where possible)

5 FIRE-FIGHTING MEASURES

- In case of fire use Water spray or fog, alcohol resistant foam, dry chemical or carbon dioxide (S43)
- Do not use water jets
- May give off noxious and toxic fumes in a fire
- Prevent run off water from entering drains if possible

6 ACCIDENTAL RELEASE MEASURES

- Do not allow to enter public sewers and watercourses
- Ventilate area
- Absorb spillage in suitable inert material
- If polluted water reaches drainage systems or water courses, immediately inform appropriate authorities

7.1 HANDLING

- The usual precautions for handling chemicals should be observed
- When using do not eat, drink or smoke (S20/21)
- Ensure adequate ventilation
- Do not breathe vapour (S23)
- Avoid contact with skin & eyes

7.2 STORAGE

- Keep out of reach of children (S2)
- Keep in a cool place away from light (S3/14)
- Keep away from sources of ignition - No Smoking (S16)
- Opened containers should be carefully resealed and stored in an upright position

8.1 EXPOSURE CONTROLS/PERSONAL PROTECTION

- Engineering controls should be provided which maintain airborne concentrations below the relevant guidelines
- Wear suitable protective clothing (S36)
- Use good personal hygiene practices

02/03/2006 17:00 14158848091

SAVOIR FAIRE

FRGL

Charbonnel Vernis noir a recouvrir La noir / Black Covering Varnish

8.2 EXPOSURE LIMITS

- OES / LTEL 100 ppm 560 mg/m³
- OES / STEL 150 ppm 840 mg/m³

Constituent Exposure Limit:

Turpentine

- MEL / STEL 150 ppm 840 mg/m³

9 PHYSICAL AND CHEMICAL PROPERTIES

- Liquid, black, volatile, immiscible with water
- terpenes odour
- Flammable (R10)
- Upper flammability limit 6.0% (in air)
- Lower explosive limit 0.8 % (in air)
- Boiling point >156 deg C
- Flash point 41 deg C (CC)
- Melting point - not applicable
- Auto-ignition point >250 deg C
- pH - not applicable
- Density 900 kg/m³
- Vapour pressure 5 mm Hg
- Insoluble in water

10 STABILITY AND REACTIVITY

- No hazardous reactions known if used for its intended purpose
- May decompose on exposure to heat
- Decomposition products may include carbon oxides
- Keep away from strong oxidizing substances

11 TOXICOLOGICAL INFORMATION

- Harmful by inhalation, in contact with skin and if swallowed (R20/21/22)
- Prolonged skin contact will result in defatting of the skin, leading to irritation, and in some cases, dermatitis
- Inhalation of solvent vapours may give rise to nausea, headaches and dizziness
- May cause allergic reaction in susceptible people
- LD50 (oral) : 1400-5200 mg/kg

12 ECOLOGICAL INFORMATION

- Marine pollutant

13 DISPOSAL CONSIDERATIONS

- Do not empty into drains (S29)
- Disposal should be in accordance with local, state or national legislation

Item Numbers: 46914-2020, 46914-2024

Page 3 of 5

Creation Date 25/04/97

02/03/2006 17:00

14158848091

SAVOIR FAIRE

PAGE 13

Vernis noir a recouvrir Lamour / Black Covering Varnish

14.1 TRANSPORT REGULATIONS**PROPER SHIPPING NAME:**

Paint related product

UN

UN No.	: 1263	Hazard Class	: 3.3
Packing Group	: III		

Road/Rail (ADR/RID)

ADR UN No.	: 1263	ADR Hazard Class	: 3.3
ADR Item no.	:	ADR/RID No.	:
Tramcard	:		

Sea (IMDG)

IMDG UN No.	: 1263	IMDG Hazard Class	: 3.3
IMDG Page No.	:	IMDG Pack. Group	: III
IMDG EmS	: 3-05	IMDG MFAG	: 313

Air (ICAO/IATA)

ICAO UN No.	: 1263	ICAO Hazard Class	: 3
ICAO Packing Group	: 3		

14.2 TRANSPORT INFORMATION

- Packing group III
- Marine pollutant

15 REGULATORY INFORMATION

- This Safety Data Sheet is provided in compliance with the Dangerous Substances Directive (67/548/EEC)
- The data given here is based on current knowledge and experience. This Safety Data Sheet describes the product in terms of safety requirements and does not signify any warranty with regard to the product's properties
- This Safety Data Sheet does not constitute a workplace risk assessment



Harmful

15.1 RISK PHRASES

- Flammable (R10)
- Harmful by inhalation, in contact with skin and if swallowed (R20/21/22)

02/03/2006 17:00 14158848091

SAVOIR FAIRE

PAGE 14

Charbonnel Vernis noir a recouvrir Lanxur / Black Covering Varnish

15.2 SAFETY PHRASES

- Use only in well ventilated areas (S51)
- If swallowed, do not induce vomiting; seek medical advice immediately and show this container or label (S62)
- Keep out of reach of children (S2)

16 OTHER INFORMATION