



FROM : VALEY ENTERPRISES, INC.

PHONE NO. : 530 365 6483

Aug. 27 1999 07:29AM P2

CODE: 606-049-50

TRADE NAME: SOLVISOL RED 2R3

PAGE NO: 3

TO HELP PROTECT YOURSELF FROM EITHER EXPECTED OR UNFORSEEN IRRITATION OR ALLERGIC REACTIONS, WORKERS SHOULD WEAR ALL PROPERLY SELECTED PROTECTIVE EQUIPMENT AND CLOTHING AS INSTRUCTED IN SECTION 8 OF THIS MSDS. WASH HANDS AND FACE AFTER HANDLING AND BEFORE EATING, DRINKING, SMOKING OR USING RESTROOM FACILITIES. AFTER EACH SHIFT, CLEAN ALL PROTECTIVE EQUIPMENT, WASH ALL WORK CLOTHES, AND SHOWER. SEE SECTION 11, TOXICOLOGY INFORMATION.

UNUSUAL HAZARDS: IF MIXED WITH AIR IN SUFFICIENT AMOUNTS & PROPORTIONS, ORGANIC DUSTS CAN FORM FLAMMABLE OR EXPLOSIVE DUST/AIR MIXTURES. AS PRECAUTIONS, KEEP AREAS CLEAN AND AVOID DUST BUILD-UP. HAVE PLENTY OF GOOD VENTILATION. AVOID CREATING VERY DUSTY CONDITIONS. WHEN MIXING, POURING OR PROCESSING BULK AMOUNTS OF POWDERS, GROUND ALL CONTAINERS AND AVOID STATIC CHARGES, SPARKS, SMOKING, OPEN FLAMES, OR OTHER POSSIBLE CAUSES OF FIRE OR EXPLOSION.

-----  
SECTION 4 FIRST AID MEASURES

EYE CONTACT: IMMEDIATELY RINSE WITH PLENTY OF CLEAN FLOWING WATER FOR 15 TO 20 MINUTES, HOLDING EYELIDS OPEN TO RINSE COMPLETELY. CALL A DOCTOR, AND GET MEDICAL ATTENTION IMMEDIATELY, AS A PRECAUTION.

SKIN CONTACT: REMOVE AFFECTED CLOTHING. WASH AFFECTED SKIN AREA WITH PLENTY OF SOAP AND WATER. RINSE WITH PLENTY OF WATER. WASH ALL WORK CLOTHES BEFORE WEARING AGAIN. IF ANY REDNESS, SWELLING, ITCHING, OR PAIN OF THE SKIN STARTS, SEE A DOCTOR IMMEDIATELY.

BREATHING PRODUCT DUST: MOVE PERSON TO FRESH AIR. IF PERSON IS HAVING DIFFICULTY BREATHING, GIVE OXYGEN. IF NOT BREATHING, GIVE ARTIFICIAL RESPIRATION. GET EMERGENCY MEDICAL HELP IMMEDIATELY. CALL 911 IF AVAILABLE IN YOUR AREA, OR OTHER MEDICAL EMERGENCY NUMBER.

SWALLOWING OF PRODUCT: IF SWALLOWED, GIVE PERSON SEVERAL GLASSES OF WATER AND FORCE VOMITING. NEVER GIVE ANY FLUIDS OR FORCE VOMITING IF THE PERSON IS UNCONSCIOUS, OR IS HAVING CONVULSIONS, OR HAS NO GAG REFLEX. CONTACT A DOCTOR IMMEDIATELY TO GET MEDICAL HELP, CALL 911, OR OTHER MEDICAL EMERGENCY SERVICES AVAILABLE IN YOUR AREA.

-----  
SECTION 5 FIRE FIGHTING MEASURES

FLASH POINT : NA  
TYPES OF EXTINGUISHERS : WATER FOG, FOAM OR DRY CHEMICAL  
FIREFIGHTING DIRECTIONS: WEAR SELF-CONTAINED BREATHING APPARATUS TO PROTECT AGAINST POSSIBLY TOXIC FUMES. WEAR FULL FIRE-PROTECTIVE CLOTHING.

-----  
SECTION 6 ACCIDENTAL SPILL OR RELEASE MEASURES

INSTRUCTIONS FOR SPILLS AND RELEASES:

WEAR A NIOSH APPROVED DUST RESPIRATOR, WITH ALL PROTECTIVE CLOTHING AND ~~EQUIPMENT AS DIRECTED IN SECTION 8.~~

Item Numbers: 60987-3101

Page 2 of 6

CONTAIN AND CLEAN UP SPILL IMMEDIATELY. SWEEP POWDERS CAREFULLY, USING AN ABSORBENT (SWEEPING COMPOUND) TO KEEP DOWN THE DUST IN THE AREA. SCOOP

FROM : YALEY ENTERPRISES, INC.

PHONE NO. : 530 365 6483

Aug. 27 1999 07:30AM P3

CODE: 606-049-50

TRADE NAME: SOLVISOL RED 2RS

PAGE NO: 4

MATERIAL & ABSORBENT INTO DISPOSAL DRUM, AND SEAL.

RCRA STATUS: SEE REGULATORY INFORMATION, SECTION 15.

ENVIRONMENTAL PROTECTION: PREVENT FROM ENTERING FLOOR DRAINS OR SEWERS. DO NOT RELEASE TO SEWER WITHOUT ALL PROPER GOVERNMENT AUTHORITIES PERMISSION.

CHECK SECTION 13, "DISPOSAL CONSIDERATIONS/ENVIRONMENTAL PROTECTION PROCEDURES" FOR ANY ADDITIONAL INFORMATION.

-----  
SECTION 7 HANDLING AND STORAGE

PROTECT PRODUCT FROM MOISTURE, STORE IN COOL, DRY PLACE UNDER LOW RELATIVE HUMIDITY, AWAY FROM EXCESSIVE HEAT. STORE IN ORIGINAL OR EQUIVALENT WATER-PROOF CONTAINERS. RESEAL CONTAINERS TIGHTLY AFTER EACH USE.

SHELF LIFE: INDEFINITE WHEN STORED CAREFULLY AS INSTRUCTED ABOVE.

-----  
SECTION 8 EXPOSURE CONTROLS AND PERSONAL PROTECTION

NOTE: WHEN SELECTING PERSONAL PROTECTIVE EQUIPMENT AND CLOTHING, FOLLOW ALL MANUFACTURER SPECIFICATIONS AND RECOMMENDATIONS THAT APPLY TO YOUR SPECIFIC OPERATIONS AND PROCESSING CONDITIONS. TAKE INTO CONSIDERATION ALL CONDITIONS AND ALL CHEMICALS TO BE HANDLED OR PROCESSED

EYE PROTECTION: WEAR SPLASH-PROOF CHEMICAL SAFETY GOGGLES. CONTACT LENSES SHOULD NOT BE WORN WHEN WORKING WITH CHEMICALS.

SKIN PROTECTION: WEAR CHEMICALLY RESISTANT RUBBER GLOVES SELECTED FOR YOUR SPECIFIC PROCESSING CONDITIONS. WEAR AN APRON AND LONG SLEEVED CLOTHING. WEAR COVERALLS AND BOOTS TO MINIMIZE SKIN CONTACT. AS PRECAUTIONS, WASH HANDS & FACE WITH MILD SOAP & WATER BEFORE EATING, DRINKING, SMOKING, OR USING RESTROOM. AFTER EACH SHIFT, CLEAN ALL PROTECTIVE EQUIPMENT, WASH WORK CLOTHES AND SHOWER.

LUNG, THROAT & NASAL PROTECTION: WEAR NIOSH APPROVED DUST RESPIRATOR FOR YOUR PARTICULAR OPERATION AND MATERIALS BEING HANDLED.

OTHER PROTECTION: EYE WASH FOUNTAINS & DRENCH SHOWERS SHOULD BE LOCATED WITHIN 100 FEET OR A 10 SECOND WALK OF THE WORK AREA PER ANSI Z358.1-1990

VENTILATION: LOCAL EXHAUST IS RECOMMENDED.

-----  
SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

DESCRIPTION	: RED POWDER; NO ODOR
MELTING POINT	: NE
WATER SOLUBILITY	: INSOLUBLE
PH	: NE
SPECIFIC GRAVITY	: APPROXIMATELY 1.4
% TOTAL VOC'S	: 0
% NON-VOLATILES	: 100
% WATER	: 0

FROM : YALEY ENTERPRISES, INC.

PHONE NO. : 530 365 6483

Aug. 27 1999 07:31AM P4

CODE: 606-049-50

TRADE NAME: SOLVISOL RED 2RB

PAGE NO: 5

-----  
SECTION 10 STABILITY AND REACTIVITY

STABILITY : STABLE  
CONDITIONS TO AVOID : NK  
HAZARDOUS POLYMERIZATION: WILL NOT OCCUR  
INCOMPATIBLE MATERIALS : NK  
HAZARDOUS DECOMPOSITION PRODUCTS: BURNING CAN PRODUCE OXIDES OF CARBON AND NITROGEN

-----  
SECTION 11 TOXICOLOGY INFORMATION

FOR C.I. SOLVENT RED 49:  
ORAL LD50 (RAT): 1830 MG/KG  
DERMAL LD50 (RAT): NE  
INHALATION LC50 (RAT): NE

EYE EFFECTS (RABBIT): SLIGHTLY IRRITATING 1  
SKIN EFFECTS (RABBIT): SLIGHTLY IRRITATING 1  
BREATHING EFFECTS: NE

CHECK SECTION 3 FOR ANY OTHER OBSERVATIONS, EXPECTATIONS OR COMMENTS.

1) AS PRECAUTIONS TO HELP MINIMIZE CONTACT, WEAR ALL PROTECTIVE EQUIPMENT & CLOTHING AS INSTRUCTED IN THE EXPOSURE CONTROLS AND PERSONAL PROTECTION SECTION OF THIS MSDS. SEE SECTION SECTION 8.

GENERAL PRECAUTIONS: ALWAYS PRACTICE GOOD INDUSTRIAL HYGIENE, HANDLE WITH CARE, AVOID PERSONAL CONTACT. DO NOT GET INTO EYES OR ON SKIN, DO NOT BREATHE DUST OF PRODUCT, DO NOT SWALLOW. WASH HANDS WITH SOAP AND WATER, AND RINSE WELL AFTER HANDLING PRODUCT. SHOWER AFTER EACH SHIFT. WASH ALL WORK CLOTHING AND COMPLETELY CLEAN ALL PROTECTIVE EQUIPMENT AFTER EACH SHIFT. READ SECTIONS 3 AND 8.

MUTAGENICITY: NK

ADDITIONAL INFORMATION: CHECK SECTION 3

MEDICAL CONDITIONS MADE WORSE BY EXPOSURE: PERSONS WITH BREATHING AND LUNG PROBLEMS CAN BE AFFECTED BY BREATHING IN ANY TYPE OF DUSTY MATERIAL. PERSONS WITH ASTHMA, ALLERGIES, OR OTHER BREATHING-RELATED PROBLEMS SHOULD STAY AWAY FROM, NOT HANDLE, AND NOT BE EXPOSED TO ANY DUSTY PRODUCTS OR DUSTY CONDITIONS AS A PRECAUTIONARY MEASURE.

-----  
SECTION 12 ECOLOGICAL DATA

BOD 5: NE  
COD: NE  
FISH TOXICITY: NE  
~~SEED TOXICITY: NE~~  
CWA TOXIC POLLUTANTS: NK  
BIOLOGICAL ELIMINATION: NE

FROM : YALEY ENTERPRISES, INC.

PHONE NO. : 530 365 6483

Aug. 27 1999 07:31AM P5

CODE: 606-049-50

TRADE NAME: SOLVISOL RED 2RB

PAGE NO: 6

-----  
SECTION 13 DISPOSAL CONSIDERATIONS/ENVIRONMENTAL PROTECTION PROCEDURES

## DISPOSAL METHODS:

IT IS RECOMMENDED THAT YOU SELECT AN ALTERNATIVE BELOW ACCORDING TO THE FOLLOWING ORDER OF PREFERENCE, DEPENDING ON ENVIRONMENTAL IMPACT:

- 1) RECYCLE OR REWORK MATERIAL IF AT ALL POSSIBLE
- 2) INCINERATE MATERIAL AT AN APPROVED FACILITY
- 3) TREAT AT AN ACCEPTABLE WASTE TREATMENT FACILITY, OR MUNICIPAL WASTE TREATMENT PLANT AFTER PROPER TESTING & APPROVAL OF WASTE SAMPLES.

IF DISPOSED OF IN IT'S ORIGINAL UNUSED FORM, THIS MATERIAL SHOULD BE TREATED, AND DISPOSED OF AT AN APPROVED SITE OR FACILITY, IN COMPLIANCE WITH ALL APPLICABLE FEDERAL, STATE & LOCAL ENVIRONMENTAL REGULATIONS. YOU MUST CONTACT THE PROPER GOVERNMENT AGENCIES FOR ADDITIONAL DIRECTIONS. ALL WASTE MATERIAL & WASTE WATER SHOULD BE DISPOSED OF CORRECTLY, UNDER ALL FEDERAL, STATE, CITY & COUNTY LAWS.

RCRA STATUS: SEE SECTION 15, REGULATORY INFORMATION

DO NOT RELEASE ANY CHEMICALS, DYES OR DYE SOLUTIONS INTO ANY WATERWAYS OR SYSTEMS WITHOUT PROPER GOVERNMENT TESTING AND AUTHORIZATION.

CONTAINER REUSE: AN "EMPTY" CONTAINER CAN CONTAIN PRODUCT RESIDUE, AND SHOULD NOT BE REUSED. IF NOT PROFESSIONALLY CLEANED & RECONDITIONED, CRUSHING OR OTHER MEANS IS RECOMMENDED TO PREVENT UNAUTHORIZED REUSE.

-----  
SECTION 14 TRANSPORT INFORMATION

DOT STATUS (HIGHWAY AND RAIL): NR

IATA STATUS (AIR): NR

-----  
SECTION 15 REGULATORY INFORMATION

AICS (AUSTRALIA): NC

CAL. PROP. 65: TO THE BEST OF OUR PRESENT KNOWLEDGE, BASED ON INFORMATION AVAILABLE AT THE TIME OF THIS ENTRY, WE ARE NOT AWARE OF ANY CHEMICALS PRESENT IN THIS PRODUCT THAT ARE KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER OR REPRODUCTIVE TOXICITY.

CERCLA: NH

CLEAN AIR ACT:

TITLE III-HAP'S: NA

TITLE V-VOC'S: SEE SECTION 9

TITLE VI-ODC'S: NOT MANUFACTURED WITH NOR CONTAINING CLASS I OR II ODC'S

CONEG-TYPICAL METALS PRESENT IN PPM:

CADMIUM NE

CHROMIUM NE

LEAD NE

MERCURY NE

DSL (CANADA): COMPONENTS LISTED

ECL (KOREA): SERIAL #5-1975

FROM : YALEY ENTERPRISES, INC.

PHONE NO. : 530 365 6483

Aug. 27 1999 07:32AM P6

CODE: 606-049-50

TRADE NAME: SOLVISOL RED 2R8

PAGE NO: 7

EINECS (EUROPE): #208-076-8

ENCS (JAPAN): #5-3090

FDA STATUS: NL

OTHER TYPICAL DATA IN PPM: NK

RCRA: NOT HAZARDOUS IN IT'S PURCHASED FORM. HOWEVER, UNDER RCRA, IT IS THE PRODUCT USER'S RESPONSIBILITY TO DETERMINE AT TIME OF DISPOSAL IF ANY MATERIAL CONTAINING THE PRODUCT OR DERIVED FROM THE PRODUCT IS A HAZARDOUS WASTE.

SARA 311/312: IMMEDIATE/ACUTE HEALTH HAZARD : YES  
 DELAYED/CHRONIC HEALTH HAZARD : NO  
 FIRE HAZARD : NO  
 SUDDEN RELEASE OF PRESSURE HAZARD: NO  
 REACTIVITY HAZARD : NO

SARA 313: NR

TSCA: COMPONENTS LISTED

USDA: NL

WHMIS: NC

---

 SECTION 16 OTHER INFORMATION

## ACRONYM LIST

NA = NOT APPLICABLE TO THIS MATERIAL  
 NC = NOT CERTAIN, UNDETERMINED  
 ND = NO DATA IS CURRENTLY AVAILABLE  
 NE = NOT ESTABLISHED, NO TESTING IS PLANNED  
 NH = NOT HAZARDOUS UNDER CITED REGULATIONS  
 NK = NONE KNOWN  
 NL = NOT LISTED OR APPROVED UNDER THESE REGULATIONS  
 NR = NOT REGULATED OR REPORTABLE

NIOSH = NATIONAL INSTITUTE FOR OCCUPATIONAL SAFETY AND HEALTH

THE INFORMATION AND RECOMMENDATIONS CONTAINED HEREIN ARE BASED UPON DATA BELIEVED TO BE CORRECT. HOWEVER, NO GUARANTEE OR WARRANTY OF ANY KIND EXPRESSED OR IMPLIED, IS MADE WITH RESPECT TO THE INFORMATION CONTAINED HEREIN. THIS MATERIAL SAFETY DATA SHEET WAS PREPARED TO COMPLY WITH THE OSHA HAZARD COMMUNICATION STANDARD 29 CFR 1910.120J, AND SUPERSEDES ANY PREVIOUS INFORMATION. PREVIOUSLY DATED SHEETS ARE INVALID & UNAPPLICABLE.